Team 13 SRS, SAD and Test Plan update

Current task allocation: Team ownership. Primary owners are Anand (01-04, 19-20), Bidre (05-08, 17-18), Ayush (09-12, 21-22), Bhavesh (13-16, 23-24). Module support and historical authorship remain distinct.

Version 1.2 | 9 November 2026 | Prepared for final review

1. Purpose, scope and references

This amendment updates the implemented behavior and validation procedure of the approved

Team13_SRS_SAD_STP.pdf Version 1.0. Requirement IDs, actors and module ownership remain the

traceability anchors. Read this update with the original IEEE-structured document and the

final execution reports. The final-demo FAQ permits explained Agile deviations. Changes

below identify those deviations explicitly for the viva.

1.1 Current delivery and validation responsibilities

Current delivery ownership follows the two Jira screenshots supplied on 9 November 2026. Each story has one primary accountable owner. Cross-module implementation support and review do not transfer that ownership. This is a responsibility allocation, not a claim about commit authorship or historical PR review. The screenshot label "Atharva Bidre" refers to Atharva Rakesh Bidre, and "Bhavesh V" to Bhavesh Velluru. The TSMP-22 screenshot repeats [MLE-21] in its title; TSMP-22 / MLE-22 is the traceability story, not a second MLE-21.

Primary owner	Functional responsibility	TSMP / MLE tasks
Atharva Anand	M1 authentication, roles, history and workspaces	01-04, 19-20
Atharva Rakesh Bidre	M2 model/CSV ingestion and compatibility; React workflow and input-security validation	05-08, 17-18
Ayush M Shetty	M3 asynchronous execution, sandbox and trusted metrics; regression and traceability	09-12, 21-22
Bhavesh Velluru	M4 charts, comparison and exports; final report, maintenance, demo evidence, risks and retrospectives	13-16, 23-24

The original STP Section 6 assigns supporting module-level tests. For the current delivery, Bidre owns TSMP-18 security-matrix coordination, Anand owns TSMP-19/20 performance/portability/retention/quality evidence, Ayush owns TSMP-21/22 full regression and traceability, and Bhavesh owns TSMP-23/24 final packaging and governance. The original module owners still explain and review their implementations.

2. Updated SRS behavior

Reference	Final behavior	Verification
FR-005/006	React history supports status/task/date filters, paging, compatible selection, and confirmation before deletion	Browser ST-AUTH-02 and backend history/deletion tests
FR-007, SEC-008, BR-05	The workspace evaluator can read current members' workspace evaluation details, status, charts and reports; deletion stays owner-only	Workspace read, membership-revocation and owner-deletion regressions

Reference	Final behavior	Verification
FR-014	A member or evaluator can choose an accessible workspace when submitting their own validated pair	Available-workspace API, submission checks and browser upload controls
FR-022	React renders classification/regression charts; ROC class is selectable	Browser result/ROC checks and metric/chart contract tests
FR-023..027	Compare 2-5 successful owned runs on the same checksum, target column and task; highlight winners and export reports	Comparison API tests and browser history comparison
UC-12, API-23, UI-08	ADMIN can search accounts, activate/deactivate them and inspect security audit events	Admin API security tests and browser administration scenario
NFR-010	Hourly purge uses the configured retention period; deleting the last referencing evaluation also removes its uploads	Shared-input, retention and rollback regression tests

2.1 Role-policy deviation

ADMIN retains the existing evaluator capabilities for workspaces it owns and normal USER capabilities for its own runs. It receives no general access to another user's uploads or results. This supersedes the restrictive ADMIN cells in original STP Section 11.1. Ordinary USER accounts still receive 403 on management functions. Read access to a workspace member's run requires both the evaluator relation and current membership. This policy preserves the implemented hierarchy and is covered by tests; explain it during the viva.

2.2 Clarifications

A comparison also requires the same target column, since the same CSV may contain several candidate labels. Shared uploads survive deletion of one run while another run references them. Physical file removal occurs after a successful database commit, preserving files on transaction rollback. The original evaluations.purge_expired_files entry point delegates to the same retention implementation as the hourly ingestion task.

3. SAD implementation update

The React application now covers registration, upload/target/compatibility, queued/running status, results, history/comparison, workspaces and administration. The Django /results dashboard remains available as the earlier reporting surface. The normal React workflow completes on one browser origin without a separate dashboard login.

Concurrent requests share one token-refresh operation. A stale refresh cannot restore a signed-out session, and expired sessions return to sign-in. Async upload controls prevent input changes during a request. The sandbox now uses a dedicated /sandbox-tmp tmpfs with mode 0700 and matching UID/GID, and verifies the daemon-reported mount and working directory before execution.

This replaces the earlier generic /tmp location. Labels and trusted scoring remain

outside the container as specified by the original SAD.

The optional compose.https.yml adds Caddy in front of Nginx and Django. Public ingress is limited to the gateway; Django receives a trusted HTTPS scheme and enforces redirects and HSTS. Local HTTP is the demo configuration. Actual public deployment needs the operator's hostname, DNS and allowed-host settings.

3.1 Updated deployment and interaction model

Deployment diagram source is included in the linked Markdown amendment. The approved component and sequence diagrams are included in the combined final SRS/SAD/STP PDF.

The gateway is enabled by the HTTPS override. Local demo traffic enters Nginx directly.

Metric scoring and labels remain in the trusted worker. The approved sequence diagrams still define upload/validation and evaluation, with the new browser routes calling those same API contracts.

4. API contract additions

Method	Endpoint	Contract / authorization
GET	/api/v1/workspaces/available	Authenticated caller's memberships and managed workspaces; array for the upload selector
GET	/api/v1/admin/users?q=&page=	ADMIN-only paginated account search; hashes/tokens omitted
GET	/api/v1/admin/audit?page=	ADMIN-only paginated security events
GET	/api/v1/evaluations/{id}, /status, /charts, /report.json, /report.pdf	Owner, or evaluator of the run's workspace while its owner remains a member
DELETE	/api/v1/evaluations/{id}	Owner only; uploads removed only after their last reference is deleted
POST	/api/v1/comparisons	Also rejects conflicting target columns with 400

5. Test Plan execution update

Sections 3, 4 and 5 of the approved STP supply the strategy, environment and acceptance criteria. Final evidence in docs/evidence/final/ records the actual checks. The update retains all 80 original planned case IDs and adds specific regression and browser scenarios for the integrated workflow. Final test case status is in FINAL_TEST_CASES.md.

5.1 Security validation

Run password-hashing, signed-token/expiry/rotation, USER/EVALUATOR/ADMIN authorization, IDOR, input-validation, upload-rate/size, hostile-model containment, timeout/cleanup and audit checks. Explicitly verify evaluator read-only access, membership revocation, ownership of logout refresh tokens, admin endpoint denial and rollback-safe deletion. Run Bandit, project/sandbox dependency audits, npm audit, the history secret scan and SonarQube.

For HTTPS, test the optional gateway with certificate verification enabled and inspect redirect/HSTS behavior. docs/evidence/final/https.json records a local Caddy certificate trusted by curl. That check verifies the supplied deployment configuration; production certificate issuance depends on the chosen public hostname.

5.2 Final environment and test levels

Use Python 3.11, the pinned sandbox image, a reachable Redis broker and a real Docker daemon.
The local final system stack uses macOS Docker Desktop with PostgreSQL, Redis, Gunicorn, Celery/beat, Nginx/React and the restricted socket proxy. The core regression must enable REQUIRE_DOCKER_TESTS=1 and REQUIRE_REDIS_TESTS=1 to turn missing infrastructure into failure.
The separate unit report lists its exact service-test files. The full-suite report includes unit, API integration, Redis/Celery and Docker containment cases.

5.3 Coverage and acceptance

Produce backend line and branch coverage separately from one branch-enabled run. Enforce at least 80% backend line coverage. CI also enforces an 80% combined coverage gate. SonarQube's Team13 Critical Findings gate requires zero blocker and zero critical findings; detailed measures and lower-severity findings are reported without claiming zero findings overall.
All High requirements, overall planned-case pass rate, open High/Critical defects and the remaining human/environment checks must be reviewed before release sign-off. Automated browser checks do not replace the five first-time participants specified by USA-01. NFR-008 requires actual deployment/browser evidence on the named platforms.

6. Deviations and evidence still requiring team action

Actual Git merge dates extend beyond the course's original sprint/testing dates; retain them.
The role-policy hierarchy and shared-upload deletion semantics are explained above.
Five first-time usability participants, the Windows Docker deployment, and the final oral contribution review need real team evidence.
Supply the required one-minute Sprint 1 and two-minute Sprint 2 outcome videos. Historical sprint videos were not found in tracked files during the audit.

7. Traceability and revision control

The original diagrams and requirement definitions remain available in the approved PDF.
Use this amendment, FINAL_TEST_CASES.md, SYSTEM_VALIDATION_REPORT.md, the final quality reports and exact CI run links to explain the implemented differences. Every evidence file must identify its run or tested source revision. The final report package includes this amendment alongside the approved baseline.