

Aexeo Reporter Server - HTTP Request

[I. UI Path Library Owner](#)

[II. Objective](#)

[III. Library Details](#)

[Library Overview](#)

[Pre-requisites](#)

[Argument](#)

[Orchestrator Assets](#)

[Script Location](#)

[Sample HTTP request](#)

[Sample Payload](#)

[IV. How to Use](#)

[V. Test Scenarios](#)

[VI. Enhancements](#)

[VII. Related Links](#)

I. UI Path Library Owner


Resource Owner	Role
@Gomez, Nova Katrina (Citco)	IA Developer

II. Objective

This page is created to discuss the flow of calling Aexeo Reporter - HTTP Request Library.

III. Library Details

Library Overview



- Build payload in JSON
- Generate report via HTTP Request to Aexeo Reporter Server
- Wait for report to generate

Pre-requisites

1. Install this application so reports can be generated: `windowsdesktop-runtime-6.0.0-win-x64.exe`
2. Install python requests module, COMMAND: `pip install requests`
3. Report can only be saved to the UiPath Shared Drive location. Make sure UiPath shared drive is open or mapped.

Above are already installed in UIPATH Bots by default.

Argument

Argument Name	I/O	Data Type	Required Field?	Description	Sample
in_ClientName	Input	String	YES	Name of client in Aexeo.	WT_CAPITAL
in_FileName	Input	String	YES	Filename of the report to be downloaded.	WT_CAPITAL_RPA_11400_yyyyMMdd
in_ReportID	Input	String	YES	Report ID of Aexeo Report.	100011400
in_GridviewType	Input	String	NO	Optional. Gridview Type. Default: Global	client
in_SaveLocation	Input	String	YES	Save location of the report.	\\uipath-file-share.int.coredev01.citcosvc.com\UiPath Share\UiPathProjects\mn\NKGomez\OPTIONS_PROCESSING\WT_CAPITAL\SOURCE\
in_dt_ReportCriteria	Input	Data Table	YES	Customized report criteria.	

in_AxeoReporterServerTimeout	Input	Integer	No	Optional. Axeo Reporter Server request timeout in seconds to wait for the report to be downloaded. Default is 3000 seconds or 50min	300
in_APICredentialsName	Input	String	NO	Optional. Credential asset name from Orchestrator. Default: "Axeo_COMAPI_Credential"	
in_SourceSystem	Input	String	No	Optional. Track which process called the API. SourceSystem → the process who called the API.	RECON_EBINDER
out_blnSuccessfullyDownloaded	Output	Boolean	-	Output if report is successfully downloaded.	

Orchestrator Assets

Asset Name	Asset Type	Description

Aexeo_COMAPI_Credential	Credential	Contains the username and password to be used.
AexeoReporterServer_HTTPRequest_Timeout	Integer	Aexeo Reporter Server request timeout in seconds to wait for the report to be downloaded. Default is 3000 seconds or 50min
Env_Root_SharedFolder	Text	Root Folder
AexeoReporterServer_Host URL	Text	Aexeo Report Server Endpoint

Script Location

"\\uipath-share.int.coreprod01.citcosvc.com\UiPathShare\nonprod\UiPathProjects\Scripts\AexeoReporterServer-HTTPRequest\reporter_requests.py"

Sample HTTP request

[https://rpacfs1-aexeoreporterservice-uat.int.coreprod01.citcosvc.com/arguments?argument={"Start Date":"20240510","End Date":"20240510","Gridview":"AEXEODB_11400","bG9naW51c2Vy":"username","ZW5jcmlQYXNz":"password","Save Location":"\\\\\\\\\\\\rpacfs1-server-uat.int.coreprod01.citcosvc.com\\\\BPSHare\\\\mn\\\\\\\\NKGOMEZ\\\\\\\\","ReportID":"100011400","File Name":"EIP_RPA_11400_20240405","Client":"EIP","GVType":"global"}](https://rpacfs1-aexeoreporterservice-uat.int.coreprod01.citcosvc.com/arguments?argument={)


Sample Payload

```
{
  "bG9naW51c2Vy":"username",
  "ZW5jcmlQYXNz":"password",
  "Save Location":"\\\\uipath-file-share.int.coreprod01.citcosvc.com\\UiPathShare\\prod\\",
  "ReportID":"100011400",
  "File Name":"EIP_RPA_11400_20240405",
  "Client":"EIP123456",
}
```


```
"GVType": "global",
"Fund": "",
"Value Date": "20240405",
"Gridview": "AEXEODB_11400"
}
```

IV. How to Use

- 1. Navigate to “Manage Packages“ in uipath studio.



- 2. Find ‘IA_AxeoReporterServer_HTTP_Request’ and install (Makesure to install the most updated version)



- 3. You can now use Axeo Reporter HTTP Request activity in Activity Panel and Drag to you designer Panel

V. Test Scenarios

AxeoReporterServer-HTTPRequest-TestCases.xlsx

VI. Enhancements

Date	JIRA	ENHANCEMENTS
Jan 28, 2025	IA-11432: Support - Shared Component - Reporting Server - Add sourceSystem as optional data as input parameter in reporting server library Done	Added input paramaters: in_SourceSystem Added if stage: Add in_SourceSystem in report criteria data table if with value Additional Throw activity if there are error encountered in running

python module.

VII. Related Links

[Reporting Server API Details - RPA - Robotic Process Automation - Confluence \(atlassian.net\)](#)

[Reporter Server Connection Details \(DEV/TEST/UAT/PROD\)](#)

[Reporter Server - Multithreading ReportAPI](#)