

MESO Support

[Overview](#)
[MESO USER GUIDE](#)
[ARCHITECTURE](#)
[Process Information](#)
 [MESO Share drive location: \[Migrated to S3 Buckets below\]](#)
 [MESO Share S3 location:](#)
 [MESO SharePoint Files Output location:](#)
 [REPORTS LOCATION](#)
 [MESO External Dependencies](#)
 [Grant MESO Configuration Read/Write Access - Supervisor/Manager Level only \(SharePoint\)](#)
 [Client Onboarding \(SharePoint\)](#)
 [Modify Existing MESO Configuration - Add Funds \(SharePoint\)](#)
 [Below link to show who has the full control to grant user SharePoint access:](#)
 [MESO Configuration \(SharePoint\)](#)
 [MESO DB DETAILS](#)
 [EVENT STORE](#)
 [Email Notification:](#)
[RPA LLM PROMT:](#)
[AWS Login SSO:](#)
 [MESO CLOUDWATCH LOGS](#)
 [How to check MESO logs](#)
[Error Scenarios and FAQ](#)

Overview

Role	Email IDs
Process Developer	@Ho, Hoi Leung (Citco) @Ali, Mir Momin (Citco) (Deactivated) @Deotale, Kishor (Citco)
Process BA	TBD
Support	@Ho, Hoi Leung (Citco) DL: @innovation_it_support
LOB SME	TBD
Clients LOB	TBD
Aexeo Support	@Feng Cao / @Jajoo, Saurabh (Citco) - DEV @Sehgal, Mandeep (Citco) - Support NA @Halili, Anna Marie (Citco) - Support MNL @Howard, Kees (Citco) - Support EU More details: Regional Support

MESO USER GUIDE

- MESO user guide and Trigger files are available at: [MESO - All Documents](#)
- TEST Trigger: [MESO_Single_Trigger_Process_V5.1_TEST.xlsm](#) (Use to reproduce the issue in TEST environment)
- MESO Process Event Codes: [event_codes_summary.csv](#)

ARCHITECTURE

MESO Architecture is available at [09c Desing - Recon MESO](#)

Process Information

Process Name: MESO

Technology: AWS & Python

AWS Environment: citcocoreprod01

AWS Region: us-east-1

Code Repository: ia_meso_process

Code Repository Link: https://bitbucket.org/citco/ia_meso_process/src/main/

Pipeline: [core-ia-bpo-meso-service-infrastructure](#)

Pipeline Link: <https://eu-west-1.console.aws.amazon.com/codesuite/codepipeline/pipelines/core-ia-bpo-meso-service-infrastructure-eu-west-1/view?region=eu-west-1>


MESO Share drive location: [Migrated to S3 Buckets below]

CASH	\\uipath-share.int.coreprod01.citcosvc.com\UiPathShare\prod\RECON_EBINDER\MESO\OUTPUT\CASH
POSTION	\\uipath-share.int.coreprod01.citcosvc.com\UiPathShare\prod\RECON_EBINDER\MESO\OUTPUT\POSITIONS
CONFIG	\\uipath-share.int.coreprod01.citcosvc.com\UiPathShare\prod\RECON_EBINDER\MESO\CONFIG

MESO Share S3 location:

CITCO-ReadOnly@citcosharedprod01(857871466570)

CASH	s3://prod-citco-ia-checklist-service-documents/meso/output/cash/
POSTION	s3://prod-citco-ia-checklist-service-documents/meso/output/position/
CONFIG	s3://prod-citco-ia-checklist-service-documents/meso/config/



MESO SharePoint Files Output location:

PROD	http://citcoportal/cfs/sites/sharedservices/FTB/FTB SSC-Local Office/Manila/SSC Shared/Middle Office
------	---

REPORTS LOCATION

LOCATION	TYPE	REPORT NAME
1. Pre-month end activities	Cash	1. Manual_GL_Entries_Report_(100216300) 2. B-3 Cash ME Signoff Backup 20251128 3. B-1.2 Cash Rec 4. B-1.3 Aexeo Cash Completeness 5. Broker ART Extract
	Positions	1. Outstanding Paydown Check (100301300) 2. Order Manager Check (100301100) 3. Expired Positions Report (10019800) 4. Deal Manager Check (100301200)

		5. Badly Entered Trades Report (100123200) 6. C-3 Pos ME Signoff Backup 7. Boxed Position Report (100402900) 8. Exception_Manager_Report 9. C-1.2 Positions Rec 10. C-1.3 Aexeo Position Completeness
2. Aexeo Reports	Cash	1. Manual_GL_Entries_Report_(100216300)
	Positions	1. Boxed Position Report (100402900) 2. Badly Entered Trades Report (100123200) 3. Deal Manager Check (100301200) 4. Expired Positions Report (10019800) 5. Order Manager Check (100301100) 6. Outstanding Paydown Check (100301300)
3. Other Items	Cash	1. Lock_Status_Report
	Positions	1. Exception_Manager_Report
4. Macros	Cash	1. C-4 Subscription and Redemption Template 2. B-3 Cash ME Signoff Backup 3. B-1.2 Cash Rec 4. B-1.3 Aexeo Cash Completeness 5. Broker ART Extract
	Positions	1. C-3 Pos ME Signoff Backup 2. C-1.2 Positions Rec 3. C-1.3 Aexeo Position Completeness
5. E-Binders	Cash	1. B-1.3 Aexeo Cash Balance Sheet by Broker (CSV/PDF) 2. B1_100221500_Cash_Recon 3. B-1.2 Cash Rec
	Positions	1. C-1.3 Aexeo Position Report by Broker (CSV/PDF) 2. C1_PNL_Position_Recon 3. C-1.2 Positions Rec

MESO External Dependencies

1. RPA GENERIC TRIGGER LAMBDA
2. Aexeo Reporting Server
3. Aexeo
4. Citco Recs DB
5. SharePoint
6. UiPath ShareDrive

Grant MESO Configuration Read/Write Access - Supervisor/Manager Level only (SharePoint)

SD Ticket to RPA Support - coordinate with Hayden, Edmund/ Zhang, Jiannan

Client Onboarding (SharePoint)


User's Supervisor/ Manager responsible

Modify Existing MESO Configuration - Add Funds (SharePoint)

- User's Supervisor/Manager responsible **OR**
- SD Ticket to RPA to assist

Below link to show who has the full control to grant user SharePoint access:

http://cfstoday/sites/fa/cfsart/_layouts/15/user.aspx?obj={3D5DA510-DE72-483F-9B01-408E6462016A}.list&List={3D5DA510-DE72-483F-9B01-408E6462016A}



MESO Configuration (SharePoint)

Schedule	Link
DAILY	http://cfstoday/sites/fa/cfsart/Lists/Meso%20Config%20Daily/AllItems.aspx
WEEKLY	http://cfstoday/sites/fa/cfsart/Lists/MESO%20Config%20Weekly/AllItems.aspx
MONTHLY	http://cfstoday/sites/fa/cfsart/Lists/MESO_CONFIG_MONTHLY/AllItems.aspx
QUARTERLY	http://cfstoday/sites/fa/cfsart/Lists/MESO%20Config%20Quarterly/AllItems.aspx
PREMESO	http://cfstoday/sites/fa/cfsart/Lists/Premeso%20Config_1/All%20Items.aspx

MESO DB DETAILS

Table Name	Usage	Retention Policy
meso_request	Keep track of all MESO request along with process status and timing	7 days
meso_clients_csv_reports	Config for large volume Client/Fund, 1. Generate All Pending Report only for last 3 months 2. [IA-17676] [MESO Enhancement] - Change the report criteria for All Pending Confirm for exception funds only - Jira	No Removal

DB Type: PostgreSQL


Database: postgres

User: meso_read_only_user

Password: Contact Clarisa/ Horace/ Kishor

	URL
DEV	jdbc:postgresql://dev-navchecklist-db.ckxyrig1s7l3.us-east-1.rds.amazonaws.com:5432/postgres
TEST	jdbc:postgresql://test-navchecklist-db.c8qd5xwqqyv1.us-east-1.rds.amazonaws.com:5432/postgres
PROD	jdbc:postgresql://rpacfs1-navpack-prod-db.int.coreprod01.citcosvc.com:5432/postgres

Sample Connection settings:



Example to check the process status on MESO Request DB

```
1 select * from meso_request where client = 'TCI' order by created_on desc
```

The process status can be: PENDING (In progress), FAILED, COMPLETED

Following is the example to show most recent 10 MESO process status. The status can be PENDING, Individual PROCESS step or complete with FAILED/COMPLETED

```
1 SELECT id,client,fund,start_date,end_date,schedule,run_type,required_reports,status,created_on,modified_on,(modified_on - created_on) as
   "Elapse Time",notes
2 FROM meso_request
3 --WHERE client in ('BRILLIANCE_CAPITAL','TALISMAN')
4 ORDER BY created_on desc
5 FETCH FIRST 10 ROWS ONLY;
```

#	id	client	fund	start_date	end_date	schedule	run_type	required_reports	status	created_on	modified_on	Elapse Time	notes
1	63b934d3-c779-458d-a09e-bbd7a3ff8d3a	Mackay_shields	SHYCB	2025-11-01	2025-11-30	MONTHLY	POSITIONS	ALL	COMPLETED	2025-12-08 17:07:10.395 -0500	2025-12-08 17:08:56.444 -0500	00:01:46.048433	Adevannawar
2	ac727d48-821f-4108-bf81-14645bf40686	Mackay_shields	SHYCB	2025-11-01	2025-11-30	MONTHLY	CASH	ALL	COMPLETED	2025-12-08 17:06:58.514 -0500	2025-12-08 17:08:59.559 -0500	00:02:01.045336	Adevannawar
3	136e5388-1580-4538-8831-0afb851adb91	LAURION	>LCM	2025-12-05	2025-12-05	DAILY	POSITIONS	REC DOWNLOAD	COMPLETED	2025-12-08 16:49:04.068 -0500	2025-12-08 16:49:50.945 -0500	00:00:46.877216	MFufunan
4	38d887ac-4813-45cc-9f13-bc35190c9ace	LAURION	>LCM	2025-12-05	2025-12-05	DAILY	CASH	REC DOWNLOAD	COMPLETED	2025-12-08 16:48:52.103 -0500	2025-12-08 16:49:48.967 -0500	00:00:56.864178	MFufunan
5	eb9e14bf-1b9e-4017-8d05-abb21d261af9	Mackay_shields	SHYCB	2025-11-01	2025-11-30	MONTHLY	POSITIONS	ALL	COMPLETED	2025-12-08 16:41:28.482 -0500	2025-12-08 16:43:00.577 -0500	00:01:32.092534	Adevannawar
6	b9fcd22e-8201-40d7-a6fb-8781bf6e3a40	Mackay_shields	SHYCB	2025-11-01	2025-11-30	MONTHLY	CASH	ALL	COMPLETED	2025-12-08 16:41:17.062 -0500	2025-12-08 16:43:13.894 -0500	00:01:56.133281	Adevannawar
7	32fa4d01-57d6-495c-a351-18ce9a8f16e5	Mackay_shields	SHYCB	2025-11-01	2025-11-30	MONTHLY	POSITIONS	ADEXO REPORTS & BACKUP	COMPLETED	2025-12-08 16:36:51.385 -0500	2025-12-08 16:38:24.967 -0500	00:01:32.092534	Adevannawar
8	1c7b4686-6e96-4f4b-a3ad-e87d2037d396	Mackay_shields	SHYCB	2025-11-01	2025-11-30	MONTHLY	CASH	ADEXO REPORTS & BACKUP	COMPLETED	2025-12-08 16:36:39.765 -0500	2025-12-08 16:38:28.596 -0500	00:01:48.8307	Adevannawar
9	84ee3253-6eb4-48ef-b62d-1a2dda1321d8	LAURION	>LCM	2025-12-05	2025-12-05	DAILY	POSITIONS	REC DOWNLOAD	COMPLETED	2025-12-08 16:31:38.203 -0500	2025-12-08 16:32:25.695 -0500	00:00:47.491847	MFufunan
10	a45ee10-6eb8-4005-87de-20935a8ff72d	LAURION	>LCM	2025-12-05	2025-12-05	DAILY	CASH	REC DOWNLOAD	COMPLETED	2025-12-08 16:31:26.651 -0500	2025-12-08 16:32:23.081 -0500	00:00:56.42957	MFufunan

```
1 SELECT * FROM meso_clients_csv_reports
```

How to kill the MESO request in case the job is stuck and/or allow user to re-trigger the job (you need the R/W access user):

```
1 update meso_request
2 set status = 'FAILED'
3 where id in ('<id>')
```

EVENT STORE

We can check the process status using RPA LLM Support Agenet, but can be check via Event Services API Messages too

Tenant ID:


TEST: "7358631a-97bd-4bde-b13c-98d8979b9f10": "GENERIC_UAT_NON_PROD"

PROD: "bb5919ad-4356-4240-a5a9-8577a2b9a848"

MESO Registration with Event Store is as below

- EVENT_SOURCE: RPA
- EVENT_SUBJECT: RECON-MONTH-END-SIGN-OFF-032024
- EVENT_AREA: INTELLIGENT_AUTOMATION

Look up the tenant id, run id, subject from the Cloud Watch Log



Query the event log:

TEST POST: NOT WORKING AS EVENT STORE MESSAGE NO LONGER SAVED ON TEST DB

PROD POST: https://prd-events-service.eu-west-1.meridian.int.coreprod01.citcosvc.com/event/list_active

Request:

```
1 {
2   "tenant_id": "bb5919ad-4356-4240-a5a9-8577a2b9a848",
3   "query": {
4     "metadata": {
5       "event": {
6         "subject": {
7           "op": "eq",
8           "value": "RECON-MONTH-END-SIGN-OFF-032024"
9         }
10      },
11      "ids": {
12        "run_id": {
13          "op": "eq",
14          "value": "298a2741-0938-417b-a93e-22b409d8bb55"
15        }
16      },
17      "sort": [
18        {
19          "collection_datetime": {
20            "order": "desc"
21          }
22        }
23      ],
24      "pagination": {
25        "page": 1,
26        "limit": 500
27      }
28    }
29  }
30 }
```

Response:

```
1 {
2   "status": "success",
3   "data": {
4     "events": [
5       {
6         "metadata": {
7           "event": {
```

```

8      "uuid": "6853175d-84c0-4cdc-a433-25dead890c27",
9      "knowledge_datetime": "2025-10-02T20:59:15Z",
10     "type": "PROCESS_EVENT",
11     "area": "INTELLIGENT_AUTOMATION",
12     "subject": "RECON-MONTH-END-SIGN-OFF-032024",
13     "source": "RPA",
14     "code": "RMES-I-0007",
15     "message": "PROCESS COMPLETED",
16     "collection_datetime": "2025-10-02T20:59:18.216Z"
17   },
18   "ids": {
19     "run_id": "298a2741-0938-417b-a93e-22b409d8bb55",
20     "client_name": "3D_INVESTMENT_PARTNERS",
21     "fund_name": "3D_OME",
22     "value_date": "2025-09-30",
23     "process_identifier": "RECON-MESO-TRIGGER"
24   }
25 },
26 "data": {
27   "domain": {
28     "process_identifier": "RECON-MESO-TRIGGER",
29     "run_sequence": "57",
30     "status": "PROCESS_COMPLETED",
31     "remarks": ""
32   }
33 }
34 },
35 "total_records_count": 57
36 },
37 "execution_time": "0.6502 seconds"

```

Email Notification:

Email consisting of notices details will be sent to particular clients. Please refer to the sample email on RPA MESO User Guide

RPA LLM PROMT:

PROMT:

1. What is the status of RECON MESO for the client <Client Name> Fund <Fund Name>
2. Can you give the run id associated with this run
3. Can you share more details along with data for each activity associated with this run id

AWS Login SSO:

<https://sso.citco.com/affwebservices/public/saml2sso?SPID=urn:amazon:webservices>

MESO CLOUDWATCH LOGS

	Select a role:	Switch Role (Role@Acct ID)	Link
TEST	CTM-Developer@citcoshareddev01 (221048274280)	CTM-Developer@citcocoretest01	https://eu-west-1.console.aws.amazon.com/cloudwatch/home?region=eu-west-1#logsV2:log-groups/log-group/\$252Fia\$252Fmeso\$252Fshared\$252Fworker
PROD	CTM-DevOps@citcosharedprod01 (857871466570) or CITCO-ReadOnly@citcosharedprod01 (857871466570)	CTM-DevOps@citcocoreprod01 or CITCO-ReadOnly@citcocoreprod01	https://eu-west-1.console.aws.amazon.com/cloudwatch/home?region=eu-west-1#logsV2:log-groups/log-group/\$252Fia\$252Fmeso\$252Fshared\$252Fworker

How to check MESO logs

Cloud Watch Group Name: /ia/meso/shared/worker

To check MESO logs,

1. Connect to MESO DB and find the id of the request (Cash/Position) (refer example as below and adjust the parameter accordingly)

```

1 select id, client,fund,run_type, start_date,end_date, schedule from public.meso_request where client = 'PINEY_LAKE' and required_reports =
  'ALL'
2 order by created_on desc

```

id	client	fund	run_type	start_date	end_date	schedule
4361f635-e2d6-4cc2-8170-f78e0e8675ef	PINEY_LAKE	PLOPPMF,PMOUNT,PMOU_II,PLISP,PEQGLES,PEQG_II	POSITIONS	2025-11-01	2025-11-28	PREMESO
3b557f2c-309b-4b4b-87d6-35ed18bfca76	PINEY_LAKE	PLOPPMF,PMOUNT,PMOU_II,PLISP,PEQGLES,PEQG_II	CASH	2025-11-01	2025-11-28	PREMESO

2. Login to AWS and navigate to the cloud Watch

3. Under Logs, Select **Logs Insights**

a. Query Scope = `/ia/meso/shared/worker`

b. Query: Trace the logs using the ID as per below query

```

1 fields @timestamp, @message
2 | filter @message like '4361f635-e2d6-4cc2-8170-f78e0e8675ef'
3 | sort @timestamp desc
4 | limit 10000

```

4. We can pipe @message with AND/OR operators for multiple filtering if we want to look for a certain combination with some optional.

client name AND fund name OR notes (requester)

```

1 fields @timestamp, @message
2 | filter @message like /(?!i)PRISM/ AND @message like /(?!i)RENDA0/ OR @message like /(?!i)enunez/
3 | sort @timestamp desc
4 | limit 100

```

The screenshot shows the AWS CloudWatch Logs Insights console. The URL bar indicates the region is eu-west-1. The left sidebar shows navigation options like CloudWatch, Logs Insights, Alarms, AI Operations, GenAI Observability, Application Signals (APM), and Infrastructure. The main panel is titled 'Query definition' and shows a query scope of 'Log group name = arn:aws:logs:eu-west-1:494239966677:log-group:/ia/meso/shared/worker'. The query text is:


```

1 fields @timestamp, @message
2 | filter @message like '4361f635-e2d6-4cc2-8170-f78e0e8675ef'
3 | sort @timestamp desc
4 | limit 10000

```

 Below the query, there are buttons for 'Run query', 'Cancel', 'Save', 'Schedule query', and 'History'. A status message at the bottom says 'Completed. Query executed for 1 log group.'

Error Scenarios and FAQ

Error Scenarios and FAQ are documented at [MESO FAQ - Intelligent Automation - Confluence](#)