Daily Data Grain and Present By Formula Check

Execution Environment

Host name bksangani - aixahm-ts6.analytix.local

OS Windows Server 2016 64bit

Katalon version 7.2.1.1

Browser Chrome 80.0.3987.149

Summary

ID Test Suites/Daily Data Grain and Present By Formula Check

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Start 2020-03-19 18:33:05 End 2020-03-19 18:35:37

Elapsed 2m - 31.567s

#	ID	Description	Status
1	Test Cases/CrossLocationReportBuilder_TestCases/TC78_ONE STORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per actual formulas		FAILED
2	Test Cases/CrossLocationReportBuilder_TestCases/TC81_MULT STORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per actual formulas	7	FAILED

Information

ID Test Cases/CrossLocationReportBuilder_TestCases/TC78_ONE STORE ONE WEEK-MONTH-YEAR-RANGE-

To check that tabel values are coming or displayed as per actual formulas

Description

Tag

Start 2020-03-19 18:33:25 End 2020-03-19 18:34:15

Elapsed 50.002s
Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC1_Verify successfull login"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/CrossLocationReportBuilder_TestCases/TC1_Verify successfull login' successfully	1.924s	PASSED
2	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Click on Data Entry Form"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Click on Data Entry Form"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
3	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Select Location from dropdown For Sales budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Select Location from dropdown For Sales budget"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
4	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Select Month From Dropdown For Sales budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Select Month From Dropdown For Sales budget"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN

#	Description	Elapsed	Status
5	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Select Year from dropdown For Sales budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Select Year from dropdown For Sales budget"), [:], CONTINUE_ON_FAILURE)	0.003s	NOT_RUN
6	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Hit Refresh"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Hit Refresh"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
7	SalesBudgets = callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Get And Set Sales Budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: SalesBudgets = callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Sales Budget/Get And Set Sales Budget"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
8	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Left nav Bar/Click On Link Budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Left nav Bar/Click On Link Budget"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
9	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Left nav Bar/Click on Labor Budget link"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Left nav Bar/Click on Labor Budget link"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
10	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Select Location from dropdown For Labor Budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Select Location from dropdown For Labor Budget"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN

#	Description	Elapsed	Status
11	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Select Month From Dropdown For Labor Budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Select Month From Dropdown For Labor Budget"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
12	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Select Year from dropdown For Labor Budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Select Year from dropdown For Labor Budget"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
13	callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Hit Refresh"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Hit Refresh"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
14	LaborBudgets = callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Get And Set Labor Budget"), [:], CONTINUE_ON_FAILURE) NOT_RUN: LaborBudgets = callTestCase(findTestCase("ReportBuilder_Pages/Data Entry Form TestCases/Labor Budget/Get And Set Labor Budget"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
15	callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/Delete and Create Excels for results"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Delete and Create Excels for results' successfully	2.993s	PASSED
16	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC77_Verify Created Report is displaying same as per the set configuration in report setup"), ["ReportName":ReportName], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/CrossLocationReportBuilder_TestCases/TC77_Verify Created Report is displaying same as per the set configuration in report setup' successfully	18.190s	PASSED

#	Description	Elapsed	Status
17	callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/Verify Date Picker is displayed as defined Data Grain"), [:], CONTINUE_ON_FAILURE)	15.605s	PASSED
	Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Date Picker is displayed as defined Data Grain' successfully		
18	ValuesForFormula = [:]	0.001s	PASSED
19	ValuesForFormula = callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/To get all added column values from report- ONE STORE"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/To get all added column	8.440s	PASSED
	values from report- ONE STORE' successfully		

# Description	Elapsed	Status
20 callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/To map and compare all report values coming as per formula"), ["formulaValues":ValuesForFormula], CONTINUE_ON_FAILURE)	2.504s	FAILED
Unable to call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/To map and compare all report values coming as per formula' (Root cause: com.kms.katalon.core. exception.StepErrorException: Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/To map and compare all report values coming		
as per formula' failed because of error(s) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)		
at TC78_ONE STORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per actual formulas.run(TC78_ONE STORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per actual		
formulas:70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1584622981196.run(TempTestSuite1584622981196.groovy:36) Caused by: com.kms.katalon.core.exception.StepErrorException: AvgCheckvsTY\$ Count value found On Report is 4.25And Value derived using formula is4.249840764331211 at com.kms.katalon.core.util.KeywordUtil.markError(KeywordUtil.java:65) at com.kms.katalon.core.util.KeywordUtil\$markError\$1.call(Unknown Source)		
at compareColumnsValues.AvgTicketValuesCompare.		

#	Description	Elapsed	Status
"	toVerifyAvgCheckTYDollorValues(AvgTicketValuesCompare.groovy:148) at excelUtils.WriteExcelDailyFormula.invokeMethod(WriteExcelDailyFormula.groovy) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50) at To map and compare all report values coming as per formula.run(To map and compare all report values coming as per formula:307) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseMain.java:114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) 20 more)	Liapseu	Status
21	Start listener action : afterTestcase	0.000s	PASSED

Information

ID Test Cases/CrossLocationReportBuilder_TestCases/TC81_MULTISTORE ONE WEEK-MONTH-YEAR-RANGE-

To check that tabel values are coming or displayed as per actual formulas

Description

Tag

Start 2020-03-19 18:34:15 End 2020-03-19 18:35:37

Elapsed 1m - 21.778s

Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/Verify Date Picker is	25.135s	FAILED
displayed as defined Data Grain -Multistore"), [:], CONTINUE_ON_FAILURE)	20.1000	1711223
Unable to call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Date		
Picker is displayed as defined Data Grain -Multistore' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Call Test Case 'Test		
Cases/ReportBuilder_Pages/CreatedReports/Verify Date Picker is displayed as defined		
Data Grain -Multistore' failed		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:72)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334)		
at TC81_MULTISTORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel		
values are coming or displayed as per actual formulas.run(TC81_MULTISTORE ONE		
WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per		
actual formulas:18)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1584622981196.run(TempTestSuite1584622981196.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to call Test Case		
'Test Cases/ReportBuilder_Pages/CreatedReports/Select multiple stores' (Root cause: com.		
kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Select multiple stores' failed because of error		
(s)		

at com.kms.katalon.core.keyword.builtin.

```
Description
                                                                                                                                                                                                                             Elapsed
                                                                                                                                                                                                                                                                        Status
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)
                       at com.kms.katalon.core.kevword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                       at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
 (KeywordMain.groovy:68)
                       at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
 (CallTestCaseKeyword.groovy:81)
                       at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
 (CallTestCaseKeyword.groovy:44)
                       at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
 executeKeywordForPlatform(KeywordExecutor.groovy:72)
                       at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.
 groovy:334)
                       at Verify Date Picker is displayed as defined Data Grain -Multistore.run(Verify
 Date Picker is displayed as defined Data Grain -Multistore:38)
                       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                       at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:328)
                       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:307)
                       at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
 (TestCaseExecutor.java:299)
                       at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.exe
java:233)
                       at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
                       at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                       at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                       at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
 (KeywordMain.groovy:68)
                       at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
 (CallTestCaseKeyword.groovy:81)
                       at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
 (CallTestCaseKeyword.groovy:44)
                       at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
 executeKeywordForPlatform(KeywordExecutor.groovy:72)
                       at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.
 groovy:334)
                       at TC81_MULTISTORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel
values are coming or displayed as per actual formulas.run(TC81_MULTISTORE ONE
WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per
actual formulas:18)
                       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                       at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
```

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase

java:328)

```
Description
                                                                                             Elapsed
                                                                                                               Status
(TestCaseExecutor.iava:307)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
          at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase
(TestSuiteExecutor.java:169)
          at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:142)
         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
91)
          at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
          at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
          at TempTestSuite1584622981196.run(TempTestSuite1584622981196.groovy:36)
Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to
locate element: {"method":"xpath", "selector":"(//span[contains(text(), 'BROWARD ')])[1]"}
 (Session info: chrome=80.0.3987.149)
For documentation on this error, please visit: https://www.seleniumhq.
org/exceptions/no_such_element.html
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'AIXAHM-TS6', ip: '192.168.16.190', os.name: 'Windows Server 2016', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
80.0.3987.149, chrome: {chromedriverVersion: 80.0.3987.106 (f68069574609...,
userDataDir: D:\Users\bksangani\AppData\...}, goog:chromeOptions: {debuggerAddress:
localhost:17877}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect; true, strictFileInteractability; false, timeouts; {implicit; 0, pageLoad;
300000, script; 30000}, unhandledPromptBehavior; dismiss and notify}
Session ID: ecb51fca21249d75d9a329de3b02f097
*** Element info: {Using=xpath, value=(//span[contains(text(),'BROWARD ')])[1]}
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElement
(RemoteWebDriver.java:323)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Element By XPath
(RemoteWebDriver.java:428)
         at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElement
```

at org.openga.selenium.support.events.EventFiringWebDriver.lambda\$new\$1

(RemoteWebDriver.java:315)

Description Elapsed Status (EventFiringWebDriver.iava:105) at com.sun.proxv.\$Proxv11.findElement(Unknown Source) $at\ or g. open qa. selenium. support. events. Event Firing Web Driver. find Element$ (EventFiringWebDriver.iava:194) at org.openga.selenium.WebDriver\$findElement.call(Unknown Source) at Select multiple stores.run(Select multiple stores:69) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) $at\ com.kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.$ java:337) $at\ com.kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$ java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) $at\ com.kms.katalon.core.main.Test Case Main.run Test Case (Test Case Main.java:$ 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 36 more at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:39) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:70) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Verify Date Picker is displayed as defined Data Grain -Multistore.run(Verify Date Picker is displayed as defined Data Grain -Multistore:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) $at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execu$ java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:

114)

```
Description
                                                                                             Elapsed
                                                                                                              Status
          at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$ callTestCase closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: com.kms.katalon.core.exception.StepErrorException; Call Test Case 'Test
Cases/ReportBuilder_Pages/CreatedReports/Select multiple stores' failed because of error
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
          at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
         ... 34 more
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to
locate element: {"method":"xpath", "selector":"(//span[contains(text(), 'BROWARD ')])[1]"}
 (Session info: chrome=80.0.3987.149)
For documentation on this error, please visit: https://www.seleniumhq.
org/exceptions/no_such_element.html
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'AIXAHM-TS6', ip: '192.168.16.190', os.name: 'Windows Server 2016', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
80.0.3987.149, chrome: {chromedriverVersion: 80.0.3987.106 (f68069574609...,
userDataDir: D:\Users\bksangani\AppData\...}, goog:chromeOptions: {debuggerAddress:
localhost:17877}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: ecb51fca21249d75d9a329de3b02f097
*** Element info: {Using=xpath, value=(//span[contains(text(),'BROWARD ')])[1]}
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openga.selenium.remote.RemoteWebDriver.findElement
(RemoteWebDriver.java:323)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Element By XPath
(RemoteWebDriver.java:428)
         at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
          at org.openqa.selenium.remote.RemoteWebDriver.findElement
(RemoteWebDriver.java:315)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
```

(EventFiringWebDriver.java:105)

at com.sun.proxy.\$Proxy11.findElement(Unknown Source)

at org.openga.selenium.support.events.EventFiringWebDriver.findElement

#	Description	Elapsed	Status
	(EventFiringWebDriver.java:194) at org.openqa.selenium.WebDriver\$findElement.call(Unknown Source) at Select multiple stores.run(Select multiple stores:69) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) 36 more)		
2	ValuesForFormula = [:]	0.000s	PASSED
3	ValuesForFormula = callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/To get all added column values from report- MULTISTORES"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/To get all added column values from report- MULTISTORES' successfully	6.988s	PASSED

#	Description	Elapsed	Status
4	callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/To map and compare all report values coming as per formula - Copy"), ["formulaValues":ValuesForFormula], CONTINUE_ON_FAILURE)	49.432s	FAILED
	Unable to call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/To map and compare all report values coming as per formula - Copy' (Root cause: com.kms.katalon. core.exception.StepErrorException: Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/To map and compare all report values coming as per formula - Copy' failed because of error(s) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC81_MULTISTORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per actual formulas.run(TC81_MULTISTORE ONE WEEK-MONTH-YEAR-RANGE-To check that tabel values are coming or displayed as per		
	actual formulas:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1584622981196.run(TempTestSuite1584622981196.groovy:36) Caused by: com.kms.katalon.core.exception.StepErrorException: AvgCheckvsTY\$ Count		
	value found On Report is 4.25And Value derived using formula is4.249840764331211 at com.kms.katalon.core.util.KeywordUtil.markError(KeywordUtil.java:65) at com.kms.katalon.core.util.KeywordUtil\$markError\$1.call(Unknown Source) at compareColumnsValues.AvgTicketValuesCompare.		

#	Description	Elapsed	Status
#	toVerifyAvgCheckTYDollorValues(AvgTicketValuesCompare.groovy:148) at excelUtils.WriteExcelDailyFormula.invokeMethod(WriteExcelDailyFormula. groovy) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass. invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50) at To map and compare all report values coming as per formula - Copy.run(To map and compare all report values coming as per formula - Copy:302) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.jav	Elapsed	Status
5	Start listener action : afterTestcase	0.001s	PASSED