### Daily Report End to End Suit

### **Execution Environment**

Host name bksangani - aixahm-ts6.analytix.local

OS Windows Server 2016 64bit

Katalon version 7.2.1.1

Browser Chrome 80.0.3987.149

Summary

ID Test Suites/Daily Report End to End Suit

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2020-03-18 16:45:42 End 2020-03-18 16:48:28

Elapsed 2m - 45.830s

# ID Description Status

1 Test FAILED

Cases/CrossLocationReportBuilder\_TestCases/TC8\_Create Daily Report with valid details and compare report values with calender for specific time period

### Information

Test Cases/CrossLocationReportBuilder\_TestCases/TC8\_Create Daily Report with valid details and compare

report values with calender for specific time period

Description

Tag

Start 2020-03-18 16:46:00 End 2020-03-18 16:48:28

Elapsed 2m - 27.243s

Status FAILED

### **Details**

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC1_Verify successfull login"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/CrossLocationReportBuilder_TestCases/TC1_Verify successfull login' successfully	1.580s	PASSED
2	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC3_Verify Report Builder Link functionality"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/CrossLocationReportBuilder_TestCases/TC3_Verify Report Builder Link functionality' successfully	30.255s	PASSED
3	callTestCase(findTestCase("ReportBuilder_Pages/ReportSetup_Page/Verify Add Report button and Click"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/ReportSetup_Page/Verify Add Report button and Click' successfully	1.803s	PASSED
4	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Give Report Name"), ["ReportName":ReportName], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Give Report Name' successfully	0.906s	PASSED

#	Description	Elapsed	Status
5	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Report Category"), ["ReportCategory":CategoryName], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Report Category' successfully	2.550s	PASSED
6	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Data Grain with Present Data By/Select Data Grain And Present Data By options for Report"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Data Grain with Present Data By/Select Data Grain And Present Data By options for Report' successfully	17.372s	PASSED
7	ColumnListNew = []	0.001s	PASSED
8	ColumnListNew = reportbuildercustom.RB_Keywords.verifyTotalAddedColumns() reportbuildercustom.RB_Keywords.verifyTotalAddedColumns is PASSED	0.862s	PASSED
9	TotalNoOfColumnsAdded = ColumnListNew.size()	0.000s	PASSED
10	println(TotalNoOfColumnsAdded)	0.004s	PASSED
11	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Grouping By Hierarchy"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Grouping By Hierarchy' successfully	1.544s	PASSED

#	Description	Elapsed	Status
12	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Click on Create Report Button"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Click on Create Report Button' successfully	0.535s	PASSED
13	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Search and validate created report from list of reports"), ["SearchCategory":CategoryName, "SearchReport":ReportName], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Search and validate created report from list of reports' successfully	9.212s	PASSED
14	callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on Dashboard Link"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on Dashboard Link' successfully	3.001s	PASSED
15	callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/S elect PC name"), ["PCName":PCName], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Select PC name' successfully	3.540s	PASSED

Description	Elapsed	Status
callTestCase(findTestCase	34.349s	FAILED
("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on dashbord calender		
button and select operational calender"), [:], CONTINUE_ON_FAILURE)		
Unable to call Test Case 'Test		
Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on dashbord		
calender button and select operational calender' (Root cause: com.kms.katalon.core.		
exception.StepErrorException: Call Test Case 'Test		
Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on dashbord		
calender button and select operational calender' failed because of error(s)		
at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:72)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334)		
at TC8_Create Daily Report with valid details and compare report values with		
calender for specific time period.run(TC8_Create Daily Report with valid details and		
compare report values with calender for specific time period:58)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	··	
91)	۸.	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1584530138489.run(TempTestSuite1584530138489.groovy:36	)	
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable: Element is not currently visible and may not be manipulated		
(Session info: chrome=80.0.3987.149)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'AIXAHM-TS6', ip: '192.168.16.190', os.name: 'Windows Server 2016', os	S	

```
Description
                                                                                                                                                                                                                             Elapsed
                                                                                                                                                                                                                                                                        Status
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 80.0.3987.149, chrome: {chromedriverVersion: 80.0.3987.106 (f68069574609...,
 user Data Dir: \ D: \ Users \ bks angani \ App Data \ ... \}, \ goog: chrome Options: \ \{debugger Address: \ user Data \ Dir: \ D: \ Users \ bks angani \ App Data \ ... \}, \ goog: chrome Options: \ \{debugger Address: \ User \ A
localhost:9309}, javascriptEnabled: true, networkConnectionEnabled: false,
 pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
 Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
 Session ID: f0d4698e0342510d66a0c6f56d3e5ab8
                       at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
 (W3CHttpResponseCodec.java:187)
                       at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
                       at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
                       at org.openqa.selenium.remote.HttpCommandExecutor.execute
 (HttpCommandExecutor.java:158)
                       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
 (DriverCommandExecutor.java:83)
                       at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
                       at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
 19)
                       at org.openqa.selenium.remote.RemoteWebElement.execute
 (RemoteWebElement.java:285)
                       at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
                       at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
                       at com.sun.proxy.$Proxy12.click(Unknown Source)
                       at org.openga.selenium.support.events.
 EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
                       at org.openga.selenium.WebElement$click$0.call(Unknown Source)
                       at Click on dashbord calender button and select operational calender.run(Click on
dashbord calender button and select operational calender:38)
                       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                       at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
 (TestCaseExecutor.java:307)
                       at\ com. kms. katalon. core. main. Test Case Executor. access Main Phase
 (TestCaseExecutor.java:299)
                       at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
java:233)
                       at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                       at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                       ... 20 more
```

#	Description	Elapsed	Status
17	valuesFromCalendarDashboard = [:]	0.000s	PASSED

Description	Elapsed	Status
valuesFromCalendarDashboard = callTestCase(findTestCase ("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Get all available variable values from calender view for one month"), [:], CONTINUE_ON_FAILURE)	7.181s	FAILED
Unable to call Test Case 'Test Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Get all available variable values from calender view for one month' (Root cause: com.kms.katalon.core. exception.StepErrorException: Call Test Case 'Test		
Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Get all available variable values from calender view for one month' failed because of error(s) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at TC8_Create Daily Report with valid details and compare report values with		
calender for specific time period.run(TC8_Create Daily Report with valid details and compare report values with calender for specific time period:63) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1584530138489.run(TempTestSuite1584530138489.groovy:36)		
Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div _ngcontent-c7="" class="chart-data chart-datafuture" ng-reflect-klass="chart-data chart-datafuture" ng-reflect-ng-class="[object Object]"></div> is not clickable at point (237, 189). Other element would receive the click: <div _ngcontent-c7="" class="mdl-wrap w-mdl-close dailyactual_popup"></div>		
(Session info: chrome=80.0.3987.149)		

Status

TC8 Create Daily Report with valid details and compare

report values with calender for specific time period Description Elapsed Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'AIXAHM-TS6', ip: '192.168.16.190', os.name: 'Windows Server 2016', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0\_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 80.0.3987.149, chrome: {chromedriverVersion: 80.0.3987.106 (f68069574609...,  $user Data Dir:\ D: \ Users \ bks angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\ \{debugger Address: angani \ App Data \ ... \},\ goog: chrome Options:\$ localhost:9309}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: f0d4698e0342510d66a0c6f56d3e5ab8  $at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException$ (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

at com.sun.proxy.\$Proxy12.click(Unknown Source)

at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)

at org.openga.selenium.WebElement\$click\$0.call(Unknown Source)

at Get all available variable values from calender view for one month.run(Get all

available variable values from calender view for one month:98)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.

java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.

java:337)

 $at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$ 

java:328)

 $at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$ 

(TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase

(TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.

java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:

114)

at com.kms.katalon.core.keyword.builtin.

CallTestCaseKeyword\$\_callTestCase\_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more

#	Description	Elapsed	Status
19	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC77_Verify Created Report is displaying same as per the set configuration in report setup"), ["ReportName":ReportName], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/CrossLocationReportBuilder_TestCases/TC77_Verify Created Report is displaying same as per the set configuration in report setup' successfully	17.733s	PASSED
20	callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/Verify Date Picker is displayed as defined Data Grain - Copy"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Date Picker is displayed as defined Data Grain - Copy' successfully	12.296s	PASSED
21	NoOfDaysFromReports = []	0.000s	PASSED

Description	Elapsed	Status
NoOfDaysFromReports = callTestCase(findTestCase ("ReportBuilder_Pages/CreatedReports/Verify Dates on report based on selected present data by"), [:], CONTINUE_ON_FAILURE)	0.569s	FAILED
Unable to call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Dates on report based on selected present data by' (Root cause: com.kms.katalon.core.exception. StepErrorException: Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Dates on report based on selected		
present data by' failed because of error(s) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
at TC8_Create Daily Report with valid details and compare report values with calender for specific time period.run(TC8_Create Daily Report with valid details and		
compare report values with calender for specific time period:74) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1584530138489.run(TempTestSuite1584530138489.groovy:36)		
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//thead[@class="ui-table-thead"])[2]"} (Session info: chrome=80.0.3987.149)		
For documentation on this error, please visit: https://www.seleniumhq. org/exceptions/no_such_element.html		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'AIXAHM-TS6', ip: '192.168.16.190', os.name: 'Windows Server 2016', os.		

### report values with calender for specific time period

TC8 Create Daily Report with valid details and compare

```
Description
                                                                                            Elapsed
                                                                                                              Status
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
80.0.3987.149, chrome: {chromedriverVersion: 80.0.3987.106 (f68069574609...,
userDataDir: D:\Users\bksangani\AppData\...}, goog:chromeOptions: {debuggerAddress:
localhost:9309}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: f0d4698e0342510d66a0c6f56d3e5ab8
*** Element info: {Using=xpath, value=(//thead[@class="ui-table-thead"])[2]}
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElement
(RemoteWebDriver.java:323)
         at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath
(RemoteWebDriver.java:428)
         at org.openga.selenium.By$ByXPath.findElement(By.java:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElement
(RemoteWebDriver.java:315)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy11.findElement(Unknown Source)
         at org.openga.selenium.support.events.EventFiringWebDriver.findElement
(EventFiringWebDriver.java:194)
         at org.openqa.selenium.WebDriver$findElement.call(Unknown Source)
         at Verify Dates on report based on selected present data by.run(Verify Dates on
report based on selected present data by:53)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
          at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:328)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
         at com.kms.katalon.core.keyword.builtin.
```

CallTestCaseKeyword\$\_callTestCase\_closure1.doCall(CallTestCaseKeyword.groovy:59)

#	Description	Elapsed	Status
	20 more		

Description	Elapsed	Status
callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/Verify all added columns in report is same as added during set up"), ["AddedColumnsSize":TotalNoOfColumnsAdded, "SetUpList":ColumnListNew], CONTINUE_ON_FAILURE)	0.637s	FAILE
Unable to call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify all added columns in report is same as added during set up' (Root cause: com.kms.katalon.core.		
exception.StepErrorException: Call Test Case 'Test		
Cases/ReportBuilder_Pages/CreatedReports/Verify all added columns in report is same as added during set up' failed because of error(s)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334)		
at TC8_Create Daily Report with valid details and compare report values with		
calender for specific time period.run(TC8_Create Daily Report with valid details and		
compare report values with calender for specific time period:77)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1584530138489.run(TempTestSuite1584530138489.groovy:36) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to		
locate element: {"method":"xpath","selector":"(//thead[@class="ui-table-thead"])[2]"}		
(Session info: chrome=80.0.3987.149) For documentation on this error, please visit: https://www.seleniumhq.		
org/exceptions/no_such_element.html		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		

```
Description
                                                                                            Elapsed
                                                                                                             Status
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
80.0.3987.149, chrome: {chromedriverVersion: 80.0.3987.106 (f68069574609...,
userDataDir: D:\Users\bksangani\AppData\...}, goog:chromeOptions: {debuggerAddress:
localhost:9309}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: f0d4698e0342510d66a0c6f56d3e5ab8
*** Element info: {Using=xpath, value=(//thead[@class="ui-table-thead"])[2]}
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElement
(RemoteWebDriver.java:323)
         at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath
(RemoteWebDriver.java:428)
         at org.openga.selenium.By$ByXPath.findElement(By.java:353)
         at org.openga.selenium.remote.RemoteWebDriver.findElement
(RemoteWebDriver.java:315)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy11.findElement(Unknown Source)
         at org.openga.selenium.support.events.EventFiringWebDriver.findElement
(EventFiringWebDriver.java:194)
         at org.openga.selenium.WebDriver$findElement.call(Unknown Source)
         at Verify all added columns in report is same as added during set up.run(Verify all
added columns in report is same as added during set up:43)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
```

at com.kms.katalon.core.keyword.builtin.

CallTestCaseKeyword\$\_callTestCase\_closure1.doCall(CallTestCaseKeyword.groovy:59)

# Description Elapsed Status
... 20 more

‡	Description	Elapsed	Status
4	callTestCase(findTestCase  ("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Fetch variable values from created report and do comapre with calendar values"), ["SetUpListToGetData": valuesFromCalendarDashboard, "DayWiseDates":NoOfDaysFromReports, "NoOfAddedColumns":TotalNoOfColumnsAdded], CONTINUE_ON_FAILURE)	0.916s	FAILED
	Unable to call Test Case 'Test Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Fetch variable values from created report and do comapre with calendar values' (Root cause: com.kms.katalon. core.exception.StepErrorException: Call Test Case 'Test Cases/ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Fetch variable values from created report and do comapre with calendar values' failed because of error(s) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at TC8_Create Daily Report with valid details and compare report values with calender for specific time period.run(TC8_Create Daily Report with valid details and compare report values with calender for specific time period:80) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1584530138489.run(TempTestSuite1584530138489.groovy:36) Caused by: java.lang.NullPointerException: Cannot invoke method get() on null object at Fetch variable values from created report and do comapre with calendar values.run(Fetch variable values from created report and do comapre with calendar values: 85)		

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)		
	at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)  20 more		
25	Start listener action : afterTestcase	0.001s	PASSED