

Daily Report End to End Suit

Execution Environment

Host name	bksangani - aixahm-ts6.analytix.local
OS	Windows Server 2016 64bit
Katalon version	7.2.1.1
Browser	Chrome 80.0.3987.132

Summary

ID	Test Suites/Daily Report End to End Suit		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2020-03-17 14:46:45	End	2020-03-17 14:48:00
Elapsed	1m - 15.259s		

#	ID	Description	Status
1	Test Cases/CrossLocationReportBuilder_TestCases/TC8_Create Daily Report with valid details and compare report values with calender for specific time period		FAILED

TC8_Create Daily Report with valid details and compare report values with calender for specific time period

Information

ID	Test Cases/CrossLocationReportBuilder_TestCases/TC8_Create Daily Report with valid details and compare report values with calender for specific time period		
Description			
Tag			
Start	2020-03-17 14:47:03	End	2020-03-17 14:48:00
Elapsed	57.054s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC1_Verify successfull login"), [:], CONTINUE_ON_FAILURE)	2.302s	PASSED
	Call Test Case 'Test Cases/CrossLocationReportBuilder_TestCases/TC1_Verify successfull login' successfully		
2	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC3_Verify Report Builder Link functionality"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
	NOT_RUN: callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC3_Verify Report Builder Link functionality"), [:], CONTINUE_ON_FAILURE)		
3	callTestCase(findTestCase("ReportBuilder_Pages/ReportSetup_Page/Verify Add Report button and Click"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
	NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/ReportSetup_Page/Verify Add Report button and Click"), [:], CONTINUE_ON_FAILURE)		
4	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/ Give Report Name"), ["ReportName":ReportName], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
	NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/ Give Report Name"), ["ReportName":ReportName], CONTINUE_ON_FAILURE)		

TC8_Create Daily Report with valid details and compare report values with calender for specific time period

#	Description	Elapsed	Status
5	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Report Category"), ["ReportCategory":CategoryName], CONTINUE_ON_FAILURE)	0.003s	NOT_RUN
	NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Report Category"), ["ReportCategory":CategoryName], CONTINUE_ON_FAILURE)		
6	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Data Grain with Present Data By/Select Data Grain And Present Data By options for Report"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
	NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Data Grain with Present Data By/Select Data Grain And Present Data By options for Report"), [:], CONTINUE_ON_FAILURE)		
7	ColumnListNew = []	0.001s	NOT_RUN
	NOT_RUN: ColumnListNew = []		
8	ColumnListNew = reportbuildercustom.RB_Keywords.verifyTotalAddedColumns()	0.017s	NOT_RUN
	NOT_RUN: ColumnListNew = reportbuildercustom.RB_Keywords.verifyTotalAddedColumns()		
9	TotalNoOfColumnsAdded = ColumnListNew.size()	0.002s	NOT_RUN
	NOT_RUN: TotalNoOfColumnsAdded = ColumnListNew.size()		
10	println(TotalNoOfColumnsAdded)	0.002s	NOT_RUN
	NOT_RUN: println(TotalNoOfColumnsAdded)		
11	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Grouping By Hierarchy"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
	NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Select Grouping By Hierarchy"), [:], CONTINUE_ON_FAILURE)		

TC8_Create Daily Report with valid details and compare report values with calender for specific time period

#	Description	Elapsed	Status
12	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Click on Create Report Button"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Click on Create Report Button"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
13	callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Search and validate created report from list of reports"), [{"SearchCategory":CategoryName, "SearchReport":ReportName}], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/CrossLocationReportBuilderSetup_Page/Search and validate created report from list of reports"), [{"SearchCategory":CategoryName, "SearchReport":ReportName}], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
14	callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on Dashboard Link"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on Dashboard Link"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
15	callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Select PC name"), [{"PCName":PCName}], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Select PC name"), [{"PCName":PCName}], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
16	callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on dashboard calender button and select operational calender"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Click on dashboard calender button and select operational calender"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
17	valuesFromCalendarDashboard = [:] NOT_RUN: valuesFromCalendarDashboard = [:]	0.001s	NOT_RUN

TC8_Create Daily Report with valid details and compare report values with calender for specific time period

#	Description	Elapsed	Status
18	valuesFromCalendarDashboard = callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/Get all available variable values from calendar view for one month"), [:], CONTINUE_ON_FAILURE) NOT_RUN: valuesFromCalendarDashboard = callTestCase(findTestCase("ReportBuilder_Pages/Restaurant_Intranet_Dashboard_Page/G	0.001s	NOT_RUN
19	callTestCase(findTestCase("CrossLocationReportBuilder_TestCases/TC77_Verify Created Report is displaying same as per the set configuration in report setup"), ["ReportName":ReportName], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/CrossLocationReportBuilder_TestCases/TC77_Verify Created Report is displaying same as per the set configuration in report setup' successfully	17.171s	PASSED
20	callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/Verify Date Picker is displayed as defined Data Grain - Copy"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Date Picker is displayed as defined Data Grain - Copy' successfully	23.529s	PASSED
21	NoOfDaysFromReports = []	0.001s	PASSED

TC8_Create Daily Report with valid details and compare report values with calender for specific time period

#	Description	Elapsed	Status
22	NoOfDaysFromReports = callTestCase(findTestCase ("ReportBuilder_Pages/CreatedReports/Verify Dates on report based on selected present data by"), [:], CONTINUE_ON_FAILURE) Unable to call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Dates on report based on selected present data by' (Root cause: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/ReportBuilder_Pages/CreatedReports/Verify Dates on report based on selected present data by' failed because of error(s) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at TC8_Create Daily Report with valid details and compare report values with calender for specific time period.run(TC8_Create Daily Report with valid details and compare report values with calender for specific time period:75) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1584436600739.run(TempTestSuite1584436600739.groovy:36) Caused by: java.lang.ArrayIndexOutOfBoundsException: 1 at Verify Dates on report based on selected present data by.run(Verify Dates on report based on selected present data by:82) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	13.678s	FAILED

TC8_Create Daily Report with valid details and compare report values with calender for specific time period

#	Description	Elapsed	Status
	<pre>java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more)</pre>		
23	callTestCase(findTestCase("ReportBuilder_Pages/CreatedReports/Verify all added columns in report is same as added during set up"), [{"AddedColumnsSize":TotalNoOfColumnsAdded, "SetUpList":ColumnListNew}], CONTINUE_ON_FAILURE)	0.005s	PASSED
24	Start listener action : afterTestcase	0.001s	PASSED