

**Rieger, Janda [2690903] Female - 74 y.o. - 12/26/47**

LAMINECTOMY OF LUMBAR SPINE WITH DECOMPRESSION OF SPINAL CORD  
 (Midline: Back); IOCT IMAGE GUIDANCE ONLY WITHOUT REPORT; POSTERIOR  
 SEGMENTAL INSTRUMENTATION OF 3-6 VERTEBRAL SEGMENTS (Midline:  
 Spine); PELVIC FIXATION - ATTACHMENT OF CAUDAL END OF SPINAL  
 INSTRUMENTATION TO BONE STRUCTURE OF PELVIS (Bilateral); PLACEMENT OF  
 CATHETER AND INJECTION OF DIAGNOSTIC OR THERAPEUTIC SUBSTANCE  
 INTO CERVICAL OR THORACIC EPIDURAL SPACE - W/O IMAGE GUIDANCE

**Intraprocedure Flowsheet Data**

|           |                  |           |           |           |           |           |           |           |           |
|-----------|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 0700-0730 | <b>0730-0800</b> | 0800-0830 | 0830-0900 | 0900-0930 | 0930-1000 | 1000-1030 | 1030-1100 | 1100-1130 | 1130-1200 |
| 1200-1230 | 1230-1300        | 1300-1330 | 1330-1400 | 1400-1430 | 1430-1500 | 1500-1530 | 1530-1600 | 1600-1630 | 1630-1700 |

**Agents**

|         | Value     | File Date/Time | Captured By          | Edit History |
|---------|-----------|----------------|----------------------|--------------|
| O2 Flow | 0 L/min   | 11/15/22 0730  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0731  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0732  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0733  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0734  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0735  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0736  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0737  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0738  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0739  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0740  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0741  | Interface, Device In |              |
|         | 10 L/min  | 11/15/22 0742  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0743  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0744  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0745  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0746  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0747  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0748  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0749  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0750  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0751  | Interface, Device In |              |
|         | 1.2 L/min | 11/15/22 0752  | Interface, Device In |              |
|         | 4.8 L/min | 11/15/22 0753  | Interface, Device In |              |
|         | 4.8 L/min | 11/15/22 0754  | Interface, Device In |              |
|         | 4.8 L/min | 11/15/22 0755  | Interface, Device In |              |
|         | 4.8 L/min | 11/15/22 0756  | Interface, Device In |              |
|         | 4.8 L/min | 11/15/22 0757  | Interface, Device In |              |
|         | 4.8 L/min | 11/15/22 0758  | Interface, Device In |              |
|         | 7.3 L/min | 11/15/22 0759  | Interface, Device In |              |
|         | 8.6 L/min | 11/15/22 0800  | Interface, Device In |              |
| N2O     | 0 L/min   | 11/15/22 0730  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0731  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0732  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0733  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0734  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0735  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0736  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0737  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0738  | Interface, Device In |              |
|         | 0 L/min   | 11/15/22 0739  | Interface, Device In |              |

|                     |         |          |      |                      |
|---------------------|---------|----------|------|----------------------|
|                     | 0 L/min | 11/15/22 | 0740 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0741 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0742 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0743 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0744 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0745 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0746 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0747 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0748 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0749 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0750 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0751 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0752 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0753 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0754 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0755 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0756 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0757 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0758 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0759 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0800 | Interface, Device In |
| Air                 | 0 L/min | 11/15/22 | 0730 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0731 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0732 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0733 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0734 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0735 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0736 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0737 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0738 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0739 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0740 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0741 | Interface, Device In |
|                     | 0 L/min | 11/15/22 | 0742 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0743 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0744 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0745 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0746 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0747 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0748 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0749 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0750 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0751 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0752 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0753 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0754 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0755 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0756 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0757 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0758 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0759 | Interface, Device In |
|                     | 1 L/min | 11/15/22 | 0800 | Interface, Device In |
| Expired Sevoflurane | 0 %     | 11/15/22 | 0730 | Interface, Device In |
|                     | 0 %     | 11/15/22 | 0731 | Interface, Device In |
|                     | 0 %     | 11/15/22 | 0732 | Interface, Device In |
|                     | 0 %     | 11/15/22 | 0733 | Interface, Device In |
|                     | 0 %     | 11/15/22 | 0734 | Interface, Device In |
|                     | 0 %     | 11/15/22 | 0735 | Interface, Device In |
|                     | 0 %     | 11/15/22 | 0736 | Interface, Device In |

|                    |       |          |      |                      |
|--------------------|-------|----------|------|----------------------|
|                    | 0 %   | 11/15/22 | 0737 | Interface, Device In |
|                    | 0.6 % | 11/15/22 | 0738 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0739 | Interface, Device In |
|                    | 1.4 % | 11/15/22 | 0740 | Interface, Device In |
|                    | 1.7 % | 11/15/22 | 0741 | Interface, Device In |
|                    | 1.6 % | 11/15/22 | 0742 | Interface, Device In |
|                    | 1.3 % | 11/15/22 | 0743 | Interface, Device In |
|                    | 1.2 % | 11/15/22 | 0744 | Interface, Device In |
|                    | 1.2 % | 11/15/22 | 0745 | Interface, Device In |
|                    | 1.2 % | 11/15/22 | 0746 | Interface, Device In |
|                    | 1.2 % | 11/15/22 | 0747 | Interface, Device In |
|                    | 1.2 % | 11/15/22 | 0748 | Interface, Device In |
|                    | 1.3 % | 11/15/22 | 0749 | Interface, Device In |
|                    | 1.3 % | 11/15/22 | 0750 | Interface, Device In |
|                    | 1.3 % | 11/15/22 | 0751 | Interface, Device In |
|                    | 1.3 % | 11/15/22 | 0752 | Interface, Device In |
|                    | 1.6 % | 11/15/22 | 0753 | Interface, Device In |
|                    | 1.7 % | 11/15/22 | 0754 | Interface, Device In |
|                    | 1.7 % | 11/15/22 | 0755 | Interface, Device In |
|                    | 1.7 % | 11/15/22 | 0756 | Interface, Device In |
|                    | 1.3 % | 11/15/22 | 0757 | Interface, Device In |
|                    | 1.2 % | 11/15/22 | 0758 | Interface, Device In |
|                    | 0.5 % | 11/15/22 | 0759 | Interface, Device In |
|                    | 1.1 % | 11/15/22 | 0800 | Interface, Device In |
| Expired Isoflurane | 0 %   | 11/15/22 | 0730 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0731 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0732 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0733 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0734 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0735 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0736 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0737 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0738 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0739 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0740 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0741 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0742 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0743 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0744 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0745 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0746 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0747 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0748 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0749 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0750 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0751 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0752 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0753 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0754 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0755 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0756 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0757 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0758 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0759 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0800 | Interface, Device In |
| Expired Desflurane | 0 %   | 11/15/22 | 0730 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0731 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0732 | Interface, Device In |
|                    | 0 %   | 11/15/22 | 0733 | Interface, Device In |

|                            |     |          |      |                      |
|----------------------------|-----|----------|------|----------------------|
|                            | 0 % | 11/15/22 | 0734 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0735 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0736 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0737 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0738 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0739 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0740 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0741 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0742 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0743 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0744 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0745 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0746 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0747 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0748 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0749 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0750 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0751 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0752 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0753 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0754 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0755 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0756 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0757 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0758 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0759 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0800 | Interface, Device In |
| Inspired N2O Concentration | 0 % | 11/15/22 | 0730 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0731 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0732 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0733 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0734 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0735 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0736 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0737 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0738 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0739 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0740 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0741 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0742 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0743 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0744 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0745 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0746 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0747 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0748 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0749 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0750 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0751 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0752 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0753 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0754 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0755 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0756 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0757 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0758 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0759 | Interface, Device In |
|                            | 0 % | 11/15/22 | 0800 | Interface, Device In |
| Inspired Sevoflurane       | 0 % | 11/15/22 | 0730 | Interface, Device In |










|                     |       |          |      |                      |
|---------------------|-------|----------|------|----------------------|
|                     | 0 %   | 11/15/22 | 0731 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0732 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0733 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0734 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0735 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0736 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0737 | Interface, Device In |
|                     | 0.9 % | 11/15/22 | 0738 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0739 | Interface, Device In |
|                     | 2.2 % | 11/15/22 | 0740 | Interface, Device In |
|                     | 2.2 % | 11/15/22 | 0741 | Interface, Device In |
|                     | 2.2 % | 11/15/22 | 0742 | Interface, Device In |
|                     | 1.8 % | 11/15/22 | 0743 | Interface, Device In |
|                     | 1.8 % | 11/15/22 | 0744 | Interface, Device In |
|                     | 1.7 % | 11/15/22 | 0745 | Interface, Device In |
|                     | 1.7 % | 11/15/22 | 0746 | Interface, Device In |
|                     | 1.7 % | 11/15/22 | 0747 | Interface, Device In |
|                     | 1.7 % | 11/15/22 | 0748 | Interface, Device In |
|                     | 1.6 % | 11/15/22 | 0749 | Interface, Device In |
|                     | 1.7 % | 11/15/22 | 0750 | Interface, Device In |
|                     | 1.7 % | 11/15/22 | 0751 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0752 | Interface, Device In |
|                     | 2.2 % | 11/15/22 | 0753 | Interface, Device In |
|                     | 2.2 % | 11/15/22 | 0754 | Interface, Device In |
|                     | 2.2 % | 11/15/22 | 0755 | Interface, Device In |
|                     | 2.2 % | 11/15/22 | 0756 | Interface, Device In |
|                     | 1.5 % | 11/15/22 | 0757 | Interface, Device In |
|                     | 1.5 % | 11/15/22 | 0758 | Interface, Device In |
|                     | 0.5 % | 11/15/22 | 0759 | Interface, Device In |
|                     | 1.5 % | 11/15/22 | 0800 | Interface, Device In |
| Inspired Isoflurane | 0 %   | 11/15/22 | 0730 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0731 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0732 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0733 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0734 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0735 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0736 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0737 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0738 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0739 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0740 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0741 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0742 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0743 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0744 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0745 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0746 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0747 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0748 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0749 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0750 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0751 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0752 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0753 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0754 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0755 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0756 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0757 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0758 | Interface, Device In |
|                     | 0 %   | 11/15/22 | 0759 | Interface, Device In |

|                           |     |          |      |                      |
|---------------------------|-----|----------|------|----------------------|
|                           | 0 % | 11/15/22 | 0800 | Interface, Device In |
| Inspired Desflurane       | 0 % | 11/15/22 | 0730 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0731 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0732 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0733 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0734 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0735 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0736 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0737 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0738 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0739 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0740 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0741 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0742 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0743 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0744 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0745 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0746 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0747 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0748 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0749 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0750 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0751 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0752 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0753 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0754 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0755 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0756 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0757 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0758 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0759 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0800 | Interface, Device In |
| Expired N2O Concentration | 0 % | 11/15/22 | 0730 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0731 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0732 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0733 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0734 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0735 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0736 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0737 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0738 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0739 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0740 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0741 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0742 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0743 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0744 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0745 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0746 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0747 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0748 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0749 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0750 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0751 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0752 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0753 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0754 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0755 | Interface, Device In |
|                           | 0 % | 11/15/22 | 0756 | Interface, Device In |

|             |        |          |      |                      |        |
|-------------|--------|----------|------|----------------------|--------|
|             | 0 %    | 11/15/22 | 0757 | Interface, Device In |        |
|             | 0 %    | 11/15/22 | 0758 | Interface, Device In |        |
|             | 0 %    | 11/15/22 | 0759 | Interface, Device In |        |
|             | 0 %    | 11/15/22 | 0800 | Interface, Device In |        |
| Inhaled CO2 | 0 mmHg | 11/15/22 | 0730 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0731 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0732 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0733 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0734 | Interface, Device In | edited |
|             | 0 mmHg | 11/15/22 | 0735 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0736 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0737 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0738 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0739 | Interface, Device In |        |
|             | 0 mmHg | 11/15/22 | 0740 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0741 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0742 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0743 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0744 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0745 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0746 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0747 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0748 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0749 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0750 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0751 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0752 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0753 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0754 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0755 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0756 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0757 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0758 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0759 | Interface, Device In |        |
|             | 1 mmHg | 11/15/22 | 0800 | Interface, Device In |        |
| Expired O2  | 68 %   | 11/15/22 | 0730 | Interface, Device In |        |
|             | 97 %   | 11/15/22 | 0731 | Interface, Device In |        |
|             | 62 %   | 11/15/22 | 0732 | Interface, Device In |        |
|             | 66 %   | 11/15/22 | 0733 | Interface, Device In |        |
|             | 94 %   | 11/15/22 | 0734 | Interface, Device In | edited |
|             | 88 %   | 11/15/22 | 0735 | Interface, Device In |        |
|             | 91 %   | 11/15/22 | 0736 | Interface, Device In |        |
|             | 91 %   | 11/15/22 | 0737 | Interface, Device In |        |
|             | 91 %   | 11/15/22 | 0738 | Interface, Device In |        |
|             | 87 %   | 11/15/22 | 0739 | Interface, Device In |        |
|             | 91 %   | 11/15/22 | 0740 | Interface, Device In |        |
|             | 92 %   | 11/15/22 | 0741 | Interface, Device In |        |
|             | 89 %   | 11/15/22 | 0742 | Interface, Device In |        |
|             | 82 %   | 11/15/22 | 0743 | Interface, Device In |        |
|             | 74 %   | 11/15/22 | 0744 | Interface, Device In |        |
|             | 70 %   | 11/15/22 | 0745 | Interface, Device In |        |
|             | 67 %   | 11/15/22 | 0746 | Interface, Device In |        |
|             | 65 %   | 11/15/22 | 0747 | Interface, Device In |        |
|             | 62 %   | 11/15/22 | 0748 | Interface, Device In |        |
|             | 61 %   | 11/15/22 | 0749 | Interface, Device In |        |
|             | 59 %   | 11/15/22 | 0750 | Interface, Device In |        |
|             | 58 %   | 11/15/22 | 0751 | Interface, Device In |        |
|             | 21 %   | 11/15/22 | 0752 | Interface, Device In |        |
|             | 71 %   | 11/15/22 | 0753 | Interface, Device In |        |

|      |          |      |                      |
|------|----------|------|----------------------|
| 75 % | 11/15/22 | 0754 | Interface, Device In |
| 76 % | 11/15/22 | 0755 | Interface, Device In |
| 76 % | 11/15/22 | 0756 | Interface, Device In |
| 77 % | 11/15/22 | 0757 | Interface, Device In |
| 77 % | 11/15/22 | 0758 | Interface, Device In |
| 39 % | 11/15/22 | 0759 | Interface, Device In |
| 82 % | 11/15/22 | 0800 | Interface, Device In |

**Respiratory**

|      | Value   | File Date/Time | Captured By          | Edit History |
|------|---|----------------|----------------------|--------------|
| Resp |  0   | 11/15/22 0730  | Interface, Device In | edited       |
|      |  0   | 11/15/22 0731  | Interface, Device In |              |
|      |  1   | 11/15/22 0732  | Interface, Device In |              |
|      | 23  | 11/15/22 0733  | Interface, Device In |              |
|      | 12  | 11/15/22 0734  | Interface, Device In |              |
|      |  6   | 11/15/22 0735  | Interface, Device In |              |
|      | 26  | 11/15/22 0736  | Interface, Device In |              |
|      | 14  | 11/15/22 0737  | Interface, Device In |              |
|      |  2   | 11/15/22 0738  | Interface, Device In |              |
|      | 26  | 11/15/22 0739  | Interface, Device In |              |
|      | 26  | 11/15/22 0740  | Interface, Device In |              |
|      |  2   | 11/15/22 0741  | Interface, Device In |              |
|      |  36  | 11/15/22 0742  | Interface, Device In |              |
|      | 16  | 11/15/22 0743  | Interface, Device In |              |
|      | 16  | 11/15/22 0744  | Interface, Device In |              |
|      | 16  | 11/15/22 0745  | Interface, Device In |              |
|      | 16  | 11/15/22 0746  | Interface, Device In |              |
|      | 16  | 11/15/22 0747  | Interface, Device In |              |
|      | 16  | 11/15/22 0748  | Interface, Device In |              |
|      | 16  | 11/15/22 0749  | Interface, Device In |              |
|      | 16  | 11/15/22 0750  | Interface, Device In |              |
|      | 16  | 11/15/22 0751  | Interface, Device In |              |
|      |  7 | 11/15/22 0752  | Interface, Device In |              |
|      | 16  | 11/15/22 0753  | Interface, Device In |              |
|      | 16  | 11/15/22 0754  | Interface, Device In |              |
|      | 16  | 11/15/22 0755  | Interface, Device In |              |
|      | 16  | 11/15/22 0756  | Interface, Device In |              |
|      | 16  | 11/15/22 0757  | Interface, Device In |              |
|      | 16  | 11/15/22 0758  | Interface, Device In |              |
|      |  6 | 11/15/22 0759  | Interface, Device In |              |
|      | 16  | 11/15/22 0800  | Interface, Device In |              |
| SpO2 | 100 %   | 11/15/22 0733  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0734  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0735  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0736  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0737  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0738  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0739  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0740  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0741  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0742  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0743  | Interface, Device In |              |
|      | 99 %  | 11/15/22 0744  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0745  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0746  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0747  | Interface, Device In |              |
|      | 100 %   | 11/15/22 0748  | Interface, Device In |              |



|               |           |          |      |                      |        |
|---------------|-----------|----------|------|----------------------|--------|
|               | 100 %     | 11/15/22 | 0749 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0750 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0751 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0752 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0753 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0754 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0755 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0756 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0757 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0758 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0759 | Interface, Device In |        |
|               | 100 %     | 11/15/22 | 0800 | Interface, Device In |        |
| Minute Volume | 0 L/min   | 11/15/22 | 0731 | Interface, Device In |        |
|               | 1.9 L/min | 11/15/22 | 0732 | Interface, Device In |        |
|               | 0.4 L/min | 11/15/22 | 0733 | Interface, Device In |        |
|               | 8.3 L/min | 11/15/22 | 0734 | Interface, Device In | edited |
|               | 0 L/min   | 11/15/22 | 0735 | Interface, Device In |        |
|               | 4.9 L/min | 11/15/22 | 0736 | Interface, Device In |        |
|               | 9.3 L/min | 11/15/22 | 0737 | Interface, Device In |        |
|               | 2.8 L/min | 11/15/22 | 0738 | Interface, Device In |        |
|               | 1.4 L/min | 11/15/22 | 0739 | Interface, Device In |        |
|               | 6.1 L/min | 11/15/22 | 0740 | Interface, Device In |        |
|               | 2.8 L/min | 11/15/22 | 0741 | Interface, Device In |        |
|               | 4.1 L/min | 11/15/22 | 0742 | Interface, Device In |        |
|               | 7.1 L/min | 11/15/22 | 0743 | Interface, Device In |        |
|               | 6.6 L/min | 11/15/22 | 0744 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0745 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0746 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0747 | Interface, Device In |        |
|               | 6.6 L/min | 11/15/22 | 0748 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0749 | Interface, Device In |        |
|               | 6.6 L/min | 11/15/22 | 0750 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0751 | Interface, Device In |        |
|               | 5.7 L/min | 11/15/22 | 0752 | Interface, Device In |        |
|               | 6.3 L/min | 11/15/22 | 0753 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0754 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0755 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0756 | Interface, Device In |        |
|               | 6.6 L/min | 11/15/22 | 0757 | Interface, Device In |        |
|               | 6.5 L/min | 11/15/22 | 0758 | Interface, Device In |        |
|               | 6.3 L/min | 11/15/22 | 0759 | Interface, Device In |        |
|               | 6.2 L/min | 11/15/22 | 0800 | Interface, Device In |        |
| ETCO2         | 0 mmHg    | 11/15/22 | 0730 | Interface, Device In |        |
|               | 0 mmHg    | 11/15/22 | 0731 | Interface, Device In |        |
|               | 31 mmHg   | 11/15/22 | 0732 | Interface, Device In |        |
|               | 27 mmHg   | 11/15/22 | 0733 | Interface, Device In |        |
|               | 9 mmHg    | 11/15/22 | 0734 | Interface, Device In | edited |
|               | 16 mmHg   | 11/15/22 | 0735 | Interface, Device In |        |
|               | 27 mmHg   | 11/15/22 | 0736 | Interface, Device In |        |
|               | 33 mmHg   | 11/15/22 | 0737 | Interface, Device In |        |
|               | 28 mmHg   | 11/15/22 | 0738 | Interface, Device In |        |
|               | 22 mmHg   | 11/15/22 | 0739 | Interface, Device In |        |
|               | 24 mmHg   | 11/15/22 | 0740 | Interface, Device In |        |
|               | 20 mmHg   | 11/15/22 | 0741 | Interface, Device In |        |
|               | 35 mmHg   | 11/15/22 | 0742 | Interface, Device In |        |
|               | 40 mmHg   | 11/15/22 | 0743 | Interface, Device In |        |
|               | 39 mmHg   | 11/15/22 | 0744 | Interface, Device In |        |
|               | 38 mmHg   | 11/15/22 | 0745 | Interface, Device In |        |
|               | 37 mmHg   | 11/15/22 | 0746 | Interface, Device In |        |

|      |          |          |      |                      |
|------|----------|----------|------|----------------------|
|      | 36 mmHg  | 11/15/22 | 0747 | Interface, Device In |
|      | 37 mmHg  | 11/15/22 | 0748 | Interface, Device In |
|      | 35 mmHg  | 11/15/22 | 0749 | Interface, Device In |
|      | 35 mmHg  | 11/15/22 | 0750 | Interface, Device In |
|      | 35 mmHg  | 11/15/22 | 0751 | Interface, Device In |
|      | 34 mmHg  | 11/15/22 | 0752 | Interface, Device In |
|      | 35 mmHg  | 11/15/22 | 0753 | Interface, Device In |
|      | 35 mmHg  | 11/15/22 | 0754 | Interface, Device In |
|      | 34 mmHg  | 11/15/22 | 0755 | Interface, Device In |
|      | 34 mmHg  | 11/15/22 | 0756 | Interface, Device In |
|      | 33 mmHg  | 11/15/22 | 0757 | Interface, Device In |
|      | 33 mmHg  | 11/15/22 | 0758 | Interface, Device In |
|      | 1 mmHg   | 11/15/22 | 0759 | Interface, Device In |
|      | 34 mmHg  | 11/15/22 | 0800 | Interface, Device In |
| FiO2 | 68 %     | 11/15/22 | 0730 | Interface, Device In |
|      | 97 %     | 11/15/22 | 0731 | Interface, Device In |
|      | 97 %     | 11/15/22 | 0732 | Interface, Device In |
|      | 96 %     | 11/15/22 | 0733 | Interface, Device In |
|      | 97 %     | 11/15/22 | 0734 | Interface, Device In |
|      | 96 %     | 11/15/22 | 0735 | Interface, Device In |
|      | 97 %     | 11/15/22 | 0736 | Interface, Device In |
|      | 97 %     | 11/15/22 | 0737 | Interface, Device In |
|      | 95 %     | 11/15/22 | 0738 | Interface, Device In |
|      | 97 %     | 11/15/22 | 0739 | Interface, Device In |
|      | 95 %     | 11/15/22 | 0740 | Interface, Device In |
|      | 95 %     | 11/15/22 | 0741 | Interface, Device In |
|      | 95 %     | 11/15/22 | 0742 | Interface, Device In |
|      | 86 %     | 11/15/22 | 0743 | Interface, Device In |
|      | 80 %     | 11/15/22 | 0744 | Interface, Device In |
|      | 76 %     | 11/15/22 | 0745 | Interface, Device In |
|      | 72 %     | 11/15/22 | 0746 | Interface, Device In |
|      | 69 %     | 11/15/22 | 0747 | Interface, Device In |
|      | 67 %     | 11/15/22 | 0748 | Interface, Device In |
|      | 65 %     | 11/15/22 | 0749 | Interface, Device In |
|      | 64 %     | 11/15/22 | 0750 | Interface, Device In |
|      | 63 %     | 11/15/22 | 0751 | Interface, Device In |
|      | 62 %     | 11/15/22 | 0752 | Interface, Device In |
|      | 79 %     | 11/15/22 | 0753 | Interface, Device In |
|      | 80 %     | 11/15/22 | 0754 | Interface, Device In |
|      | 81 %     | 11/15/22 | 0755 | Interface, Device In |
|      | 81 %     | 11/15/22 | 0756 | Interface, Device In |
|      | 82 %     | 11/15/22 | 0757 | Interface, Device In |
|      | 82 %     | 11/15/22 | 0758 | Interface, Device In |
|      | 39 %     | 11/15/22 | 0759 | Interface, Device In |
|      | 88 %     | 11/15/22 | 0800 | Interface, Device In |
| PIP  | 0 cmH2O  | 11/15/22 | 0730 | Interface, Device In |
|      | 2 cmH2O  | 11/15/22 | 0731 | Interface, Device In |
|      | 0 cmH2O  | 11/15/22 | 0732 | Interface, Device In |
|      | 1 cmH2O  | 11/15/22 | 0733 | Interface, Device In |
|      | 1 cmH2O  | 11/15/22 | 0734 | Interface, Device In |
|      | 19 cmH2O | 11/15/22 | 0735 | Interface, Device In |
|      | 17 cmH2O | 11/15/22 | 0736 | Interface, Device In |
|      | 15 cmH2O | 11/15/22 | 0737 | Interface, Device In |
|      | 16 cmH2O | 11/15/22 | 0738 | Interface, Device In |
|      | 15 cmH2O | 11/15/22 | 0739 | Interface, Device In |
|      | 15 cmH2O | 11/15/22 | 0740 | Interface, Device In |
|      | 0 cmH2O  | 11/15/22 | 0741 | Interface, Device In |
|      | 21 cmH2O | 11/15/22 | 0742 | Interface, Device In |
|      | 13 cmH2O | 11/15/22 | 0743 | Interface, Device In |

|                       |            |          |      |                      |        |
|-----------------------|------------|----------|------|----------------------|--------|
|                       | 14 cmH2O   | 11/15/22 | 0744 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0745 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0746 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0747 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0748 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0749 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0750 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0751 | Interface, Device In |        |
|                       | 9 cmH2O    | 11/15/22 | 0752 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0753 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0754 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0755 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0756 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0757 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0758 | Interface, Device In |        |
|                       | 11 cmH2O   | 11/15/22 | 0759 | Interface, Device In |        |
|                       | 14 cmH2O   | 11/15/22 | 0800 | Interface, Device In |        |
| PEEP                  | 0 cmH2O    | 11/15/22 | 0730 | Interface, Device In |        |
|                       | 1 cmH2O    | 11/15/22 | 0731 | Interface, Device In |        |
|                       | 0 cmH2O    | 11/15/22 | 0732 | Interface, Device In |        |
|                       | 0 cmH2O    | 11/15/22 | 0733 | Interface, Device In |        |
|                       | 0 cmH2O    | 11/15/22 | 0734 | Interface, Device In |        |
|                       | 8.2 cmH2O  | 11/15/22 | 0735 | Interface, Device In |        |
|                       | 11.2 cmH2O | 11/15/22 | 0736 | Interface, Device In |        |
|                       | 3.1 cmH2O  | 11/15/22 | 0737 | Interface, Device In |        |
|                       | 0 cmH2O    | 11/15/22 | 0738 | Interface, Device In |        |
|                       | 6.1 cmH2O  | 11/15/22 | 0739 | Interface, Device In |        |
|                       | 7.1 cmH2O  | 11/15/22 | 0740 | Interface, Device In |        |
|                       | 0 cmH2O    | 11/15/22 | 0741 | Interface, Device In |        |
|                       | 11.2 cmH2O | 11/15/22 | 0742 | Interface, Device In |        |
|                       | 6.1 cmH2O  | 11/15/22 | 0743 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0744 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0745 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0746 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0747 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0748 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0749 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0750 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0751 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0752 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0753 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0754 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0755 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0756 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0757 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0758 | Interface, Device In |        |
|                       | 6.1 cmH2O  | 11/15/22 | 0759 | Interface, Device In |        |
|                       | 5.1 cmH2O  | 11/15/22 | 0800 | Interface, Device In |        |
| Inspired Tidal Volume | 1192 mL    | 11/15/22 | 0731 | Interface, Device In |        |
|                       | 1248 mL    | 11/15/22 | 0732 | Interface, Device In |        |
|                       | 990 mL     | 11/15/22 | 0733 | Interface, Device In |        |
|                       | 420 mL     | 11/15/22 | 0734 | Interface, Device In | edited |
|                       | 366 mL     | 11/15/22 | 0735 | Interface, Device In |        |
|                       | 198 mL     | 11/15/22 | 0736 | Interface, Device In |        |
|                       | 490 mL     | 11/15/22 | 0737 | Interface, Device In |        |
|                       | 476 mL     | 11/15/22 | 0738 | Interface, Device In |        |
|                       | 366 mL     | 11/15/22 | 0739 | Interface, Device In |        |
|                       | 331 mL     | 11/15/22 | 0740 | Interface, Device In |        |
|                       | 248 mL     | 11/15/22 | 0741 | Interface, Device In |        |

|                              |         |          |      |                      |
|------------------------------|---------|----------|------|----------------------|
|                              | 247 mL  | 11/15/22 | 0742 | Interface, Device In |
|                              | 366 mL  | 11/15/22 | 0743 | Interface, Device In |
|                              | 385 mL  | 11/15/22 | 0744 | Interface, Device In |
|                              | 390 mL  | 11/15/22 | 0745 | Interface, Device In |
|                              | 389 mL  | 11/15/22 | 0746 | Interface, Device In |
|                              | 389 mL  | 11/15/22 | 0747 | Interface, Device In |
|                              | 402 mL  | 11/15/22 | 0748 | Interface, Device In |
|                              | 390 mL  | 11/15/22 | 0749 | Interface, Device In |
|                              | 388 mL  | 11/15/22 | 0750 | Interface, Device In |
|                              | 400 mL  | 11/15/22 | 0751 | Interface, Device In |
|                              | 120 mL  | 11/15/22 | 0752 | Interface, Device In |
|                              | 391 mL  | 11/15/22 | 0753 | Interface, Device In |
|                              | 390 mL  | 11/15/22 | 0754 | Interface, Device In |
|                              | 392 mL  | 11/15/22 | 0755 | Interface, Device In |
|                              | 392 mL  | 11/15/22 | 0756 | Interface, Device In |
|                              | 391 mL  | 11/15/22 | 0757 | Interface, Device In |
|                              | 393 mL  | 11/15/22 | 0758 | Interface, Device In |
|                              | 306 mL  | 11/15/22 | 0759 | Interface, Device In |
|                              | 389 mL  | 11/15/22 | 0800 | Interface, Device In |
| Maximal Inspiratory Pressure | 40 mbar | 11/15/22 | 0743 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0744 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0745 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0746 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0747 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0748 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0749 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0750 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0751 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0752 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0753 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0754 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0755 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0756 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0757 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0758 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0759 | Interface, Device In |
|                              | 40 mbar | 11/15/22 | 0800 | Interface, Device In |

## Anesthesia Monitoring

|      | Value | File Date/Time | Captured By | Edit History         |
|------|-------|----------------|-------------|----------------------|
| SpO2 | 100 % | 11/15/22       | 0733        | Interface, Device In |
|      | 100 % | 11/15/22       | 0734        | Interface, Device In |
|      | 100 % | 11/15/22       | 0735        | Interface, Device In |
|      | 100 % | 11/15/22       | 0736        | Interface, Device In |
|      | 100 % | 11/15/22       | 0737        | Interface, Device In |
|      | 100 % | 11/15/22       | 0738        | Interface, Device In |
|      | 100 % | 11/15/22       | 0739        | Interface, Device In |
|      | 100 % | 11/15/22       | 0740        | Interface, Device In |
|      | 100 % | 11/15/22       | 0741        | Interface, Device In |
|      | 100 % | 11/15/22       | 0742        | Interface, Device In |
|      | 100 % | 11/15/22       | 0743        | Interface, Device In |
|      | 99 %  | 11/15/22       | 0744        | Interface, Device In |
|      | 100 % | 11/15/22       | 0745        | Interface, Device In |
|      | 100 % | 11/15/22       | 0746        | Interface, Device In |
|      | 100 % | 11/15/22       | 0747        | Interface, Device In |
|      | 100 % | 11/15/22       | 0748        | Interface, Device In |
|      | 100 % | 11/15/22       | 0749        | Interface, Device In |
|      | 100 % | 11/15/22       | 0750        | Interface, Device In |
|      | 100 % | 11/15/22       | 0751        | Interface, Device In |
|      | 100 % | 11/15/22       | 0752        | Interface, Device In |

|       |                     |          |      |                      |        |
|-------|---------------------|----------|------|----------------------|--------|
|       | 100 %               | 11/15/22 | 0753 | Interface, Device In |        |
|       | 100 %               | 11/15/22 | 0754 | Interface, Device In |        |
|       | 100 %               | 11/15/22 | 0755 | Interface, Device In |        |
|       | 100 %               | 11/15/22 | 0756 | Interface, Device In |        |
|       | 100 %               | 11/15/22 | 0757 | Interface, Device In |        |
|       | 100 %               | 11/15/22 | 0758 | Interface, Device In |        |
|       | 100 %               | 11/15/22 | 0759 | Interface, Device In |        |
|       | 100 %               | 11/15/22 | 0800 | Interface, Device In |        |
| EKG   | Normal Sinus Rhythm | 11/15/22 | 0733 | Morgan Cho, CRNA     |        |
| ETCO2 | 0 mmHg              | 11/15/22 | 0730 | Interface, Device In |        |
|       | 0 mmHg              | 11/15/22 | 0731 | Interface, Device In |        |
|       | 31 mmHg             | 11/15/22 | 0732 | Interface, Device In |        |
|       | 27 mmHg             | 11/15/22 | 0733 | Interface, Device In |        |
|       | 9 mmHg              | 11/15/22 | 0734 | Interface, Device In | edited |
|       | 16 mmHg             | 11/15/22 | 0735 | Interface, Device In |        |
|       | 27 mmHg             | 11/15/22 | 0736 | Interface, Device In |        |
|       | 33 mmHg             | 11/15/22 | 0737 | Interface, Device In |        |
|       | 28 mmHg             | 11/15/22 | 0738 | Interface, Device In |        |
|       | 22 mmHg             | 11/15/22 | 0739 | Interface, Device In |        |
|       | 24 mmHg             | 11/15/22 | 0740 | Interface, Device In |        |
|       | 20 mmHg             | 11/15/22 | 0741 | Interface, Device In |        |
|       | 35 mmHg             | 11/15/22 | 0742 | Interface, Device In |        |
|       | 40 mmHg             | 11/15/22 | 0743 | Interface, Device In |        |
|       | 39 mmHg             | 11/15/22 | 0744 | Interface, Device In |        |
|       | 38 mmHg             | 11/15/22 | 0745 | Interface, Device In |        |
|       | 37 mmHg             | 11/15/22 | 0746 | Interface, Device In |        |
|       | 36 mmHg             | 11/15/22 | 0747 | Interface, Device In |        |
|       | 37 mmHg             | 11/15/22 | 0748 | Interface, Device In |        |
|       | 35 mmHg             | 11/15/22 | 0749 | Interface, Device In |        |
|       | 35 mmHg             | 11/15/22 | 0750 | Interface, Device In |        |
|       | 35 mmHg             | 11/15/22 | 0751 | Interface, Device In |        |
|       | 34 mmHg             | 11/15/22 | 0752 | Interface, Device In |        |
|       | 35 mmHg             | 11/15/22 | 0753 | Interface, Device In |        |
|       | 35 mmHg             | 11/15/22 | 0754 | Interface, Device In |        |
|       | 34 mmHg             | 11/15/22 | 0755 | Interface, Device In |        |
|       | 34 mmHg             | 11/15/22 | 0756 | Interface, Device In |        |
|       | 33 mmHg             | 11/15/22 | 0757 | Interface, Device In |        |
|       | 33 mmHg             | 11/15/22 | 0758 | Interface, Device In |        |
|       | 1 mmHg              | 11/15/22 | 0759 | Interface, Device In |        |
|       | 34 mmHg             | 11/15/22 | 0800 | Interface, Device In |        |
| FiO2  | 68 %                | 11/15/22 | 0730 | Interface, Device In |        |
|       | 97 %                | 11/15/22 | 0731 | Interface, Device In |        |
|       | 97 %                | 11/15/22 | 0732 | Interface, Device In |        |
|       | 96 %                | 11/15/22 | 0733 | Interface, Device In |        |
|       | 97 %                | 11/15/22 | 0734 | Interface, Device In |        |
|       | 96 %                | 11/15/22 | 0735 | Interface, Device In |        |
|       | 97 %                | 11/15/22 | 0736 | Interface, Device In |        |
|       | 97 %                | 11/15/22 | 0737 | Interface, Device In |        |
|       | 95 %                | 11/15/22 | 0738 | Interface, Device In |        |
|       | 97 %                | 11/15/22 | 0739 | Interface, Device In |        |
|       | 95 %                | 11/15/22 | 0740 | Interface, Device In |        |
|       | 95 %                | 11/15/22 | 0741 | Interface, Device In |        |
|       | 95 %                | 11/15/22 | 0742 | Interface, Device In |        |
|       | 86 %                | 11/15/22 | 0743 | Interface, Device In |        |
|       | 80 %                | 11/15/22 | 0744 | Interface, Device In |        |
|       | 76 %                | 11/15/22 | 0745 | Interface, Device In |        |
|       | 72 %                | 11/15/22 | 0746 | Interface, Device In |        |
|       | 69 %                | 11/15/22 | 0747 | Interface, Device In |        |

|      |          |      |                      |
|------|----------|------|----------------------|
| 67 % | 11/15/22 | 0748 | Interface, Device In |
| 65 % | 11/15/22 | 0749 | Interface, Device In |
| 64 % | 11/15/22 | 0750 | Interface, Device In |
| 63 % | 11/15/22 | 0751 | Interface, Device In |
| 62 % | 11/15/22 | 0752 | Interface, Device In |
| 79 % | 11/15/22 | 0753 | Interface, Device In |
| 80 % | 11/15/22 | 0754 | Interface, Device In |
| 81 % | 11/15/22 | 0755 | Interface, Device In |
| 81 % | 11/15/22 | 0756 | Interface, Device In |
| 82 % | 11/15/22 | 0757 | Interface, Device In |
| 82 % | 11/15/22 | 0758 | Interface, Device In |
| 39 % | 11/15/22 | 0759 | Interface, Device In |
| 88 % | 11/15/22 | 0800 | Interface, Device In |

**Intake/Output**

|      | Value | File Date/Time | Captured By | Edit History |
|------|-------|----------------|-------------|--------------|
| None |       |                |             |              |




















**Other Assessments**

|                  | Value       | File Date/Time | Captured By          | Edit History |
|------------------|-------------|----------------|----------------------|--------------|
| <b>Vent Mode</b> | Mode        | 11/15/22 0730  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0731  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0732  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0733  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0734  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0735  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0736  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0737  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0738  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0739  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0740  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0741  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode        | 11/15/22 0742  | Interface, Device In |              |
|                  | MAN/SPONT   |                |                      |              |
|                  | Mode VC-CMV | 11/15/22 0743  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0744  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0745  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0746  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0747  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0748  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0749  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0750  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0751  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0752  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0753  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0754  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0755  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0756  | Interface, Device In |              |
|                  | Mode VC-CMV | 11/15/22 0757  | Interface, Device In |              |

















|                       |             |          |      |                      |        |
|-----------------------|-------------|----------|------|----------------------|--------|
|                       | Mode VC-CMV | 11/15/22 | 0758 | Interface, Device In |        |
|                       | Mode VC-CMV | 11/15/22 | 0759 | Interface, Device In |        |
|                       | Mode VC-CMV | 11/15/22 | 0800 | Interface, Device In |        |
| Inspired Tidal Volume | 1192 mL     | 11/15/22 | 0731 | Interface, Device In |        |
|                       | 1248 mL     | 11/15/22 | 0732 | Interface, Device In |        |
|                       | 990 mL      | 11/15/22 | 0733 | Interface, Device In |        |
|                       | 420 mL      | 11/15/22 | 0734 | Interface, Device In | edited |
|                       | 366 mL      | 11/15/22 | 0735 | Interface, Device In |        |
|                       | 198 mL      | 11/15/22 | 0736 | Interface, Device In |        |
|                       | 490 mL      | 11/15/22 | 0737 | Interface, Device In |        |
|                       | 476 mL      | 11/15/22 | 0738 | Interface, Device In |        |
|                       | 366 mL      | 11/15/22 | 0739 | Interface, Device In |        |
|                       | 331 mL      | 11/15/22 | 0740 | Interface, Device In |        |
|                       | 248 mL      | 11/15/22 | 0741 | Interface, Device In |        |
|                       | 247 mL      | 11/15/22 | 0742 | Interface, Device In |        |
|                       | 366 mL      | 11/15/22 | 0743 | Interface, Device In |        |
|                       | 385 mL      | 11/15/22 | 0744 | Interface, Device In |        |
|                       | 390 mL      | 11/15/22 | 0745 | Interface, Device In |        |
|                       | 389 mL      | 11/15/22 | 0746 | Interface, Device In |        |
|                       | 389 mL      | 11/15/22 | 0747 | Interface, Device In |        |
|                       | 402 mL      | 11/15/22 | 0748 | Interface, Device In |        |
|                       | 390 mL      | 11/15/22 | 0749 | Interface, Device In |        |
|                       | 388 mL      | 11/15/22 | 0750 | Interface, Device In |        |
|                       | 400 mL      | 11/15/22 | 0751 | Interface, Device In |        |
|                       | 120 mL      | 11/15/22 | 0752 | Interface, Device In |        |
|                       | 391 mL      | 11/15/22 | 0753 | Interface, Device In |        |
|                       | 390 mL      | 11/15/22 | 0754 | Interface, Device In |        |
|                       | 392 mL      | 11/15/22 | 0755 | Interface, Device In |        |
|                       | 392 mL      | 11/15/22 | 0756 | Interface, Device In |        |
|                       | 391 mL      | 11/15/22 | 0757 | Interface, Device In |        |
|                       | 393 mL      | 11/15/22 | 0758 | Interface, Device In |        |
|                       | 306 mL      | 11/15/22 | 0759 | Interface, Device In |        |
|                       | 389 mL      | 11/15/22 | 0800 | Interface, Device In |        |



## Graph Vitals

| Graph Vitals |    | Value    | File Date/Time | Captured By          | Edit History |
|--------------|----|----------|----------------|----------------------|--------------|
| HR, EKG      | 82 | 11/15/22 | 0730           | Interface, Device In | edited       |
|              | 82 | 11/15/22 | 0731           | Interface, Device In |              |
|              | 82 | 11/15/22 | 0732           | Interface, Device In |              |
|              | 84 | 11/15/22 | 0733           | Interface, Device In |              |
|              | 78 | 11/15/22 | 0734           | Interface, Device In |              |
|              | 78 | 11/15/22 | 0735           | Interface, Device In |              |
|              | 77 | 11/15/22 | 0736           | Interface, Device In |              |
|              | 80 | 11/15/22 | 0737           | Interface, Device In |              |
|              | 80 | 11/15/22 | 0738           | Interface, Device In |              |
|              | 78 | 11/15/22 | 0739           | Interface, Device In |              |
|              | 80 | 11/15/22 | 0740           | Interface, Device In |              |
|              | 83 | 11/15/22 | 0741           | Interface, Device In |              |
|              | 85 | 11/15/22 | 0742           | Interface, Device In |              |
|              | 79 | 11/15/22 | 0743           | Interface, Device In |              |
|              | 85 | 11/15/22 | 0744           | Interface, Device In |              |
|              | 82 | 11/15/22 | 0745           | Interface, Device In |              |
|              | 80 | 11/15/22 | 0746           | Interface, Device In |              |
|              | 79 | 11/15/22 | 0747           | Interface, Device In |              |
|              | 77 | 11/15/22 | 0748           | Interface, Device In |              |
|              | 78 | 11/15/22 | 0749           | Interface, Device In |              |
|              | 77 | 11/15/22 | 0750           | Interface, Device In |              |
|              | 77 | 11/15/22 | 0751           | Interface, Device In |              |
|              | 76 | 11/15/22 | 0752           | Interface, Device In |              |
|              | 76 | 11/15/22 | 0753           | Interface, Device In |              |

|              |   |          |          |      |                      |        |
|--------------|---|----------|----------|------|----------------------|--------|
|              |   | 74       | 11/15/22 | 0754 | Interface, Device In |        |
|              |   | 73       | 11/15/22 | 0755 | Interface, Device In |        |
|              |   | 73       | 11/15/22 | 0756 | Interface, Device In |        |
|              |   | 71       | 11/15/22 | 0757 | Interface, Device In |        |
|              |   | 71       | 11/15/22 | 0758 | Interface, Device In |        |
|              |   | 74       | 11/15/22 | 0759 | Interface, Device In | edited |
|              |   | 73       | 11/15/22 | 0800 | Interface, Device In |        |
| HR, Oximeter |    | 0 1/min  | 11/15/22 | 0730 | Interface, Device In |        |
|              |    | 0 1/min  | 11/15/22 | 0731 | Interface, Device In |        |
|              |    | 0 1/min  | 11/15/22 | 0732 | Interface, Device In |        |
|              |   | 84 1/min | 11/15/22 | 0733 | Interface, Device In |        |
|              |   | 78 1/min | 11/15/22 | 0734 | Interface, Device In | edited |
|              |   | 78 1/min | 11/15/22 | 0735 | Interface, Device In |        |
|              |   | 77 1/min | 11/15/22 | 0736 | Interface, Device In |        |
|              |   | 80 1/min | 11/15/22 | 0737 | Interface, Device In |        |
|              |   | 79 1/min | 11/15/22 | 0738 | Interface, Device In |        |
|              |   | 78 1/min | 11/15/22 | 0739 | Interface, Device In |        |
|              |   | 80 1/min | 11/15/22 | 0740 | Interface, Device In |        |
|              |   | 84 1/min | 11/15/22 | 0741 | Interface, Device In |        |
|              |   | 84 1/min | 11/15/22 | 0742 | Interface, Device In |        |
|              |   | 79 1/min | 11/15/22 | 0743 | Interface, Device In |        |
|              |   | 85 1/min | 11/15/22 | 0744 | Interface, Device In |        |
|              |   | 82 1/min | 11/15/22 | 0745 | Interface, Device In |        |
|              |   | 80 1/min | 11/15/22 | 0746 | Interface, Device In |        |
|              |   | 79 1/min | 11/15/22 | 0747 | Interface, Device In |        |
|              |   | 78 1/min | 11/15/22 | 0748 | Interface, Device In |        |
|              |   | 78 1/min | 11/15/22 | 0749 | Interface, Device In |        |
|              |   | 77 1/min | 11/15/22 | 0750 | Interface, Device In |        |
|              |   | 79 1/min | 11/15/22 | 0751 | Interface, Device In |        |
|              |   | 77 1/min | 11/15/22 | 0752 | Interface, Device In |        |
|              |   | 76 1/min | 11/15/22 | 0753 | Interface, Device In |        |
|              |   | 74 1/min | 11/15/22 | 0754 | Interface, Device In |        |
|              |   | 73 1/min | 11/15/22 | 0755 | Interface, Device In |        |
|              |   | 73 1/min | 11/15/22 | 0756 | Interface, Device In |        |
|              |   | 71 1/min | 11/15/22 | 0757 | Interface, Device In |        |
|              |   | 71 1/min | 11/15/22 | 0758 | Interface, Device In |        |
|              |   | 75 1/min | 11/15/22 | 0759 | Interface, Device In |        |
|              |   | 74 1/min | 11/15/22 | 0800 | Interface, Device In |        |
| Art line     |  | 4/3      | 11/15/22 | 0730 | Interface, Device In |        |
|              |  | 3/3      | 11/15/22 | 0731 | Interface, Device In |        |
|              |  | 3/2      | 11/15/22 | 0732 | Interface, Device In |        |
|              |  | 3/3      | 11/15/22 | 0733 | Interface, Device In |        |
|              |  | 3/3      | 11/15/22 | 0734 | Interface, Device In |        |
|              |  | 5/4      | 11/15/22 | 0735 | Interface, Device In |        |
|              |  | 4/3      | 11/15/22 | 0736 | Interface, Device In |        |
|              |  | 3/3      | 11/15/22 | 0737 | Interface, Device In |        |
|              |  | 4/3      | 11/15/22 | 0738 | Interface, Device In |        |
|              |  | 3/3      | 11/15/22 | 0739 | Interface, Device In |        |
|              |  | 5/3      | 11/15/22 | 0740 | Interface, Device In |        |
|              |  | 4/3      | 11/15/22 | 0741 | Interface, Device In |        |
|              |  | 3/3      | 11/15/22 | 0742 | Interface, Device In |        |
|              |  | 4/3      | 11/15/22 | 0743 | Interface, Device In |        |
|              |  | 4/3      | 11/15/22 | 0744 | Interface, Device In |        |
|              |  | 3/2      | 11/15/22 | 0745 | Interface, Device In |        |



|             |   |          |      |                      |        |
|-------------|---|----------|------|----------------------|--------|
|             |  2/2       | 11/15/22 | 0746 | Interface, Device In |        |
|             |  3/1       | 11/15/22 | 0747 | Interface, Device In |        |
|             |  3/3       | 11/15/22 | 0748 | Interface, Device In |        |
|             |  3/2       | 11/15/22 | 0749 | Interface, Device In |        |
|             |  3/2       | 11/15/22 | 0750 | Interface, Device In |        |
|             |  2/2       | 11/15/22 | 0751 | Interface, Device In |        |
|             |  2/2       | 11/15/22 | 0752 | Interface, Device In |        |
|             |  2/1       | 11/15/22 | 0753 | Interface, Device In |        |
|             |  3/2       | 11/15/22 | 0754 | Interface, Device In |        |
|             |  27/3      | 11/15/22 | 0755 | Interface, Device In |        |
|             |  77/35     | 11/15/22 | 0756 | Interface, Device In | edited |
|             |  75/32     | 11/15/22 | 0757 | Interface, Device In | edited |
|             |  63/40     | 11/15/22 | 0758 | Interface, Device In |        |
|             |  87/42     | 11/15/22 | 0759 | Interface, Device In | edited |
|             |  81/38     | 11/15/22 | 0800 | Interface, Device In | edited |
| MAP         | 4   | 11/15/22 | 0730 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0731 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0732 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0733 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0734 | Interface, Device In |        |
|             | 4   | 11/15/22 | 0735 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0736 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0737 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0738 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0739 | Interface, Device In |        |
|             | 4   | 11/15/22 | 0740 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0741 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0742 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0743 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0744 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0745 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0746 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0747 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0748 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0749 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0750 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0751 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0752 | Interface, Device In |        |
|             | 1   | 11/15/22 | 0753 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0754 | Interface, Device In |        |
|             | 13  | 11/15/22 | 0755 | Interface, Device In |        |
|             | 51  | 11/15/22 | 0756 | Interface, Device In | edited |
|             | 49  | 11/15/22 | 0757 | Interface, Device In | edited |
|             | 49  | 11/15/22 | 0758 | Interface, Device In |        |
|             | 57  | 11/15/22 | 0759 | Interface, Device In |        |
|             | 53  | 11/15/22 | 0800 | Interface, Device In | edited |
| NIBP (Mean) | 136   | 11/15/22 | 0731 | Interface, Device In |        |
|             | 103   | 11/15/22 | 0734 | Interface, Device In | edited |
|             | 121   | 11/15/22 | 0737 | Interface, Device In |        |
|             | 123   | 11/15/22 | 0740 | Interface, Device In |        |
|             | 123   | 11/15/22 | 0742 | Interface, Device In |        |
|             | 71  | 11/15/22 | 0745 | Interface, Device In |        |
| NIBP        |  146/120 | 11/15/22 | 0731 | Interface, Device In |        |
|             | 156/77  | 11/15/22 | 0734 | Interface, Device In | edited |

|                          |   |          |      |                      |
|--------------------------|---|----------|------|----------------------|
|                          |  128/91  | 11/15/22 | 0737 | Interface, Device In |
|                          | 184/90  | 11/15/22 | 0740 | Interface, Device In |
|                          |  176/105 | 11/15/22 | 0742 | Interface, Device In |
|                          | 107/62  | 11/15/22 | 0745 | Interface, Device In |
|                          | 131/71  | 11/15/22 | 0746 | Interface, Device In |
| SVR                      | 505<br>(dyne*sec)/cm5   | 11/15/22 | 0756 | Interface, Device In |
|                          | 571<br>(dyne*sec)/cm5   | 11/15/22 | 0757 | Interface, Device In |
|                          | 482<br>(dyne*sec)/cm5   | 11/15/22 | 0759 | Interface, Device In |
|                          | 472<br>(dyne*sec)/cm5   | 11/15/22 | 0800 | Interface, Device In |
| SVRI                     | 1101<br>dyn-s-m2/cm5  | 11/15/22 | 0756 | Interface, Device In |
|                          | 1244<br>dyn-s-m2/cm5  | 11/15/22 | 0757 | Interface, Device In |
|                          | 1050<br>dyn-s-m2/cm5  | 11/15/22 | 0759 | Interface, Device In |
|                          | 1029<br>dyn-s-m2/cm5  | 11/15/22 | 0800 | Interface, Device In |
| SV                       | 96.3 mL   | 11/15/22 | 0756 | Interface, Device In |
|                          | 84.1 mL   | 11/15/22 | 0757 | Interface, Device In |
|                          | 112 mL  | 11/15/22 | 0759 | Interface, Device In |
|                          | 108 mL  | 11/15/22 | 0800 | Interface, Device In |
| Stroke Volume Index      | 44.2 mL/m2  | 11/15/22 | 0756 | Interface, Device In |
|                          | 38.6 mL/m2  | 11/15/22 | 0757 | Interface, Device In |
|                          | 51.6 mL/m2  | 11/15/22 | 0759 | Interface, Device In |
|                          | 49.5 mL/m2  | 11/15/22 | 0800 | Interface, Device In |
| CCI                      | 3.2 l/min   | 11/15/22 | 0756 | Interface, Device In |
|                          | 2.7 l/min   | 11/15/22 | 0757 | Interface, Device In |
|                          | 3.8 l/min   | 11/15/22 | 0759 | Interface, Device In |
|                          | 3.6 l/min   | 11/15/22 | 0800 | Interface, Device In |
| CCO                      | 7 L/min   | 11/15/22 | 0756 | Interface, Device In |
|                          | 5.9 L/min   | 11/15/22 | 0757 | Interface, Device In |
|                          | 8.3 L/min   | 11/15/22 | 0759 | Interface, Device In |
|                          | 7.8 L/min   | 11/15/22 | 0800 | Interface, Device In |
| Pulse Pressure Variation | 39 %  | 11/15/22 | 0756 | Interface, Device In |
|                          | 49.7 %  | 11/15/22 | 0757 | Interface, Device In |
|                          | 13.5 %  | 11/15/22 | 0759 | Interface, Device In |
|                          | 82.7 %  | 11/15/22 | 0800 | Interface, Device In |
| SVV                      | 14 percent  | 11/15/22 | 0756 | Interface, Device In |
|                          | 12 percent  | 11/15/22 | 0757 | Interface, Device In |
|                          | 7 percent   | 11/15/22 | 0759 | Interface, Device In |
|                          | 27 percent  | 11/15/22 | 0800 | Interface, Device In |





















**Graph CV**















|      | Value                 | File Date/Time | Captured By | Edit History         |
|------|-----------------------|----------------|-------------|----------------------|
| SVR  | 505<br>(dyne*sec)/cm5 | 11/15/22       | 0756        | Interface, Device In |
|      | 571<br>(dyne*sec)/cm5 | 11/15/22       | 0757        | Interface, Device In |
|      | 482<br>(dyne*sec)/cm5 | 11/15/22       | 0759        | Interface, Device In |
|      | 472<br>(dyne*sec)/cm5 | 11/15/22       | 0800        | Interface, Device In |
| SVRI | 1101<br>dyn-s-m2/cm5  | 11/15/22       | 0756        | Interface, Device In |
|      | 1244<br>dyn-s-m2/cm5  | 11/15/22       | 0757        | Interface, Device In |

|                          |                      |          |      |                      |
|--------------------------|----------------------|----------|------|----------------------|
|                          | 1050<br>dyn-s-m2/cm5 | 11/15/22 | 0759 | Interface, Device In |
|                          | 1029<br>dyn-s-m2/cm5 | 11/15/22 | 0800 | Interface, Device In |
| SV                       | 96.3 mL              | 11/15/22 | 0756 | Interface, Device In |
|                          | 84.1 mL              | 11/15/22 | 0757 | Interface, Device In |
|                          | 112 mL               | 11/15/22 | 0759 | Interface, Device In |
|                          | 108 mL               | 11/15/22 | 0800 | Interface, Device In |
| Stroke Volume Index      | 44.2 mL/m2           | 11/15/22 | 0756 | Interface, Device In |
|                          | 38.6 mL/m2           | 11/15/22 | 0757 | Interface, Device In |
|                          | 51.6 mL/m2           | 11/15/22 | 0759 | Interface, Device In |
|                          | 49.5 mL/m2           | 11/15/22 | 0800 | Interface, Device In |
| CCI                      | 3.2 l/min            | 11/15/22 | 0756 | Interface, Device In |
|                          | 2.7 l/min            | 11/15/22 | 0757 | Interface, Device In |
|                          | 3.8 l/min            | 11/15/22 | 0759 | Interface, Device In |
|                          | 3.6 l/min            | 11/15/22 | 0800 | Interface, Device In |
| CCO                      | 7 L/min              | 11/15/22 | 0756 | Interface, Device In |
|                          | 5.9 L/min            | 11/15/22 | 0757 | Interface, Device In |
|                          | 8.3 L/min            | 11/15/22 | 0759 | Interface, Device In |
|                          | 7.8 L/min            | 11/15/22 | 0800 | Interface, Device In |
| Pulse Pressure Variation | 39 %                 | 11/15/22 | 0756 | Interface, Device In |
|                          | 49.7 %               | 11/15/22 | 0757 | Interface, Device In |
|                          | 13.5 %               | 11/15/22 | 0759 | Interface, Device In |
|                          | 82.7 %               | 11/15/22 | 0800 | Interface, Device In |
| SVV                      | 14 percent           | 11/15/22 | 0756 | Interface, Device In |
|                          | 12 percent           | 11/15/22 | 0757 | Interface, Device In |
|                          | 7 percent            | 11/15/22 | 0759 | Interface, Device In |
|                          | 27 percent           | 11/15/22 | 0800 | Interface, Device In |

**BP/Pulse**

|         | Value | File Date/Time | Captured By          | Edit History |
|---------|-------|----------------|----------------------|--------------|
| HR, EKG | 82    | 11/15/22 0730  | Interface, Device In | edited       |
|         | 82    | 11/15/22 0731  | Interface, Device In |              |
|         | 82    | 11/15/22 0732  | Interface, Device In |              |
|         | 84    | 11/15/22 0733  | Interface, Device In |              |
|         | 78    | 11/15/22 0734  | Interface, Device In |              |
|         | 78    | 11/15/22 0735  | Interface, Device In |              |
|         | 77    | 11/15/22 0736  | Interface, Device In |              |
|         | 80    | 11/15/22 0737  | Interface, Device In |              |
|         | 80    | 11/15/22 0738  | Interface, Device In |              |
|         | 78    | 11/15/22 0739  | Interface, Device In |              |
|         | 80    | 11/15/22 0740  | Interface, Device In |              |
|         | 83    | 11/15/22 0741  | Interface, Device In |              |
|         | 85    | 11/15/22 0742  | Interface, Device In |              |
|         | 79    | 11/15/22 0743  | Interface, Device In |              |
|         | 85    | 11/15/22 0744  | Interface, Device In |              |
|         | 82    | 11/15/22 0745  | Interface, Device In |              |
|         | 80    | 11/15/22 0746  | Interface, Device In |              |
|         | 79    | 11/15/22 0747  | Interface, Device In |              |
|         | 77    | 11/15/22 0748  | Interface, Device In |              |
|         | 78    | 11/15/22 0749  | Interface, Device In |              |
|         | 77    | 11/15/22 0750  | Interface, Device In |              |
|         | 77    | 11/15/22 0751  | Interface, Device In |              |
|         | 76    | 11/15/22 0752  | Interface, Device In |              |
|         | 76    | 11/15/22 0753  | Interface, Device In |              |
|         | 74    | 11/15/22 0754  | Interface, Device In |              |
|         | 73    | 11/15/22 0755  | Interface, Device In |              |
|         | 73    | 11/15/22 0756  | Interface, Device In |              |
|         | 71    | 11/15/22 0757  | Interface, Device In |              |
|         | 71    | 11/15/22 0758  | Interface, Device In |              |

|              |   |          |      |                      |        |
|--------------|---|----------|------|----------------------|--------|
|              | 74  | 11/15/22 | 0759 | Interface, Device In | edited |
|              | 73  | 11/15/22 | 0800 | Interface, Device In |        |
| HR, Oximeter |  0 1/min | 11/15/22 | 0730 | Interface, Device In | edited |
|              |  0 1/min | 11/15/22 | 0731 | Interface, Device In |        |
|              |  0 1/min | 11/15/22 | 0732 | Interface, Device In |        |
|              | 84 1/min  | 11/15/22 | 0733 | Interface, Device In |        |
|              | 78 1/min  | 11/15/22 | 0734 | Interface, Device In |        |
|              | 78 1/min  | 11/15/22 | 0735 | Interface, Device In |        |
|              | 77 1/min  | 11/15/22 | 0736 | Interface, Device In |        |
|              | 80 1/min  | 11/15/22 | 0737 | Interface, Device In |        |
|              | 79 1/min  | 11/15/22 | 0738 | Interface, Device In |        |
|              | 78 1/min  | 11/15/22 | 0739 | Interface, Device In |        |
|              | 80 1/min  | 11/15/22 | 0740 | Interface, Device In |        |
|              | 84 1/min  | 11/15/22 | 0741 | Interface, Device In |        |
|              | 84 1/min  | 11/15/22 | 0742 | Interface, Device In |        |
|              | 79 1/min  | 11/15/22 | 0743 | Interface, Device In |        |
|              | 85 1/min  | 11/15/22 | 0744 | Interface, Device In |        |
|              | 82 1/min  | 11/15/22 | 0745 | Interface, Device In |        |
|              | 80 1/min  | 11/15/22 | 0746 | Interface, Device In |        |
|              | 79 1/min  | 11/15/22 | 0747 | Interface, Device In |        |
|              | 78 1/min  | 11/15/22 | 0748 | Interface, Device In |        |
|              | 78 1/min  | 11/15/22 | 0749 | Interface, Device In |        |
|              | 77 1/min  | 11/15/22 | 0750 | Interface, Device In |        |
|              | 79 1/min  | 11/15/22 | 0751 | Interface, Device In |        |
|              | 77 1/min  | 11/15/22 | 0752 | Interface, Device In |        |
|              | 76 1/min  | 11/15/22 | 0753 | Interface, Device In |        |
|              | 74 1/min  | 11/15/22 | 0754 | Interface, Device In |        |
|              | 73 1/min  | 11/15/22 | 0755 | Interface, Device In |        |
|              | 73 1/min  | 11/15/22 | 0756 | Interface, Device In |        |
|              | 71 1/min  | 11/15/22 | 0757 | Interface, Device In |        |
|              | 71 1/min  | 11/15/22 | 0758 | Interface, Device In |        |
|              | 75 1/min  | 11/15/22 | 0759 | Interface, Device In |        |
|              | 74 1/min  | 11/15/22 | 0800 | Interface, Device In |        |
| Art line     |  4/3   | 11/15/22 | 0730 | Interface, Device In |        |
|              |  3/3   | 11/15/22 | 0731 | Interface, Device In |        |
|              |  3/2   | 11/15/22 | 0732 | Interface, Device In |        |
|              |  3/3   | 11/15/22 | 0733 | Interface, Device In |        |
|              |  3/3   | 11/15/22 | 0734 | Interface, Device In |        |
|              |  5/4   | 11/15/22 | 0735 | Interface, Device In |        |
|              |  4/3   | 11/15/22 | 0736 | Interface, Device In |        |
|              |  3/3   | 11/15/22 | 0737 | Interface, Device In |        |
|              |  4/3   | 11/15/22 | 0738 | Interface, Device In |        |
|              |  3/3   | 11/15/22 | 0739 | Interface, Device In |        |
|              |  5/3   | 11/15/22 | 0740 | Interface, Device In |        |
|              |  4/3   | 11/15/22 | 0741 | Interface, Device In |        |
|              |  3/3   | 11/15/22 | 0742 | Interface, Device In |        |
|              |  4/3   | 11/15/22 | 0743 | Interface, Device In |        |
|              |  4/3   | 11/15/22 | 0744 | Interface, Device In |        |
|              |  3/2   | 11/15/22 | 0745 | Interface, Device In |        |
|              |  2/2   | 11/15/22 | 0746 | Interface, Device In |        |
|              |  3/1   | 11/15/22 | 0747 | Interface, Device In |        |
|              |  3/3   | 11/15/22 | 0748 | Interface, Device In |        |
|              |  3/2   | 11/15/22 | 0749 | Interface, Device In |        |

|             |   |          |      |                      |        |
|-------------|---|----------|------|----------------------|--------|
|             |  3/2       | 11/15/22 | 0750 | Interface, Device In |        |
|             |  2/2       | 11/15/22 | 0751 | Interface, Device In |        |
|             |  2/2       | 11/15/22 | 0752 | Interface, Device In |        |
|             |  2/1       | 11/15/22 | 0753 | Interface, Device In |        |
|             |  3/2       | 11/15/22 | 0754 | Interface, Device In |        |
|             |  27/3      | 11/15/22 | 0755 | Interface, Device In |        |
|             |  77/35     | 11/15/22 | 0756 | Interface, Device In | edited |
|             |  75/32     | 11/15/22 | 0757 | Interface, Device In | edited |
|             |  63/40     | 11/15/22 | 0758 | Interface, Device In |        |
|             |  87/42     | 11/15/22 | 0759 | Interface, Device In | edited |
|             |  81/38     | 11/15/22 | 0800 | Interface, Device In | edited |
| MAP         | 4   | 11/15/22 | 0730 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0731 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0732 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0733 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0734 | Interface, Device In |        |
|             | 4   | 11/15/22 | 0735 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0736 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0737 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0738 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0739 | Interface, Device In |        |
|             | 4   | 11/15/22 | 0740 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0741 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0742 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0743 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0744 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0745 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0746 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0747 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0748 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0749 | Interface, Device In |        |
|             | 3   | 11/15/22 | 0750 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0751 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0752 | Interface, Device In |        |
|             | 1   | 11/15/22 | 0753 | Interface, Device In |        |
|             | 2   | 11/15/22 | 0754 | Interface, Device In |        |
|             | 13  | 11/15/22 | 0755 | Interface, Device In |        |
|             | 51  | 11/15/22 | 0756 | Interface, Device In | edited |
|             | 49  | 11/15/22 | 0757 | Interface, Device In | edited |
|             | 49  | 11/15/22 | 0758 | Interface, Device In |        |
|             | 57  | 11/15/22 | 0759 | Interface, Device In |        |
|             | 53  | 11/15/22 | 0800 | Interface, Device In | edited |
| NIBP (Mean) | 136   | 11/15/22 | 0731 | Interface, Device In |        |
|             | 103   | 11/15/22 | 0734 | Interface, Device In | edited |
|             | 121   | 11/15/22 | 0737 | Interface, Device In |        |
|             | 123   | 11/15/22 | 0740 | Interface, Device In |        |
|             | 123   | 11/15/22 | 0742 | Interface, Device In |        |
|             | 71  | 11/15/22 | 0745 | Interface, Device In |        |
| NIBP        | 79  | 11/15/22 | 0746 | Interface, Device In |        |
|             |  146/120 | 11/15/22 | 0731 | Interface, Device In |        |
|             | 156/77  | 11/15/22 | 0734 | Interface, Device In | edited |
|             |  128/91  | 11/15/22 | 0737 | Interface, Device In |        |
|             | 184/90  | 11/15/22 | 0740 | Interface, Device In |        |
|             |  176/105 | 11/15/22 | 0742 | Interface, Device In |        |
|             | 107/62  | 11/15/22 | 0745 | Interface, Device In |        |

131/71

11/15/22

0746

Interface, Device In