

HOUSE RENTAL DATABASE SYSTEM: **IMPLEMENTATION REPORT**

BY

Group 5:

Abhimanyu Pratap Singh Parmar

Aditya Sai Yerraguntla

Adit Vinod Kaneria

Bhavish Kumar

Kritarth Joshi

CONTENTS

1. PROJECT SUMMARY.....	3
2. ENTITY & ATTRIBUTE TABLE.....	4
3. ENTITY-RELATIONSHIP DIAGRAM.....	7
4. CREATION OF TABLES.....	8
5. INSERTION OF DATA.....	11
6. MAJOR DATA QUESTIONS.....	134
7. TRIGGER.....	136

1. PROJECT SUMMARY

The proposed project is for the students whose objective is to choose the most suitable house amongst the various houses available for leasing. The students now have to pick a house by referring to all the leasing agency websites and considering all the factors for each house before deciding to pick one. This is primarily due to humongous amount of data which is spread across different websites. This takes up lot of unnecessary time and energy. The proposed consolidated database would help students take better informed decisions with ease without having to go through a tedious process.

In order to tackle this problem, this project proposes to build a house rental database. This database is an integration of the rental properties listed on various websites. Two primary users can access this system. These two primary users are students attending the university (potential tenants) and the rental agency leasing the houses. The students can query the database and find out details about the properties which will give them a good idea about the house that would be suitable for their needs. It would become easier for them to see all the details of the properties from various websites instead of scouring through different websites for collecting information about the same house.

This database would consist of tables allocated to the properties, students, rental agency, lease agreement and the landlord.

Business Rules:

1. Every Rental Agency can have one or more houses which they are responsible for leasing out
2. Every House can be listed by multiple rental agencies
3. Every landlord can own multiple houses, but every house can only be owned by a single landlord
4. Every landlord and every tenant can have only one active lease for a house and every lease can have multiple tenants, one house, one landlord and one rental agency
5. Every Agency will be working for leasing out at least one or more house and hence will have at least one or more listing
6. Every Agency will be working with at least one or more landlord and will have at least one or more agreement
7. Every lease will have at least one or more tenant


2. ENTITY & ATTRIBUTE TABLE

Objects	Description
1. Rental_Agency	A table to store information of all the rental agencies responsible for renting out the houses
a. Agency_ID	Primary Key/Unique identifier
b. Agency_Name	Name of the Agency
c. Email_ID	Email ID of the agency
d. Website_URL	URL/Link to the agency website
e. Phone_No	Contact number of the agency
f. Office_Address	Address of the rental agency
g. Zipcode	Zipcode of the rental agency office
h. Agency_Owner	Name of the Agency Owner
2. House	A table to store information of all the houses
a. House_ID	Primary Key/Unique identifier
b. House_Name	
c. Location	
d. Address	
e. Zipcode	
f. Rent	
g. #Beds	Number of Bedrooms in the house
h. #Baths	Number of Bathrooms in the house
i. Furnishing_Status	Fully Furnished/Semi Furnished/Unfurnished
j. Area_in_square_foot	
k. #Car_Parking_Slots	
l. Is_Pet_Friendly	Flag to denote whether pets are allowed or not
m. Landlord_ID	Foreign Key: Primary Key of landlord table
3. Agency_House_Listings	An associate table storing information of all the House listings for each agency. All the contracts between every agency and house are stored in this table
a. Agency_ID	Foreign Key: Primary Key of Agency table
b. House_ID	Foreign Key: Primary Key of House table
c. Website_Publish_Date	Date on which the house-agency listing was published on the website
4. Landlord	A table storing information of all the landlords who are giving out their houses on rent
a. Landlord_ID	Primary Key/Unique ID

b. Name	Name of the Landlord
c. Email	Email ID of the Landlord
d. Phone_No	Phone Number of the Landlord
e. Age	Landlord's age
f. Gender	Landlord's gender
g. Nationality	Nationality of the landlord
5. Landlord_Agency_Agreement	An associate table storing information of all the agreements between various landlords and the rental agencies
a. Agency_ID	Foreign Key: Primary Key of Agency table
b. Landlord_ID	Foreign Key: Primary Key of Landlord table
c. Agreement_Start_Date	The date on which agreement started
d. Agreement_End_Date	The date on which agreement between the landlord and agency is going to end
e. Brokerage_Fee	% of commission charged by the agency
6. Tenant	A table storing information of all the tenants currently occupying the houses or the tenants who are going to occupy a house and for whom the lease has been signed
a. Tenant_ID	Primary Key/Unique ID
b. Name	Name of the Tenant
c. Email_ID	Email ID of the Tenant
d. Phone_No	Phone Number of the Tenant
e. Age	Tenant's age
f. Gender	Tenant's gender
g. Nationality	Nationality of the tenant
7. All_Leases	A table containing information of all the leases that have been signed between the tenants, landlords and agencies. This table contains both active and expired lease records
a. Lease_ID	Primary Key/Unique ID of the table
b. Is_Active	Flag to denote if the lease is active or has expired
c. Lease_Start_Date	
d. Lease_End_Date	
e. House_ID	Foreign Key: Primary Key of house table to denote the house for which the lease has been signed
f. Landlord_ID	Foreign Key: Primary Key of landlord table to denote the landlord who has signed the lease
g. Agency_ID	Foreign Key: Primary Key of agency table to denote the agency that has signed the lease

8. Tenant_Lease_Agreement	An associate table between Tenant and Lease containing the active and expired lease records that every Tenant was part of
a. Tenant_ID	Foreign Key: Primary Key of the Tenant table to denote the Tenant who is part of the signed Lease
b. Lease_ID	Foreign Key: Primary Key of the All_Leases table to denote the Lease that the Tenant was/is part of

3. ENTITY RELATIONSHIP DIAGRAM



4. CREATION OF TABLES

--1. CREATING RENTAL AGENCY TABLE

```
CREATE TABLE Rental_Agency
(
Agency_ID VARCHAR(20) PRIMARY KEY,
Agency_Name VARCHAR(20) NOT NULL,
Email_ID VARCHAR(20) NOT NULL,
Website_url VARCHAR(50) NOT NULL,
Phone_No NUMERIC(10,0) NOT NULL,
Office_Address VARCHAR(30) NOT NULL,
Zipcode NUMERIC(5,0) NOT NULL,
Agency_Owner CHAR(30) NOT NULL
);
```

--2. CREATING LANDLORD TABLE

```
CREATE TABLE Landlord
(
Landlord_ID VARCHAR(20) PRIMARY KEY,
Landlord_Name VARCHAR(25) NOT NULL,
Email VARCHAR(20) NOT NULL,
Phone_No NUMERIC(10,0) NOT NULL,
Age NUMERIC(10,0) NOT NULL,
GENDER CHAR(10) NOT NULL,
NATIONALITY CHAR(20) NOT NULL
);
```

--3. CREATING LANDLORD AGENCY AGREEMENT TABLE

```
CREATE TABLE Landlord_Agency_Agreement
(
Agency_ID VARCHAR(20) NOT NULL,
Landlord_ID VARCHAR(20) NOT NULL,
Agreement_Start_Date DATE NOT NULL,
Agreement_End_Date DATE NOT NULL,
Brokerage_Fee NUMERIC(12,2)
CONSTRAINT agency_fk FOREIGN KEY (Agency_ID) REFERENCES Rental_Agency(Agency_ID),
CONSTRAINT landlord_fk FOREIGN KEY (Landlord_ID) REFERENCES Landlord(Landlord_ID)
);
ALTER TABLE Landlord_Agency_Agreement
ALTER COLUMN Agreement_End_Date VARCHAR(20);
```

-- 4. CREATING HOUSE TABLE

```
CREATE TABLE House
(
House_ID VARCHAR(20) PRIMARY KEY,
House_Name VARCHAR(25) NOT NULL,
House_Location VARCHAR(30) NOT NULL,
House_Address VARCHAR(50) NOT NULL,
```



```

Zipcode NUMERIC(5,0) NOT NULL,
Rent NUMERIC(10,0) NOT NULL,
No_of_Beds NUMERIC(10,0) NOT NULL,
No_of_Baths NUMERIC(10,0) NOT NULL,
Furnishing_Status VARCHAR(20) NOT NULL CHECK (Furnishing_Status in ('Fully
Furnished','Semi Furnished','Unfurnished')),
Area_in_square_foot NUMERIC(10,0) NOT NULL,
No_of_car_parking_slots NUMERIC(2,0) NOT NULL,
Is_pet_friendly VARCHAR(5) NOT NULL CHECK (Is_pet_friendly in ('Yes','No')),
Landlord_ID VARCHAR(20),
CONSTRAINT landlord_fk_house FOREIGN KEY (Landlord_ID) REFERENCES Landlord(Landlord_ID)
);
ALTER TABLE House
ADD Available VARCHAR(10);
ALTER TABLE House
ALTER COLUMN House_Location VARCHAR(150);

```

--5. CREATING AGENCY HOUSE LISTINGS table

```

CREATE TABLE Agency_House_Listings
(
Agency_ID VARCHAR(20) NOT NULL,
House_ID VARCHAR(20) NOT NULL,
Website_Publish_Date DATE NOT NULL,
CONSTRAINT agency_fk_listings FOREIGN KEY (Agency_ID) REFERENCES
Rental_Agency(Agency_ID),
CONSTRAINT house_fk_listings FOREIGN KEY (House_ID) REFERENCES House(House_ID)
);
ALTER TABLE Agency_House_Listings
ALTER COLUMN Website_Publish_Date VARCHAR(20);

```

--6. CREATING ALL LEASES Table

```

CREATE TABLE All_Leases
(
Lease_ID VARCHAR(20) PRIMARY KEY,
Is_Active CHAR(5) NOT NULL CHECK (Is_Active in ('Yes','No')),
Lease_Start_Date DATE NOT NULL,
Lease_End_Date DATE NOT NULL,
House_ID VARCHAR(20) NOT NULL,
Agency_ID VARCHAR(20) NOT NULL,
Landlord_ID VARCHAR(20) NOT NULL,
CONSTRAINT agency_fk_lease FOREIGN KEY (Agency_ID) REFERENCES Rental_Agency(Agency_ID),
CONSTRAINT house_fk_lease FOREIGN KEY (House_ID) REFERENCES House(House_ID),
CONSTRAINT landlord_fk_lease FOREIGN KEY (Landlord_ID) REFERENCES Landlord(Landlord_ID)
);
ALTER TABLE All_Leases
ALTER COLUMN Lease_End_Date VARCHAR(20);

```

--7. CREATING Tenant Table

```
CREATE TABLE Tenant
(
Tenant_ID VARCHAR(20) PRIMARY KEY,
Tenant_Name VARCHAR(30) NOT NULL,
Email VARCHAR(30) NOT NULL,
Phone_No NUMERIC(10,0) NOT NULL,
Age NUMERIC(3,0) NOT NULL,
Gender CHAR(8) NOT NULL,
Nationality CHAR(20) NOT NULL
);
```

--8. CREATING Tenant_Lease_Agreements Table

```
CREATE TABLE Tenant_Lease_Agreement
(
Tenant_ID VARCHAR(20),
Lease_ID VARCHAR(20),
CONSTRAINT lease_fk FOREIGN KEY (Lease_ID) REFERENCES All_Leases(Lease_ID),
CONSTRAINT tenant_fk FOREIGN KEY (Tenant_ID) REFERENCES Tenant(Tenant_ID)
);
```

5. INSERTION OF DATA

--1. INSERTING INTO RENTAL AGENCY TABLE

```

/*INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('220', 'Orange Housing Limited', 'ohl@email', 'Orange
Housing Limited.com', 3158320210, '1444 East Genesee St', 13210, 'Jay Shah');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('230', 'Syracuse Quality Living', 'sql@email.com',
'Syracuse Quality Living.com', 3158320211, '326 Lexington Ave', 13210, 'Anderson');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('240', 'Nob Hill Apartments', 'nha@gmail.com', 'Nob
Hill Apartments.com', 3158320212, '944 Westcott Street', 13210, 'Clive');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('250', 'University Hill Apartments', 'uha@gmail.com',
'University Hill Apartments.com', 3158320213, '1119 Euclid Ave', 13210, 'John');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('260', 'Housing Realtor', 'HR@mymail.com', 'Housing
Realtor.com', 3158320214, '509 University Ave', 13210, 'Kathy');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('270', 'On Campus Housing', 'och@email.com', 'On
Campus Housing.com', 3158320215, '1011 East Adams St.', 13210, 'Benjamin');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('280', 'Neighbourhood Society', 'ns@gmail.com',
'Neighbourhood Society.com', 3158320216, 'Clarendon Heights Apartments', 13210, 'Jiman');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('290', 'Just call Ben', 'jcb@jcb.com', 'Just call
Ben.com', 3158320217, '322 Euclid Avenue', 13210, 'Jordon');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('300', 'Nestaway', 'nsy@email.com', 'Nestaway.com',
3158320218, '901 Westcott St', 13210, 'Gordon');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('310', 'House Finder', 'hf@email.com', 'House
Finder.com', 3158320219, '710712 Livingston Ave', 13210, 'Hodor');
INSERT INTO Rental_Agency(Agency_ID , Agency_Name , Email_ID, Website_url, Phone_No,
Office_Address, Zipcode, Agency_Owner) VALUES ('320', 'House for you', 'hfy@gmail.com', 'House for
you.com', 3158320220, '319 Euclid Ave. #7', 13210, 'Ned Stark');
*/
select * from Rental_Agency;  -- 11 rows inserted correctly. Verified.

```

--2. LANDLORD DATA INSERTED BY IMPORTING FROM CSV

```
select * from Landlord;      -- 110 rows inserted correctly. Verified.
```

--3. INSERTING INTO Landlord_Agency_Agreement table

/*

```
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10000', '1/1/2010', '1/1/2022', 358);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10001', '1/2/2010', '1/2/2022', 476);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10002', '1/3/2010', '1/3/2022', 454);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10003', '1/4/2010', '1/4/2022', 162);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10004', '1/5/2010', '1/5/2022', 305);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10005', '1/6/2010', '1/6/2022', 365);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10006', '1/7/2010', '1/7/2022', 364);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10007', '1/8/2010', '1/8/2022', 100);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10008', '1/9/2010', '1/9/2022', 321);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10009', '1/10/2010', '1/10/2022', 239);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10010', '1/11/2010', '1/11/2022', 363);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10011', '1/12/2010', '1/12/2022', 195);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10012', '1/13/2010', '1/13/2022', 414);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10013', '1/14/2010', '1/14/2022', 307);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10014', '1/15/2010', '1/15/2022', 187);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10015', '1/16/2010', '1/16/2022', 343);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10016', '1/17/2010', '1/17/2022', 286);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10017', '1/18/2010', '1/18/2022', 382);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10018', '1/19/2010', '1/19/2022', 399);
```

```
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10019', '1/20/2010', '1/20/2022', 152);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10020', '1/21/2010', '1/21/2022', 94);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10021', '1/22/2010', '1/22/2022', 483);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10022', '1/23/2010', '1/23/2022', 353);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10023', '1/24/2010', '1/24/2022', 209);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10024', '1/25/2010', '1/25/2022', 480);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10025', '1/26/2010', '1/26/2022', 86);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10026', '1/27/2010', '1/27/2022', 278);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10027', '1/28/2010', '1/28/2022', 63);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10028', '1/29/2010', '1/29/2022', 97);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10029', '1/30/2010', '1/30/2022', 418);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10030', '1/31/2010', '1/31/2022', 266);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10031', '2/1/2010', '2/1/2022', 96);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10032', '2/2/2010', '2/2/2022', 132);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10033', '2/3/2010', '2/3/2022', 117);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10034', '2/4/2010', '2/4/2022', 279);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10035', '2/5/2010', '2/5/2022', 305);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10036', '2/6/2010', '2/6/2022', 500);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10037', '2/7/2010', '2/7/2022', 317);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10038', '2/8/2010', '2/8/2022', 292);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10039', '2/9/2010', '2/9/2022', 63);
```

```
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10040', '2/10/2010', '2/10/2022', 83);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10041', '2/11/2010', '2/11/2022', 66);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10042', '2/12/2010', '2/12/2022', 344);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10043', '2/13/2010', '2/13/2022', 87);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10044', '2/14/2010', '2/14/2022', 470);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10045', '2/15/2010', '2/15/2022', 453);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10046', '2/16/2010', '2/16/2022', 404);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10047', '2/17/2010', '2/17/2022', 469);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10048', '2/18/2010', '2/18/2022', 344);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10049', '2/19/2010', '2/19/2022', 470);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10050', '2/20/2010', '2/20/2022', 194);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10051', '2/21/2010', '2/21/2022', 294);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10052', '2/22/2010', '2/22/2022', 265);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10053', '2/23/2010', '2/23/2022', 202);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10054', '2/24/2010', '2/24/2022', 146);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10055', '2/25/2010', '2/25/2022', 418);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10056', '2/26/2010', '2/26/2022', 388);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10057', '2/27/2010', '2/27/2022', 70);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10058', '2/28/2010', '2/28/2022', 212);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10059', '3/1/2010', '3/1/2022', 453);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10060', '3/2/2010', '3/2/2022', 347);
```

```
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10061', '3/3/2010', '3/3/2022', 462);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10062', '3/4/2010', '3/4/2022', 380);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10063', '3/5/2010', '3/5/2022', 96);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10064', '3/6/2010', '3/6/2022', 84);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10065', '3/7/2010', '3/7/2022', 417);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10066', '3/8/2010', '3/8/2022', 369);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10067', '3/9/2010', '3/9/2022', 226);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10068', '3/10/2010', '3/10/2022', 455);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10069', '3/11/2010', '3/11/2022', 53);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10070', '3/12/2010', '3/12/2022', 72);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10071', '3/13/2010', '3/13/2022', 130);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10072', '3/14/2010', '3/14/2022', 361);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10073', '3/15/2010', '3/15/2022', 67);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10074', '3/16/2010', '3/16/2022', 160);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10075', '3/17/2010', '3/17/2022', 204);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10076', '3/18/2010', '3/18/2022', 369);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10077', '3/19/2010', '3/19/2022', 231);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10078', '3/20/2010', '3/20/2022', 474);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10079', '3/21/2010', '3/21/2022', 146);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10080', '3/22/2010', '3/22/2022', 138);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10081', '3/23/2010', '3/23/2022', 61);
```

```
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10082', '3/24/2010', '3/24/2022', 327);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10083', '3/25/2010', '3/25/2022', 499);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10084', '3/26/2010', '3/26/2022', 117);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10085', '3/27/2010', '3/27/2022', 490);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10086', '3/28/2010', '3/28/2022', 135);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10087', '3/29/2010', '3/29/2022', 310);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10088', '3/30/2010', '3/30/2022', 314);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10089', '3/31/2010', '3/31/2022', 181);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10090', '4/1/2010', '4/1/2022', 159);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10091', '4/2/2010', '4/2/2022', 154);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10092', '4/3/2010', '4/3/2022', 475);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10093', '4/4/2010', '4/4/2022', 94);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10094', '4/5/2010', '4/5/2022', 94);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10095', '4/6/2010', '4/6/2022', 114);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10096', '4/7/2010', '4/7/2022', 125);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10097', '4/8/2010', '4/8/2022', 149);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10098', '4/9/2010', '4/9/2022', 202);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('220', '10099', '4/10/2010', '4/10/2022', 130);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('230', '10100', '4/11/2010', '4/11/2022', 455);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('240', '10101', '4/12/2010', '4/12/2022', 417);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('250', '10102', '4/13/2010', '4/13/2022', 242);
```



```

INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('260', '10103', '4/14/2010', '4/14/2022', 460);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('270', '10104', '4/15/2010', '4/15/2022', 426);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('280', '10105', '4/16/2010', '4/16/2022', 287);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('290', '10106', '4/17/2010', '4/17/2022', 107);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('300', '10107', '4/18/2010', '4/18/2022', 67);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('310', '10108', '4/19/2010', '4/19/2022', 186);
INSERT INTO Landlord_Agency_Agreement(Agency_ID, Landlord_ID, Agreement_Start_Date,
Agreement_End_Date, Brokerage_Fee) VALUES ('320', '10109', '4/20/2010', '4/20/2022', 432);
*/

```

select * from Landlord_Agency_Agreement; -- 110 rows inserted correctly. Verified.

--4. INSERTING into House Table

/*

```

INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('100', '144', 'University Area', '1444 East Genesee St',
13210, 625, 0, 1, 'Fully Furnished', 805, 1, 'No', '10000', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('101', '326', 'University Area', '326 Lexington Ave',
13210, 425, 1, 1, 'Fully Furnished', 1666, 2, 'No', '10001', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('102', '944', 'University Area', '944 Westcott Street',
13210, 2000, 4, 1, 'Unfurnished', 1692, 2, 'Yes', '10002', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('103', '111', 'University Area', '1119 Euclid Ave', 13210,
1080, 3, 1, 'Unfurnished', 2104, 2, 'No', '10003', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('104', '509', 'University Area', '509 University Ave',
13210, 575, 0, 1, 'Fully Furnished', 2677, 1, 'No', '10004', 'No');

```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('105', '101', 'University Area', '1011 East Adams St.',
13210, 625, 0, 1, 'Fully Furnished', 3147, 4, 'No', '10005', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('106', 'Cla', 'University Area', 'Clarendon Heights
Apartments', 13210, 1640, 2, 4, 'Unfurnished', 2512, 2, 'No', '10006', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('107', 'Syr', 'University Area', 'Syracuse Quality Living.
Lowest Priced AllInclusive Furnished Student Apartments!!', 13210, 350, 1, 3, 'Fully Furnished', 948, 1,
'No', '10007', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('108', '901', 'University Area', '901 Westcott St', 13210,
1975, 5, 3, 'Fully Furnished', 999, 4, 'Yes', '10008', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('109', '710', 'University Area', '710712 Livingston Ave',
13210, 2175, 3, 4, 'Fully Furnished', 639, 3, 'No', '10009', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('110', '319', 'University Area', '319 Euclid Ave. #7',
13210, 2300, 4, 3, 'Fully Furnished', 2229, 0, 'No', '10010', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('111', '115', 'University Area', '115 Redfield Pl', 13210,
2500, 4, 4, 'Fully Furnished', 3762, 2, 'No', '10011', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('112', '740', 'University Area', '740 Lancaster #9', 13210,
1390, 2, 4, 'Fully Furnished', 3601, 1, 'No', '10012', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('113', '104', 'University Area', '1048 Lancaster Avenue',
13210, 2750, 5, 1, 'Fully Furnished', 4271, 1, 'Yes', '10013', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('114', '449', 'University Area', '449451 Westcott St',
13210, 1275, 3, 4, 'Fully Furnished', 464, 0, 'No', '10014', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('115', '901', 'University Area', '901 Ackerman Avenue',
13210, 4080, 8, 3, 'Fully Furnished', 2097, 0, 'No', '10015', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('116', '133', 'University Area', '1337 Madison St', 13210,
2310, 6, 1, 'Fully Furnished', 4337, 0, 'Yes', '10016', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('117', '735', 'University Area', '735 Ostrom Avenue',
13210, 3750, 5, 1, 'Unfurnished', 4764, 1, 'No', '10017', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('118', '135', 'University Area', '135 137 Redfield Place',
13210, 1500, 4, 3, 'Fully Furnished', 4652, 3, 'No', '10018', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('119', '401', 'University Area', '401 Roosevelt Ave. Apt.
#1', 13210, 1000, 2, 3, 'Unfurnished', 516, 0, 'No', '10019', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('120', '718', 'University Area', '718 Euclid Ave. Close To
Campus', 13210, 1200, 3, 1, 'Unfurnished', 4551, 4, 'No', '10020', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('121', '701', 'University Area', '701 Ackerman', 13210,
550, 1, 1, 'Semi Furnished', 624, 4, 'No', '10021', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('122', '102', 'University Area', '1022 East Colvin St. @
Comstock Ave', 13210, 2975, 7, 1, 'Fully Furnished', 4733, 3, 'No', '10022', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('123', '100', 'University Area', '1001 Lancaster Ave.',
13210, 1050, 3, 4, 'Semi Furnished', 607, 3, 'No', '10023', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('124', '720', 'University Area', '720 Lancaster Ave.',
13210, 650, 1, 1, 'Semi Furnished', 435, 3, 'No', '10024', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```
Is_pet_friendly, Landlord_ID, Available) VALUES ('125', 'Syr', 'University Area', 'Syracuse University Area',
13210, 1485, 3, 4, 'Fully Furnished', 1974, 1, 'Yes', '10025', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('126', '862', 'University Area', '862 Ostrom Ave', 13210,
950, 2, 2, 'Fully Furnished', 4904, 4, 'No', '10026', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('127', '123', 'University Area', '123 Cambridge St',
13210, 6400, 4, 4, 'Fully Furnished', 973, 0, 'No', '10027', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('128', '905', 'University Area', '905 Westcott', 13210,
2200, 4, 2, 'Fully Furnished', 4743, 1, 'No', '10028', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('129', '141', 'University Area', '141 Avondale Pl. #10',
13210, 1700, 4, 4, 'Fully Furnished', 4916, 0, 'No', '10029', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('130', '126', 'University Area', '1264 Westcott St. Apt.
#1', 13210, 1050, 3, 4, 'Unfurnished', 4330, 2, 'No', '10030', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('131', '103', 'University Area', '1039 Ackerman Avenue',
13210, 1200, 3, 4, 'Fully Furnished', 2025, 0, 'No', '10031', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('132', '502', 'University Area', '502 Walnut Avenue',
13210, 750, 1, 2, 'Unfurnished', 486, 4, 'No', '10032', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('133', '136', 'University Area', '136 Bassett St', 13210,
3600, 3, 2, 'Fully Furnished', 786, 2, 'No', '10033', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('134', '143', 'University Area', '143 Miles Ave Apt #5',
13210, 1000, 2, 4, 'Fully Furnished', 1624, 4, 'No', '10034', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('135', '141', 'University Area', '1412 East Genesee St. @
Comstock Ave Utilities Included!', 13210, 2375, 5, 2, 'Fully Furnished', 724, 0, 'No', '10035', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('136', 'Upp', 'University Area', 'Upper Comstock Ave.',
13210, 2500, 5, 3, 'Fully Furnished', 2291, 0, 'No', '10036', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('137', '528', 'University Area', '528 Columbus Ave',
13210, 1080, 3, 4, 'Semi Furnished', 4406, 4, 'No', '10037', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('138', '939', 'University Area', '939 Maryland Ave',
13210, 1600, 4, 2, 'Unfurnished', 1086, 3, 'No', '10038', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('139', '100', 'University Area', '100 Buckingham
Avenue', 13210, 2000, 4, 1, 'Unfurnished', 4249, 1, 'Yes', '10039', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('140', '871', 'University Area', '871 Lancaster Avenue',
13210, 2750, 5, 2, 'Fully Furnished', 4340, 1, 'Yes', '10040', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('141', '741', 'University Area', '741 Ackerman Ave',
13210, 1650, 3, 1, 'Fully Furnished', 2686, 0, 'Yes', '10041', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('142', '191', 'Sedgwick', '1918 James St', 13210, 795, 1,
3, 'Fully Furnished', 3263, 2, 'No', '10042', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('143', '201', 'University Area', '2017 Genesee Street @
Westcott Street Duplex TownhousesAll Utilities & Wifi Included!', 13210, 1650, 3, 3, 'Fully Furnished',
4268, 2, 'No', '10043', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('144', '862', 'University Area', '862 Ostrom
Ave Renovation Just Completed!!', 13210, 475, 1, 4, 'Fully Furnished', 4652, 3, 'No', '10044', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('145', '767', 'University Area', '7674 Euclid Ave Includes
Heat & Hot H2O', 13210, 900, 2, 4, 'Fully Furnished', 2413, 4, 'No', '10045', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('146', '862', 'University Area', '862 Ostrom AveJust
Renovated!!', 13210, 2375, 5, 2, 'Fully Furnished', 3545, 4, 'No', '10046', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('147', '957', 'University Area', '957 Ackerman', 13210,
1425, 3, 1, 'Fully Furnished', 4883, 4, 'Yes', '10047', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('148', 'The', 'Downtown', 'The Wood Building', 13210,
1650, 2, 2, 'Unfurnished', 2606, 1, 'Yes', '10048', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('149', '828', 'University Area', '828 Ackerman Ave. Great
Location 3 Blocks To Su Campus 4 Bedroom Apartment', 13210, 2200, 4, 2, 'Fully Furnished', 4095, 1,
'No', '10049', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('150', '341', 'University Area', '341 Roosevelt Avenue',
13210, 1155, 3, 1, 'Unfurnished', 533, 2, 'No', '10050', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('151', 'Now', 'University Area', 'Now Available 423
Euclid Ave. Great Location 2 Blocks From Su Campus Utilities Included. Apt. #2 #8', 13210, 1370, 2, 1,
'Fully Furnished', 488, 4, 'No', '10051', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('152', '220', 'University Area', '220 Comstock
Place Comstock Place Llc', 13210, 1650, 3, 4, 'Fully Furnished', 4456, 3, 'No', '10052', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('153', '215', 'University Area', '215 Cherry Street All
Utilities & Wifi Included!', 13210, 1425, 3, 3, 'Fully Furnished', 2757, 1, 'No', '10053', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('154', '152', 'University Area', '1524 East Genesee
Street All Utilities & Wifi Included!', 13210, 2375, 5, 3, 'Fully Furnished', 3492, 3, 'No', '10054', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('155', '229', 'University Area', '229 Ashworth Place All
Utilities & Wifi Included!', 13210, 2100, 4, 1, 'Fully Furnished', 2795, 1, 'No', '10055', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('156', '301', 'University Area', '301 Maple Street All
Utilities & Wifi Included!', 13210, 2375, 5, 1, 'Fully Furnished', 1392, 2, 'No', '10056', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('157', 'Now', 'University Area', '423 Euclid Ave', 13210,
1785, 3, 4, 'Fully Furnished', 3364, 3, 'No', '10057', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('158', '115', 'University Area', '1155 Lancaster Avenue',
13210, 475, 1, 1, 'Fully Furnished', 864, 4, 'No', '10058', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('159', '624', 'University Area', '624 Euclid Ave', 13210,
1380, 3, 1, 'Fully Furnished', 1541, 1, 'No', '10059', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('160', '234', 'University Area', '234 Greenwood Place',
13210, 2250, 5, 3, 'Fully Furnished', 1160, 4, 'No', '10060', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('161', '145', 'University Area', '1450 East Genesee St',
13210, 690, 1, 4, 'Fully Furnished', 3219, 4, 'No', '10061', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('162', '811', 'University Area', '811 Ackerman Ave',
13210, 1350, 3, 4, 'Semi Furnished', 1662, 4, 'No', '10062', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('163', '311', 'University Area', '311 Comstock', 13210,
600, 1, 2, 'Fully Furnished', 3532, 2, 'No', '10063', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('164', '856', 'University Area', '856 Lancaster', 13210,
1500, 3, 4, 'Fully Furnished', 1177, 2, 'No', '10064', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('165', '137', 'University Area', '137 Lexington Ave All
Utilities & Wifi Included!', 13210, 2375, 5, 4, 'Fully Furnished', 1556, 0, 'No', '10065', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('166', '205', 'University Area', '205 Lexington Ave All
Utilities & Wifi Included!', 13210, 1700, 4, 2, 'Fully Furnished', 2668, 2, 'No', '10066', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('167', '422', 'University Area', '422 Marshall St.
Available August 15 2020 For Next Fall. 5 Min Walk To Quad. Free Off Street Parking. Right On Marshall
St. Next To Booth Hall!', 13210, 1300, 2, 4, 'Semi Furnished', 4071, 3, 'No', '10067', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('168', '141', 'University Area', '141 Lexington Ave All
Utilities & Wifi Included!', 13210, 1800, 4, 4, 'Fully Furnished', 1088, 0, 'No', '10068', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('169', '231', 'University Area', '2319 East Genesee
Street All Utilities & Wifi Included!', 13210, 1800, 4, 3, 'Fully Furnished', 1635, 0, 'No', '10069', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('170', '620', 'University Area', '620 Fellows Avenue',
13210, 1200, 3, 4, 'Unfurnished', 4278, 4, 'No', '10070', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('171', 'Stu', 'University Area', 'Student Housing Rooms
Available 602 Jamesville Ave Furnished House Incl Util & Wifi Off Street Parking', 13210, 2500, 5, 1, 'Fully
Furnished', 3426, 2, 'No', '10071', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('172', '212', 'University Area', '212 Westcott Street All
Utilities & Wifi Included!', 13210, 1725, 3, 2, 'Fully Furnished', 524, 3, 'No', '10072', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('173', '118', 'University Area', '118 Trinity Place', 13210,
1350, 3, 3, 'Unfurnished', 2343, 3, 'Yes', '10073', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('174', '908', 'Hawley Green', '908 Hawley Ave Syracuse
Ny 13203', 13210, 775, 3, 4, 'Unfurnished', 2647, 1, 'No', '10074', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('175', '201', 'Tipperary Hill', '201 Burnet Pk Dr. Syracuse
Ny 13204', 13210, 950, 3, 2, 'Fully Furnished', 1360, 3, 'No', '10075', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,

```



```
Is_pet_friendly, Landlord_ID, Available) VALUES ('176', '121', 'University Area', '1219 Madison Street Apt 4', 13210, 950, 2, 4, 'Fully Furnished', 1369, 0, 'Yes', '10076', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('177', '132', 'University Area', '1320 Madison Street', 13210, 1100, 3, 1, 'Fully Furnished', 4132, 2, 'No', '10077', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('178', '131', 'University Area', '131 Houston Ave Apt 1', 13210, 1098, 3, 2, 'Unfurnished', 1217, 0, 'No', '10078', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('179', '407', 'University Area', '407 Roosevelt Ave Apt 1', 13210, 1098, 3, 1, 'Unfurnished', 2710, 3, 'No', '10079', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('180', '515', 'University Area', '515C Euclid ***6 Month LeaseSpring 2020***', 13210, 750, 2, 4, 'Fully Furnished', 1986, 0, 'No', '10080', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('181', 'Sky', 'University Area', 'Skyler Commons', 13210, 1250, 0, 3, 'Fully Furnished', 1705, 1, 'No', '10081', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('182', '146', 'Eastwood', '146 N. Collingwood Ave.', 13210, 800, 2, 3, 'Unfurnished', 2674, 1, 'No', '10082', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('183', '121', 'University Area', '1211 Madison St.', 13210, 625, 1, 3, 'Fully Furnished', 3164, 2, 'No', '10083', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('184', 'Ell', 'University Area', 'Ellis Street Apartment Free December Rent If Subleased By November 15!', 13210, 1200, 3, 3, 'Unfurnished', 487, 3, 'No', '10084', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('185', '101', 'University Area', '1016 Lancaster Avenue', 13210, 1350, 3, 1, 'Fully Furnished', 1941, 1, 'Yes', '10085', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('186', '510', 'University Area', '510 Columbus Ave 2Nd
Floor', 13210, 1100, 2, 4, 'Fully Furnished', 3930, 3, 'No', '10086', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('187', '908', 'University Area', '908 Wescott Street
Utlities Included', 13210, 700, 1, 3, 'Fully Furnished', 2941, 3, 'No', '10087', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('188', '302', 'University Area', '302 Marshall St', 13210,
1590, 2, 4, 'Fully Furnished', 1485, 3, 'No', '10088', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('189', '111', 'University Area', '1117 Westcott St.',
13210, 1200, 3, 1, 'Semi Furnished', 2715, 2, 'No', '10089', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('190', '156', 'University Area', '156 Fellows Ave.', 13210,
990, 2, 2, 'Unfurnished', 4146, 2, 'No', '10090', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('191', '109', 'Tipperary Hill', '109 1/2 Herkimer St.',
13210, 1200, 3, 1, 'Unfurnished', 3782, 0, 'No', '10091', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('192', '121', 'University Area', '1219 Madison St Apt 5',
13210, 675, 1, 3, 'Fully Furnished', 699, 2, 'Yes', '10092', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('193', '103', 'University Area', '1032 34 Lancaster Ave',
13210, 1200, 3, 3, 'Semi Furnished', 3319, 1, 'No', '10093', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('194', '959', 'University Area', '959 Lancaster Ave.
Utilities Included', 13210, 550, 1, 1, 'Fully Furnished', 3480, 0, 'No', '10094', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('195', '307', 'University Area', '307 Columbus Ave All
Utilities & Wifi Included!', 13210, 1050, 1, 3, 'Fully Furnished', 1476, 4, 'No', '10095', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('196', '6 L', 'University Area', '6 Lansdowne Road',
13210, 750, 1, 3, 'Fully Furnished', 2824, 2, 'No', '10096', 'No');

```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('197', '152', 'University Area', '1524 Genesee Street All
Utilities & Wifi Included!', 13210, 1300, 2, 1, 'Fully Furnished', 3561, 3, 'No', '10097', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('198', '307', 'University Area', '307 Columbus Ave All
Utilities & Wifi Included!', 13210, 1000, 2, 2, 'Fully Furnished', 2313, 2, 'No', '10098', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('199', '300', 'University Area', '300 University Ave',
13210, 1798, 2, 2, 'Fully Furnished', 2140, 4, 'Yes', '10099', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('200', '300', 'University Area', '300 Univeristy Ave',
13210, 2397, 3, 2, 'Fully Furnished', 3326, 1, 'Yes', '10100', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('201', '808', 'University Area', '808 Euclid Ave', 13210,
900, 1, 2, 'Unfurnished', 2199, 2, 'No', '10101', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('202', '109', 'University Area', '109 Lexington Ave All
Utilities & Wifi Included!', 13210, 1900, 4, 3, 'Fully Furnished', 3344, 0, 'No', '10102', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('203', '110', 'University Area', '110 Westcott Street All
Utilities & Wifi Included!', 13210, 1800, 4, 3, 'Fully Furnished', 2343, 2, 'No', '10103', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('204', '725', 'University Area', '725 Livingston Ave',
13210, 1200, 3, 2, 'Fully Furnished', 3939, 3, 'No', '10104', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('205', '300', 'University Area', '300 University Ave',
13210, 3596, 4, 4, 'Fully Furnished', 2896, 4, 'Yes', '10105', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('206', '102', 'University Area', '1027 E Genesee St.',
13210, 550, 1, 3, 'Fully Furnished', 3611, 0, 'No', '10106', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```
Is_pet_friendly, Landlord_ID, Available) VALUES ('207', '514', 'University Area', '514 Walnut Ave Apt. 1
Wifi Included', 13210, 976, 2, 2, 'Unfurnished', 1754, 4, 'No', '10107', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('208', '725', 'University Area', '725 Livingston Ave.
Second Floor Walk To Campus', 13210, 1500, 3, 2, 'Unfurnished', 2306, 3, 'No', '10108', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('209', '109', 'University Area', '109 Ashworth Place All
Utilities & Wifi Included!', 13210, 1650, 3, 1, 'Fully Furnished', 3487, 0, 'No', '10109', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('210', '720', 'University Area', '720 Livingston Ave. Apt.
A First Floor Walk To Campus', 13210, 1500, 3, 4, 'Unfurnished', 3485, 4, 'No', '10000', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('211', '740', 'University Area', '740 Euclid Ave', 13210,
1000, 2, 1, 'Fully Furnished', 3456, 2, 'No', '10001', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('212', '163', 'University Area', '1633 East Genesee
Street Apt # 8', 13210, 800, 1, 4, 'Fully Furnished', 4317, 0, 'Yes', '10002', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('213', '819', 'University Area', '819 Lancaster $600 Per
Bedroom', 13210, 2400, 4, 2, 'Fully Furnished', 2556, 4, 'No', '10003', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('214', '102', 'University Area', '1027 East Genesee St',
13210, 1050, 0, 2, 'Fully Furnished', 2211, 0, 'No', '10004', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('215', '226', 'University Area', '226 Greenwood Place',
13210, 1800, 2, 4, 'Semi Furnished', 3184, 3, 'Yes', '10005', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('216', '422', 'University Area', '422 Marshall Street 2Nd
Semester OnlySpring 2020. 5 Minute Walk To Quad. Only 2500.00 Each. Great Location!', 13210, 1000,
2, 1, 'Semi Furnished', 4954, 0, 'No', '10006', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```
Is_pet_friendly, Landlord_ID, Available) VALUES ('217', '300', 'University Area', '300 University Ave',
13210, 1798, 2, 1, 'Fully Furnished', 4676, 0, 'Yes', '10007', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('218', '300', 'University Area', '300 University Ave',
13210, 2397, 3, 1, 'Fully Furnished', 2879, 4, 'Yes', '10008', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('219', 'Stu', 'University Area', 'Student Housing 606
Jamesville Ave 2 Bdrm Furnished House Incl Util Wifi Off Street Parking', 13210, 1500, 2, 2, 'Fully
Furnished', 421, 3, 'No', '10009', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('220', '300', 'University Area', '300 University Ave',
13210, 3596, 4, 2, 'Fully Furnished', 2624, 3, 'Yes', '10010', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('221', '102', 'University Area', '1027 E Genesee St.',
13210, 550, 1, 2, 'Fully Furnished', 3919, 0, 'No', '10011', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('222', '101', 'University Area', '101 Comstock Avenue
Apt 5', 13210, 1200, 3, 1, 'Semi Furnished', 2695, 3, 'Yes', '10012', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('223', '777', 'University Area', '777 Ostrom Ave.', 13210,
3750, 5, 2, 'Semi Furnished', 1820, 0, 'No', '10013', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('224', '773', 'University Area', '773 Ostrom Ave.', 13210,
3750, 5, 3, 'Semi Furnished', 2605, 1, 'No', '10014', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('225', '127', 'University Area', '127 Comstock Place All
Utilities And Wifi Included!!', 13210, 2100, 4, 2, 'Fully Furnished', 3419, 1, 'No', '10015', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('226', '125', 'University Area', '125 Comstock Place All
Utilities And Wifi Included!!', 13210, 1575, 3, 4, 'Fully Furnished', 2666, 0, 'No', '10016', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('227', '321', 'University Area', '321 Westcott Street All
Utilities And Wifi Included!!', 13210, 1500, 3, 2, 'Fully Furnished', 2768, 2, 'No', '10017', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('228', '112', 'University Area', '1124 Colvin Street @
Comstock Ave Utilities Included', 13210, 1800, 3, 4, 'Fully Furnished', 1317, 2, 'No', '10018', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('229', '918', 'University Area', '918 E. Colvin Street @
Comstock Ave Utilities Included', 13210, 2100, 4, 3, 'Fully Furnished', 4161, 0, 'No', '10019', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('230', '203', 'University Area', '203 Harriette Avenue All
Utilities And Wifi Included!!!!', 13210, 1800, 3, 1, 'Fully Furnished', 4623, 0, 'Yes', '10020', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('231', '739', 'University Area', '739 Ackerman Ave.
20202021 Utilities & Internet Included', 13210, 2625, 5, 2, 'Fully Furnished', 3203, 0, 'No', '10021', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('232', '119', 'University Area', '119 Comstock Place All
Utilities And Wifi Included!!', 13210, 2500, 5, 2, 'Fully Furnished', 895, 0, 'No', '10022', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('233', '618', 'University Area', '618 Westcott Street All
Utilities And Wifi Included!!', 13210, 2200, 4, 4, 'Fully Furnished', 889, 4, 'No', '10023', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('234', '305', 'University Area', '305 South Beech Street
All Utilities And Wifi Included!!', 13210, 2250, 5, 4, 'Fully Furnished', 2357, 0, 'No', '10024', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('235', '140', 'University Area', '1408 East Genesee @
Comstock Ave Utilities Included!!', 13210, 2250, 6, 2, 'Fully Furnished', 4363, 4, 'No', '10025', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('236', '101', 'University Area', '1014 E. Colvin St. @
Comstock Ave Utilities Included!!', 13210, 2500, 5, 3, 'Fully Furnished', 3305, 1, 'No', '10026', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('237', '131', 'University Area', '1310 E. Fayette St. All
Utilities And Wifi Included!!', 13210, 1600, 4, 2, 'Fully Furnished', 4683, 0, 'No', '10027', 'No');

```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('238', '192', 'University Area', '1929 Genesee St. @
Westcott Street All Utilities Included!', 13210, 1800, 4, 3, 'Fully Furnished', 1172, 3, 'No', '10028', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('239', '131', 'University Area', '1316 Madison Street All
Utilities And Wifi Included!!', 13210, 2375, 5, 4, 'Fully Furnished', 2122, 2, 'No', '10029', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('240', '321', 'University Area', '321 Westcott Street All
Utilities And Wifi Included!!', 13210, 1300, 2, 3, 'Fully Furnished', 1230, 3, 'No', '10030', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('241', '111', 'University Area', '1111 E. Colvin Street At
Comstock Avenue', 13210, 1650, 3, 1, 'Fully Furnished', 4679, 0, 'No', '10031', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('242', '101', 'University Area', '101 Lorraine Ave @ E.
Colvin Street Utilities Included!', 13210, 2500, 5, 1, 'Fully Furnished', 4984, 4, 'No', '10032', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('243', '140', 'University Area', '1408 E. Fayette St. @
Beech Street Utilities Included!!', 13210, 1600, 4, 4, 'Fully Furnished', 593, 1, 'No', '10033', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('244', '510', 'University Area', '510 Euclid Ave Apts. 12',
13210, 2380, 4, 3, 'Fully Furnished', 4947, 2, 'No', '10034', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('245', '614', 'University Area', '614 South Crouse Ave 2
Bedroom', 13210, 1990, 2, 2, 'Fully Furnished', 2924, 3, 'No', '10035', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('246', '614', 'University Area', '614 South Crouse Ave
Studio Apartment', 13210, 1400, 1, 2, 'Fully Furnished', 601, 3, 'No', '10036', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('247', '329', 'University Area', '329 Comstock Ave.',
13210, 1875, 3, 4, 'Fully Furnished', 4152, 0, 'No', '10037', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```
Is_pet_friendly, Landlord_ID, Available) VALUES ('248', '419', 'University Area', '419 Euclid Ave', 13210,
3450, 6, 2, 'Fully Furnished', 3132, 4, 'No', '10038', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('249', '415', 'University Area', '415 Euclid Ave', 13210,
3250, 5, 4, 'Fully Furnished', 4579, 1, 'No', '10039', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('250', '117', 'University Area', '117 Redfield Pl.', 13210,
2475, 5, 1, 'Fully Furnished', 3168, 3, 'No', '10040', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('251', '319', 'University Area', '319 Euclid Ave.', 13210,
2025, 3, 2, 'Fully Furnished', 1777, 4, 'No', '10041', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('252', '302', 'University Area', '302 Marshall St', 13210,
1590, 2, 4, 'Fully Furnished', 2735, 2, 'No', '10042', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('253', '120', 'University Area', '1202 Harrison St', 13210,
2875, 5, 1, 'Fully Furnished', 1065, 4, 'No', '10043', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('254', '712', 'University Area', '712 Sumner Ave', 13210,
2700, 4, 4, 'Fully Furnished', 3685, 1, 'No', '10044', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('255', '328', 'University Area', '328 Miles Ave', 13210,
1050, 2, 2, 'Unfurnished', 4256, 0, 'No', '10045', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('256', '723', 'University Area', '723 Euclid Ave.', 13210,
1500, 3, 1, 'Fully Furnished', 599, 3, 'No', '10046', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('257', '725', 'University Area', '725 Ostrom Avenue',
13210, 4350, 6, 3, 'Fully Furnished', 1807, 0, 'No', '10047', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('258', '872', 'University Area', '872874 Sumner Avenue',
13210, 1500, 3, 4, 'Fully Furnished', 2600, 4, 'No', '10048', 'No');
```



```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('259', '767', 'University Area', '7676 Euclid AveIncludes
Heat/hot Water', 13210, 695, 0, 2, 'Fully Furnished', 628, 1, 'No', '10049', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('260', '102', 'University Area', '1026 Westcott Street',
13210, 1395, 3, 4, 'Fully Furnished', 3210, 3, 'No', '10050', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('261', '849', 'University Area', '849 Sumner Ave', 13210,
2100, 4, 2, 'Fully Furnished', 3323, 1, 'No', '10051', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('262', '815', 'University Area', '815 Ackerman', 13210,
1860, 4, 4, 'Fully Furnished', 987, 3, 'No', '10052', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('263', '912', 'University Area', '912 Westcott St.', 13210,
1920, 4, 4, 'Fully Furnished', 1142, 2, 'No', '10053', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('264', '253', 'University Area', '253 Greenwood Place',
13210, 1800, 4, 2, 'Fully Furnished', 4628, 1, 'No', '10054', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('265', '723', 'University Area', '723 Euclid Ave.', 13210,
3150, 6, 1, 'Fully Furnished', 3808, 1, 'No', '10055', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('266', '870', 'University Area', '870C Lancaster Avenue
Www.cuseproperties.com', 13210, 950, 2, 2, 'Fully Furnished', 487, 1, 'No', '10056', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('267', '860', 'University Area', '860 Lancaster Ave',
13210, 2700, 4, 1, 'Fully Furnished', 4038, 2, 'No', '10057', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('268', '711', 'University Area', '711 Maryland Ave',
13210, 2750, 5, 1, 'Fully Furnished', 3147, 1, 'No', '10058', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('269', '316', 'University Area', '316 Maple St.', 13210,
1095, 3, 1, 'Fully Furnished', 832, 2, 'No', '10059', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('270', '800', 'University Area', '800 Euclid Ave', 13210,
3500, 7, 3, 'Fully Furnished', 3734, 0, 'No', '10060', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('271', '101', 'University Area', '101 Comstock Ave',
13210, 900, 1, 1, 'Semi Furnished', 3093, 4, 'Yes', '10061', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('272', '134', 'University Area', '134 Thurber Street',
13210, 1173, 3, 3, 'Unfurnished', 4766, 1, 'Yes', '10062', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('273', '859', 'University Area', '859B Ackerman', 13210,
950, 2, 1, 'Fully Furnished', 4130, 0, 'No', '10063', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('274', '729', 'University Area', '729 Livingston Ave
***** "2Blocks2Campus"', 13210, 1395, 3, 3, 'Fully Furnished', 1726, 1, 'No', '10064', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('275', '858', 'University Area', '858 A Sumner Ave',
13210, 1250, 2, 3, 'Fully Furnished', 4610, 0, 'No', '10065', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('276', '858', 'University Area', '858B Sumner', 13210,
1815, 3, 2, 'Fully Furnished', 4752, 3, 'No', '10066', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('277', '858', 'University Area', '858 A/b Sumner', 13210,
3075, 5, 1, 'Fully Furnished', 1254, 4, 'No', '10067', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('278', '825', 'University Area', '825 Sumner Ave
Awesome All Utilities Included', 13210, 1120, 2, 4, 'Unfurnished', 1677, 2, 'No', '10068', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('279', '111', 'University Area', '111 Redfield Place',
13210, 2300, 4, 3, 'Fully Furnished', 2068, 0, 'No', '10069', 'No');

```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('280', '127', 'University Area', '127 Redfield Place',
13210, 1650, 3, 4, 'Fully Furnished', 3298, 1, 'No', '10070', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('281', '713', 'University Area', '713 Clarendon', 13210,
1500, 3, 3, 'Fully Furnished', 1568, 0, 'No', '10071', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('282', '715', 'University Area', '715 Clarendon Ave',
13210, 2000, 4, 4, 'Fully Furnished', 3646, 4, 'No', '10072', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('283', '823', 'University Area', '823 Lancaster Avenue',
13210, 2975, 5, 4, 'Fully Furnished', 4168, 0, 'No', '10073', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('284', '827', 'University Area', '827 Lancaster Ave',
13210, 2380, 4, 3, 'Fully Furnished', 808, 0, 'No', '10074', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('285', '858', 'University Area', '858 Lancaster Ave',
13210, 2380, 4, 4, 'Fully Furnished', 2142, 0, 'No', '10075', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('286', '863', 'University Area', '863 Lancaster Ave',
13210, 2100, 4, 2, 'Fully Furnished', 3350, 3, 'No', '10076', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('287', '874', 'University Area', '874 Lancaster Ave',
13210, 1650, 3, 3, 'Fully Furnished', 4203, 2, 'No', '10077', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('288', '104', 'University Area', '1043 Ackerman Ave',
13210, 1650, 3, 1, 'Fully Furnished', 3888, 2, 'No', '10078', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('289', '104', 'University Area', '1045 Ackerman Ave',
13210, 1650, 3, 1, 'Fully Furnished', 3987, 1, 'No', '10079', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('290', '945', 'University Area', '945 Comstock Ave',
13210, 3750, 5, 4, 'Fully Furnished', 3004, 1, 'No', '10080', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('291', '900', 'University Area', '900 Lancaster', 13210,
3125, 5, 1, 'Fully Furnished', 643, 4, 'No', '10081', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('292', '226', 'University Area', '2268 Euclid Avenue',
13210, 4170, 6, 1, 'Fully Furnished', 4165, 4, 'No', '10082', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('293', '317', 'University Area', '317 Euclid Avenue',
13210, 2085, 3, 1, 'Fully Furnished', 4796, 4, 'No', '10083', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('294', '228', 'University Area', '228 Euclid Avenue',
13210, 2780, 4, 1, 'Fully Furnished', 3049, 1, 'No', '10084', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('295', '227', 'University Area', '227 Clarendon St',
13210, 3150, 6, 3, 'Fully Furnished', 4735, 1, 'No', '10085', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('296', '519', 'University Area', '519 521 Euclid Avenue
Www.cuseproperties.com', 13210, 2060, 4, 3, 'Fully Furnished', 1172, 3, 'No', '10086', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('297', '870', 'University Area', '870A Lancaster Avenue
Www.cuseproperties.com', 13210, 1800, 4, 2, 'Fully Furnished', 1612, 4, 'No', '10087', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('298', '817', 'University Area', '817 Comstock Ave',
13210, 3900, 6, 2, 'Fully Furnished', 4254, 3, 'No', '10088', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('299', '727', 'University Area', '727A/b Livingston
***** "2Blocks2Campus"', 13210, 1900, 4, 3, 'Fully Furnished', 652, 1, 'No', '10089', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('300', '763', 'University Area', '763 Euclid Ave', 13210,
3300, 6, 1, 'Fully Furnished', 794, 3, 'No', '10090', 'No');

```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('301', '515', 'University Area', '515B Euclid 20202021
School Year', 13210, 2850, 6, 1, 'Fully Furnished', 3353, 3, 'No', '10091', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('302', '817', 'University Area', '817 Ackerman Ave',
13210, 1860, 4, 1, 'Fully Furnished', 839, 4, 'No', '10092', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('303', '870', 'University Area', '870B Lancaster Avenue
Www.cuseproperties.com', 13210, 1800, 4, 1, 'Fully Furnished', 4907, 2, 'No', '10093', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('304', '620', 'University Area', '620 Euclid Ave', 13210,
1410, 3, 4, 'Fully Furnished', 3178, 3, 'No', '10094', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('305', '917', 'University Area', '917 Comstock', 13210,
4170, 6, 4, 'Fully Furnished', 4345, 2, 'No', '10095', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('306', '948', 'University Area', '948 Ackerman Ave.',
13210, 1600, 4, 1, 'Unfurnished', 2920, 3, 'No', '10096', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('307', '126', 'University Area', '126 Harvard Near All The
Shops & Eateries', 13210, 1875, 5, 2, 'Unfurnished', 4748, 3, 'No', '10097', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('308', '855', 'University Area', '855 Ackerman Ave',
13210, 2825, 5, 2, 'Fully Furnished', 2128, 0, 'No', '10098', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('309', '827', 'University Area', '827 Sumner Ave
Awesome All Utilities Included', 13210, 1680, 3, 4, 'Unfurnished', 4284, 0, 'No', '10099', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('310', '825', 'University Area', '825827 Sumner Avenue
All Utilities Incl 2 Kitchens 2 Large Living Rms Awesome!', 13210, 2800, 5, 1, 'Unfurnished', 1349, 0, 'No',
'10100', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('311', '501', 'University Area', '501 Euclid', 13210, 595,
0, 3, 'Fully Furnished', 4948, 4, 'No', '10101', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('312', '501', 'University Area', '501 Euclid', 13210, 845,
1, 4, 'Fully Furnished', 2243, 0, 'No', '10102', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('313', '823', 'University Area', '823 Ackerman Ave Free
High Speed Wifi', 13210, 1785, 3, 4, 'Fully Furnished', 2302, 1, 'No', '10103', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('314', '163', 'University Area', '163 Redfield Place Free
High Speed Wifi', 13210, 2300, 4, 4, 'Fully Furnished', 1136, 3, 'No', '10104', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('315', '948', 'University Area', '948 Ackerman Avenue',
13210, 1600, 4, 2, 'Unfurnished', 819, 0, 'No', '10105', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('316', '148', 'University Area', '148 Redfield Place Free
High Speed Wifi', 13210, 2300, 4, 1, 'Fully Furnished', 4332, 1, 'No', '10106', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('317', '507', 'University Area', '507 Euclid Ave', 13210,
525, 1, 3, 'Fully Furnished', 4626, 3, 'No', '10107', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('318', '707', 'University Area', '707 Ackerman Ave',
13210, 1425, 3, 1, 'Fully Furnished', 4888, 0, 'No', '10108', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('319', '544', 'University Area', '544 Clarendon St.',
13210, 2200, 4, 4, 'Fully Furnished', 3501, 3, 'No', '10109', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('320', '901', 'University Area', '901 Ackerman Avenue',
13210, 1530, 3, 3, 'Fully Furnished', 4718, 4, 'No', '10000', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```
Is_pet_friendly, Landlord_ID, Available) VALUES ('321', '856', 'University Area', '856 Lancaster Avenue',
13210, 2500, 5, 2, 'Fully Furnished', 4131, 1, 'No', '10001', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('322', '856', 'University Area', '856 Lancaster Avenue',
13210, 1500, 3, 1, 'Fully Furnished', 1178, 2, 'No', '10002', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('323', '856', 'University Area', '856 Lancaster Avenue',
13210, 1500, 3, 3, 'Fully Furnished', 4694, 4, 'No', '10003', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('324', '705', 'University Area', '705 Ackerman Avenue',
13210, 1425, 3, 4, 'Fully Furnished', 3478, 2, 'No', '10004', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('325', '106', 'Dewitt', '106 Doll Parkway', 13210, 3000,
5, 2, 'Unfurnished', 3101, 3, 'No', '10005', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('326', '718', 'University Area', '718 Clarendon St',
13210, 3150, 6, 3, 'Fully Furnished', 4787, 0, 'No', '10006', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('327', '128', 'University Area', '128 Redfield Pl', 13210,
2200, 4, 2, 'Fully Furnished', 773, 1, 'No', '10007', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('328', '110', 'University Area', '1104 Madison St Apt #3',
13210, 1200, 2, 1, 'Fully Furnished', 2665, 2, 'No', '10008', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('329', '136', 'University Area', '136 Redfield Pl Apt #1',
13210, 1500, 3, 4, 'Fully Furnished', 1025, 2, 'No', '10009', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('330', '320', 'University Area', '320 Euclid Ave Apt #2',
13210, 1420, 2, 4, 'Fully Furnished', 447, 2, 'No', '10010', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('331', '560', 'University Area', '560 Clarendon St Apt #2',
13210, 1100, 2, 3, 'Fully Furnished', 611, 0, 'No', '10011', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('332', '111', 'University Area', '1111 Madison St Apt #8',
13210, 2175, 3, 3, 'Fully Furnished', 2344, 3, 'No', '10012', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('333', '300', 'University Area', '300 Euclid Ave Apt #5',
13210, 2100, 3, 3, 'Fully Furnished', 777, 4, 'No', '10013', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('334', '955', 'University Area', '955 Lancaster Ave',
13210, 2200, 4, 2, 'Fully Furnished', 1742, 0, 'No', '10014', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('335', '913', 'University Area', '913 Ackerman Ave',
13210, 2750, 5, 3, 'Fully Furnished', 2074, 3, 'No', '10015', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('336', '822', 'University Area', '822 Lancaster Ave',
13210, 2625, 5, 1, 'Fully Furnished', 4944, 1, 'No', '10016', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('337', '732', 'University Area', '732 Sumner Ave', 13210,
3250, 5, 3, 'Fully Furnished', 1426, 1, 'No', '10017', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('338', '156', 'University Area', '156 Redfield Place',
13210, 2550, 5, 3, 'Fully Furnished', 4903, 3, 'No', '10018', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('339', '521', 'University Area', '521 Clarendon Up
Syracuse University Area', 13210, 1125, 3, 2, 'Fully Furnished', 3810, 0, 'Yes', '10019', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('340', '129', 'University Area', '129 Victoria Place Up
Syracuse University Area', 13210, 1050, 3, 3, 'Fully Furnished', 2065, 0, 'No', '10020', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('341', '827', 'University Area', '827 Westcoot Up
Syracuse University Area', 13210, 1275, 3, 4, 'Fully Furnished', 2156, 1, 'No', '10021', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```



```
Is_pet_friendly, Landlord_ID, Available) VALUES ('342', '722', 'University Area', '722 Maryland Avenue',
13210, 1150, 2, 1, 'Fully Furnished', 517, 3, 'Yes', '10022', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('343', '720', 'University Area', '720 Maryland Ave',
13210, 2500, 5, 2, 'Fully Furnished', 1721, 3, 'No', '10023', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('344', 'Uni', 'University Area', 'University Hill
Apartments 2020 Season All Utilities & Wifi Included!!!', 13210, 2100, 6, 1, 'Fully Furnished', 2834, 1,
'No', '10024', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('345', 'Uni', 'University Area', 'University Hill
Apartments 2020 Season All Utilities & Wifi Included!!!', 13210, 400, 1, 2, 'Fully Furnished', 3569, 2, 'No',
'10025', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('346', 'Uni', 'University Area', 'University Hill
Apartments 2020 Season All Utilities & Wifi Included!!!', 13210, 1000, 2, 3, 'Fully Furnished', 4253, 1,
'No', '10026', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('347', 'Uni', 'University Area', 'University Hill
Apartments 2020 Season All Utilities & Wifi Included!!!', 13210, 850, 0, 1, 'Fully Furnished', 1981, 2, 'No',
'10027', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('348', 'Uni', 'University Area', 'University Hill
Apartments 2020 Season All Utilities & Wifi Included!!!', 13210, 2250, 5, 4, 'Fully Furnished', 3038, 3,
'No', '10028', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('349', 'Uni', 'University Area', 'University Hill
Apartments 2020 Season All Utilities & Wifi Included!!!', 13210, 1600, 4, 3, 'Fully Furnished', 2772, 1,
'No', '10029', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('350', 'Uni', 'University Area', 'University Hill
Apartments 2020 Season All Utilities & Wifi Included!!!', 13210, 1425, 3, 1, 'Fully Furnished', 1593, 1,
'No', '10030', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('351', '946', 'University Area', '946 Ackerman Ave',
13210, 2675, 5, 2, 'Fully Furnished', 1079, 4, 'No', '10031', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('352', '728', 'University Area', '728 Sumner Ave', 13210,
3475, 5, 4, 'Fully Furnished', 3662, 3, 'No', '10032', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('353', '603', 'University Area', '603 Walnut Ave', 13210,
3900, 6, 4, 'Fully Furnished', 2115, 1, 'No', '10033', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('354', '962', 'University Area', '962 Ackerman Ave',
13210, 1190, 2, 2, 'Fully Furnished', 646, 2, 'No', '10034', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('355', '964', 'University Area', '964 Ackerman Ave',
13210, 2100, 4, 3, 'Fully Furnished', 4705, 1, 'No', '10035', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('356', '919', 'University Area', '919 Lancaster Ave',
13210, 2475, 5, 3, 'Fully Furnished', 4087, 2, 'No', '10036', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('357', '708', 'University Area', '708710 Lancaster Ave',
13210, 4240, 8, 3, 'Fully Furnished', 1502, 2, 'No', '10037', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('358', '721', 'University Area', '721 Maryland Ave',
13210, 1485, 3, 1, 'Fully Furnished', 2901, 1, 'No', '10038', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('359', '907', 'University Area', '907 Comstock 5
Bedroom 4 Bathroom House 2 Car Garage Close To Campus!', 13210, 3750, 5, 3, 'Fully Furnished', 2892,
3, 'No', '10039', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('360', '938', 'University Area', '938 Ackerman Ave',
13210, 2475, 5, 2, 'Semi Furnished', 3960, 2, 'No', '10040', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('361', '852', 'University Area', '852 Ackerman Ave',
13210, 2970, 6, 3, 'Fully Furnished', 4587, 1, 'No', '10041', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('362', '824', 'University Area', '824 Ostrom Ave 1 Block
From Campus Great House...even Better Location!!!', 13210, 4000, 5, 4, 'Semi Furnished', 4338, 3, 'No',
'10042', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('363', '615', 'University Area', '615 Clarendon St',
13210, 1350, 3, 3, 'Fully Furnished', 4683, 0, 'Yes', '10043', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('364', '107', 'University Area', '107 Ostrom Avenue All
Utilities And Wifi Included!', 13210, 1300, 2, 3, 'Fully Furnished', 643, 3, 'No', '10044', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('365', '141', 'University Area', '1412 E. Fayette St. @
South Beech All Utilities Included!!!', 13210, 1100, 2, 3, 'Fully Furnished', 1450, 4, 'No', '10045', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('366', '410', 'University Area', '410 Westcott Street All
Utilities And Wifi Included!!', 13210, 1050, 1, 3, 'Fully Furnished', 3684, 1, 'No', '10046', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('367', '111', 'University Area', '1111 E. Colvin Street @
Comstock Avenue All Utilities And Wifi Included', 13210, 1300, 2, 3, 'Fully Furnished', 668, 3, 'No',
'10047', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('368', '131', 'University Area', '1316 East Genesee At
Comstock Avenue All Utilities Included!!', 13210, 1000, 1, 1, 'Fully Furnished', 3446, 2, 'Yes', '10048',
'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('369', '105', 'University Area', '105 Comstock Avenue All
Utilities And Wifi Included!', 13210, 1100, 1, 2, 'Fully Furnished', 3149, 2, 'No', '10049', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('370', '113', 'University Area', '113 And 115 Comstock
Avenue All Utilities And Wifi Included!!!', 13210, 875, 0, 3, 'Fully Furnished', 2568, 2, 'No', '10050', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('371', '105', 'University Area', '105 Comstock Avenue All
Utilities And Wifi Included!', 13210, 1350, 2, 1, 'Fully Furnished', 1043, 3, 'No', '10051', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('372', '131', 'University Area', '1316 East Genesee @
Comstock Avenue Utilities Included!!!', 13210, 1300, 2, 1, 'Fully Furnished', 2043, 3, 'No', '10052', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('373', '205', 'University Area', '205 Westcott Street All
Utilities And Wifi Included!', 13210, 1250, 2, 4, 'Fully Furnished', 2859, 1, 'No', '10053', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('374', '318', 'University Area', '318 Westcott Street All
Utilities And Wifi Included!', 13210, 1250, 2, 1, 'Fully Furnished', 1943, 3, 'No', '10054', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('375', '321', 'University Area', '321.5 Westcott Street All
Utilities And Wifi Included!!', 13210, 925, 1, 2, 'Fully Furnished', 2386, 0, 'No', '10055', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('376', '321', 'University Area', '321.5 Westcott Street All
Utilities And Wifi Included!!', 13210, 925, 0, 4, 'Fully Furnished', 2687, 2, 'Yes', '10056', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('377', '113', 'University Area', '113 Comstock Avenue All
Utilities And Wifi Included!!', 13210, 875, 1, 4, 'Fully Furnished', 2675, 0, 'Yes', '10057', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('378', '315', 'University Area', '315 South Beech Street
All Utilities And Wifi Included!!', 13210, 925, 1, 4, 'Fully Furnished', 641, 1, 'Yes', '10058', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('379', '117', 'University Area', '117 Comstock Place',
13210, 1350, 2, 3, 'Fully Furnished', 3587, 4, 'No', '10059', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('380', '618', 'University Area', '618 Westcott Street All
Utilities And Wifi Included!!', 13210, 1875, 3, 4, 'Fully Furnished', 3124, 4, 'No', '10060', 'No');

```

```

INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('381', '232', 'University Area', '232 Lorraine Avenue All
Utilities And Wifi Included!!', 13210, 2750, 5, 2, 'Fully Furnished', 3460, 2, 'No', '10061', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('382', '120', 'University Area', '1201 Madison St. @
Ostrom Ave All Utilities Included!!', 13210, 2300, 4, 3, 'Fully Furnished', 2438, 0, 'No', '10062', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('383', '201', 'University Area', '201 Comstock Avenue All
Utilities And Wifi Included!!!', 13210, 1300, 2, 3, 'Fully Furnished', 2868, 1, 'No', '10063', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('384', '130', 'University Area', '1308 East Fayette Street
All Utilities And Wifi Included!!', 13210, 2375, 5, 1, 'Fully Furnished', 2425, 3, 'No', '10064', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('385', '115', 'University Area', '115 Comstock Avenue
Duplex All Utilities And Wifi Included!', 13210, 1875, 3, 1, 'Fully Furnished', 4330, 0, 'No', '10065', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('386', '320', 'University Area', '320 Westcott Street All
Utilities And Wifi Included!!!', 13210, 3000, 6, 3, 'Fully Furnished', 3623, 3, 'No', '10066', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('387', '930', 'University Area', '930 Ackerman Avenue
All Utilities And Wifi Included!!', 13210, 3750, 6, 4, 'Fully Furnished', 4794, 2, 'No', '10067', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('388', '928', 'University Area', '928 East Colvin Street 3
Bathrooms @ Comstock Avenue All Utilities And Wifi Included', 13210, 3750, 6, 2, 'Fully Furnished',
2809, 0, 'No', '10068', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('389', '842', 'University Area', '842 Lancaster Ave',
13210, 1575, 3, 4, 'Fully Furnished', 4879, 2, 'No', '10069', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('390', '101', 'University Area', '101 Comstock Ave',
13210, 750, 1, 2, 'Semi Furnished', 1166, 3, 'Yes', '10070', 'No');

```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('391', '609', 'University Area', '609 Clarendon St.',
13210, 1150, 2, 2, 'Fully Furnished', 1809, 4, 'No', '10071', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('392', '507', 'University Area', '507 Euclid Ave', 13210,
4865, 7, 2, 'Fully Furnished', 3202, 4, 'No', '10072', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('393', '800', 'University Area', '800 Maryland Ave On
Corner Of Euclid', 13210, 4095, 7, 1, 'Fully Furnished', 3212, 1, 'No', '10073', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('394', '219', 'University Area', '219 Comstock
Place Comstock Place Llc', 13210, 1650, 3, 1, 'Fully Furnished', 2135, 2, 'No', '10074', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('395', '121', 'University Area', '1217 Madison St. 2Nd Fl.
Spacious Duplex 2 Full Bathrooms', 13210, 1700, 4, 2, 'Unfurnished', 2231, 0, 'No', '10075', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('396', '554', 'University Area', '554 Clarendon', 13210,
2750, 5, 4, 'Fully Furnished', 2216, 1, 'No', '10076', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('397', '107', 'University Area', '107 Comstock Ave
Apt#4', 13210, 750, 1, 3, 'Fully Furnished', 1690, 4, 'No', '10077', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('398', '110', 'University Area', '1104 Madison St Apt #7',
13210, 1050, 2, 2, 'Fully Furnished', 2175, 4, 'No', '10078', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('399', '940', 'University Area', '940 Ackerman Ave Apt
#1', 13210, 1575, 3, 3, 'Fully Furnished', 1326, 3, 'No', '10079', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('400', '839', 'University Area', '839 Livingston Ave',
13210, 3500, 5, 3, 'Fully Furnished', 3244, 2, 'No', '10080', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```
Is_pet_friendly, Landlord_ID, Available) VALUES ('401', '205', 'University Area', '205 Comstock Avenue',
13210, 795, 0, 4, 'Fully Furnished', 3426, 3, 'No', '10081', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('402', '519', 'University Area', '519 Clarendon Up
Syracuse University Area', 13210, 1125, 3, 4, 'Unfurnished', 1367, 2, 'No', '10082', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('403', '434', 'University Area', '434 Columbus Ave',
13210, 1290, 3, 4, 'Fully Furnished', 3687, 2, 'No', '10083', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('404', '103', 'University Area', '1032 Madison St.',
13210, 2400, 4, 3, 'Fully Furnished', 2451, 1, 'No', '10084', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('405', '715', 'University Area', '715 Lancaster Ave',
13210, 575, 1, 4, 'Fully Furnished', 448, 4, 'No', '10085', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('406', '915', 'University Area', '915 Westcott Street
[Water And Wifi Included!]', 13210, 1200, 2, 1, 'Fully Furnished', 4651, 3, 'No', '10086', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('407', '429', 'University Area', '429 Columbus Ave',
13210, 1400, 4, 3, 'Fully Furnished', 3424, 1, 'No', '10087', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('408', '743', 'University Area', '743 Lancaster', 13210,
1785, 3, 4, 'Fully Furnished', 1715, 0, 'No', '10088', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('409', '218', 'University Area', '218 Comstock
Place Comstock Place Llc', 13210, 1650, 3, 3, 'Fully Furnished', 2253, 4, 'No', '10089', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('410', '514', 'University Area', '514 Clarendon Street',
13210, 2000, 4, 2, 'Fully Furnished', 2076, 3, 'No', '10090', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('411', '516', 'University Area', '516 Clarendon St',
13210, 2000, 4, 3, 'Fully Furnished', 625, 1, 'No', '10091', 'No');
```

```

INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('412', '514', 'University Area', '514516 Clarendon St.',
13210, 2000, 4, 1, 'Fully Furnished', 4299, 4, 'No', '10092', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('413', '102', 'University Area', '1028 Lancaster Ave',
13210, 1425, 3, 4, 'Fully Furnished', 1542, 1, 'No', '10093', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('414', '909', 'University Area', '909 Ackerman', 13210,
2000, 4, 3, 'Fully Furnished', 2543, 2, 'No', '10094', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('415', '911', 'University Area', '911 Ackerman Avenue',
13210, 1100, 2, 4, 'Fully Furnished', 4579, 2, 'No', '10095', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('416', '143', 'University Area', '143 Redfield Place
20202021 School Year', 13210, 1900, 4, 3, 'Semi Furnished', 4111, 1, 'Yes', '10096', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('417', '329', 'University Area', '329 Salt Springs
20202021 School Year', 13210, 1800, 4, 3, 'Unfurnished', 1049, 4, 'Yes', '10097', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('418', '842', 'University Area', '842 Westcott St.
20202021 School Year', 13210, 2475, 5, 2, 'Semi Furnished', 777, 1, 'Yes', '10098', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('419', '101', 'University Area', '101 Ostrom Ave Unit 3
20202021 School Year', 13210, 1820, 4, 3, 'Semi Furnished', 915, 3, 'No', '10099', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('420', '909', 'University Area', '909 Westcott St_ Last
One!!', 13210, 1275, 3, 4, 'Semi Furnished', 4109, 0, 'Yes', '10100', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('421', '716', 'University Area', '716 Apt 1 Westcott',
13210, 1700, 4, 1, 'Unfurnished', 3954, 3, 'Yes', '10101', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,

```



```
Is_pet_friendly, Landlord_ID, Available) VALUES ('422', '722', 'University Area', '722 Westcott St', 13210,
1350, 3, 3, 'Unfurnished', 1234, 2, 'Yes', '10102', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('423', '909', 'University Area', '909911 Westcott 2&3
Beds', 13210, 850, 2, 3, 'Semi Furnished', 2608, 2, 'Yes', '10103', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('424', '153', 'University Area', '153 Fellows', 13210,
1125, 3, 4, 'Fully Furnished', 1390, 1, 'Yes', '10104', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('425', '716', 'University Area', '716 Apt 4 Westcott_',
13210, 675, 1, 3, 'Unfurnished', 3657, 4, 'Yes', '10105', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('426', '710', 'University Area', '710 Westcott', 13210,
1275, 3, 2, 'Fully Furnished', 716, 4, 'Yes', '10106', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('427', '716', 'University Area', '716 Apt 2 Westcott',
13210, 1275, 3, 1, 'Fully Furnished', 3759, 3, 'No', '10107', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('428', '961', 'University Area', '961959 Ackerman',
13210, 1350, 3, 3, 'Unfurnished', 4156, 0, 'Yes', '10108', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('429', '708', 'University Area', '708 Westcott', 13210,
1275, 3, 1, 'Fully Furnished', 4234, 0, 'No', '10109', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('430', '162', 'University Area', '162A2 Redfield Place',
13210, 950, 2, 1, 'Unfurnished', 2576, 1, 'No', '10000', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('431', '164', 'University Area', '164 Redfield Place',
13210, 1275, 3, 3, 'Unfurnished', 949, 4, 'Yes', '10001', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('432', '415', 'University Area', '415 Greenwood', 13210,
1800, 4, 1, 'Unfurnished', 4325, 4, 'Yes', '10002', 'No');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('433', '911', 'University Area', '911A2 Westcott_Last 2
Br', 13210, 1000, 2, 4, 'Semi Furnished', 3239, 0, 'Yes', '10003', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('434', '513', 'University Area', '513 Walnut Ave Apt. 1',
13210, 1050, 2, 1, 'Fully Furnished', 846, 0, 'No', '10004', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('435', '145', 'University Area', '145 Avondale Place 2
Bedroom', 13210, 950, 2, 1, 'Fully Furnished', 4199, 4, 'No', '10005', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('436', '871', 'University Area', '871 9179 9213 Ackerman
Ave', 13210, 1575, 3, 4, 'Fully Furnished', 3108, 4, 'No', '10006', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('437', '821', 'University Area', '821 Comstock Ave',
13210, 4950, 6, 4, 'Fully Furnished', 4919, 2, 'No', '10007', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('438', '422', 'University Area', '422 Euclid Ave 2018
20202021 School Year', 13210, 3750, 5, 1, 'Semi Furnished', 2686, 4, 'No', '10008', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('439', '749', 'University Area', '749 Euclid Ave 20202021
School Year', 13210, 1400, 4, 2, 'Unfurnished', 3425, 0, 'Yes', '10009', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('440', '750', 'University Area', '750 Euclid Ave 20202021
School Year', 13210, 2250, 5, 4, 'Semi Furnished', 4641, 3, 'Yes', '10010', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('441', '726', 'University Area', '726 Euclid Ave 20202021
School Year', 13210, 1400, 4, 2, 'Unfurnished', 4461, 1, 'Yes', '10011', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('442', '741', 'University Area', '741 Euclid Ave 20202021
School Year', 13210, 2375, 5, 2, 'Semi Furnished', 1988, 4, 'Yes', '10012', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('443', '102', 'University Area', '1028/1030 Lancaster Ave.', 13210, 2850, 6, 4, 'Fully Furnished', 3833, 0, 'No', '10013', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('444', '100', 'University Area', '1009 Madison St', 13210, 795, 1, 1, 'Semi Furnished', 4653, 2, 'No', '10014', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('445', '515', 'University Area', '515 Walnut Ave Apt. 1', 13210, 1785, 3, 1, 'Fully Furnished', 2911, 1, 'No', '10015', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('446', '716', 'University Area', '716 Euclid Ave. Spacious First Floor Flat Close To Campus', 13210, 1500, 3, 2, 'Unfurnished', 2230, 2, 'No', '10016', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('447', '101', 'University Area', '101 Ostrom Ave #1 20202021 School Year', 13210, 1365, 3, 3, 'Semi Furnished', 3262, 4, 'No', '10017', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('448', '816', 'University Area', '816 Euclid Ave 20202021 School Year', 13210, 2800, 7, 2, 'Fully Furnished', 2372, 3, 'Yes', '10018', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('449', '101', 'University Area', '101 Ostrom #4 20202021 School Year', 13210, 1820, 4, 3, 'Semi Furnished', 1129, 0, 'No', '10019', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('450', '745', 'University Area', '745 Euclid Ave 20202021 School Year', 13210, 1400, 4, 1, 'Unfurnished', 1003, 3, 'Yes', '10020', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('451', '103', 'University Area', '1032 Lancaster Ave', 13210, 1200, 3, 4, 'Unfurnished', 1590, 0, 'No', '10021', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('452', '922', 'University Area', '922 Westcott 20202021 School Year', 13210, 1900, 4, 3, 'Unfurnished', 721, 0, 'Yes', '10022', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent, No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots, Is_pet_friendly, Landlord_ID, Available) VALUES ('453', '212', 'University Area', '212 Comstock Place', 13210, 3000, 4, 3, 'Fully Furnished', 2787, 2, 'No', '10023', 'No');

```

```

INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('454', '103', 'University Area', '103 Bristol Place', 13210,
1100, 2, 3, 'Semi Furnished', 2033, 4, 'Yes', '10024', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('455', '231', 'University Area', '231 Fellows Ave.
Spacious First Floor Apartment', 13210, 1098, 3, 4, 'Unfurnished', 1514, 0, 'No', '10025', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('456', '128', 'University Area', '128 Comstock Place',
13210, 2625, 5, 4, 'Fully Furnished', 3874, 3, 'No', '10026', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('457', '141', 'University Area', '141 Comstock Place.',
13210, 650, 0, 4, 'Fully Furnished', 4054, 4, 'No', '10027', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('458', '955', 'University Area', '955 Ackerman', 13210,
1900, 4, 3, 'Fully Furnished', 4643, 1, 'Yes', '10028', 'No');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('459', '944', 'University Area', '944946 Lancaster Ave.',
13210, 3120, 6, 2, 'Fully Furnished', 4878, 1, 'No', '10029', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('460', '415', 'University Area', '415 Clarendon St',
13210, 1575, 3, 2, 'Fully Furnished', 823, 3, 'No', '10030', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('461', '415', 'University Area', '415 Clarendon St',
13210, 2100, 4, 4, 'Fully Furnished', 2333, 4, 'No', '10031', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('462', '111', 'University Area', '1119 Lancaster Up
Syracuse University Area', 13210, 1050, 3, 1, 'Unfurnished', 3494, 4, 'No', '10032', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('463', '111', 'University Area', '1117 Lancaster Down
Syracuse University Area', 13210, 1050, 3, 2, 'Unfurnished', 935, 3, 'No', '10033', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,

```

```
Is_pet_friendly, Landlord_ID, Available) VALUES ('464', '129', 'University Area', '129 Victoria Place Down
University Area', 13210, 1050, 3, 1, 'Unfurnished', 855, 1, 'No', '10034', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('465', '825', 'University Area', '825 Westcoot Down
Syracuse University Area', 13210, 2125, 5, 2, 'Fully Furnished', 1420, 3, 'No', '10035', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('466', '917', 'University Area', '917 Madison #211',
13210, 1300, 1, 2, 'Unfurnished', 2036, 0, 'No', '10036', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('467', '124', 'University Area', '124 Trinity Place', 13210,
820, 2, 2, 'Unfurnished', 1383, 0, 'No', '10037', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('468', '101', 'University Area', '1011 Euclid Avenue',
13210, 1185, 3, 3, 'Unfurnished', 2137, 0, 'No', '10038', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('469', '945', 'University Area', '945947 Ackerman Ave',
13210, 3000, 6, 4, 'Fully Furnished', 2576, 2, 'No', '10039', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('470', '556', 'University Area', '556 Clarendon St Apt #3',
13210, 1500, 3, 2, 'Fully Furnished', 2053, 4, 'Yes', '10040', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('471', '949', 'University Area', '949 Ackerman Ave Apt
#1', 13210, 1500, 3, 3, 'Fully Furnished', 3903, 3, 'No', '10041', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('472', '110', 'University Area', '110 Comstock Ave Apt
#7', 13210, 1575, 3, 2, 'Fully Furnished', 4603, 2, 'No', '10042', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('473', '929', 'University Area', '929 Ackerman Ave',
13210, 2875, 5, 1, 'Fully Furnished', 2239, 4, 'No', '10043', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('474', '810', 'University Area', '810 Livingston Ave Apt
#1', 13210, 2750, 5, 4, 'Fully Furnished', 2443, 1, 'No', '10044', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('475', '131', 'University Area', '131 Redfield Pl', 13210,
2500, 5, 2, 'Unfurnished', 3528, 3, 'No', '10045', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('476', '205', 'University Area', '205 Comstock Avenue',
13210, 790, 0, 2, 'Fully Furnished', 1465, 0, 'No', '10046', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('477', '101', 'University Area', '1010 Euclid Avenue',
13210, 1185, 3, 2, 'Fully Furnished', 1177, 2, 'No', '10047', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('478', '424', 'University Area', '424 Greenwood Place',
13210, 1245, 3, 1, 'Unfurnished', 437, 2, 'No', '10048', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('479', '205', 'University Area', '205 Comstock Avenue',
13210, 795, 0, 3, 'Fully Furnished', 1072, 3, 'Yes', '10049', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('480', '226', 'University Area', '226 Roosevelt Avenue',
13210, 1800, 4, 1, 'Unfurnished', 3242, 2, 'Yes', '10050', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('481', '102', 'University Area', '1021 Lancaster Ave',
13210, 1170, 3, 2, 'Fully Furnished', 2350, 0, 'Yes', '10051', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('482', '244', 'University Area', '244 Harriette Avenue All
Utilities And Wifi Included!!', 13210, 2400, 4, 2, 'Fully Furnished', 2570, 3, 'No', '10052', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('483', '102', 'University Area', '1023 Lancaster Ave',
13210, 1170, 3, 2, 'Fully Furnished', 2284, 2, 'No', '10053', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('484', '318', 'University Area', '318 Westcott Street All
Utilities And Wifi Included!', 13210, 1025, 1, 2, 'Fully Furnished', 3674, 2, 'No', '10054', 'Yes');
```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
```

```

Is_pet_friendly, Landlord_ID, Available) VALUES ('485', '100', 'University Area', '1005 East Colvin Street
All Utilities And Wifi Included!!', 13210, 1250, 2, 1, 'Fully Furnished', 2806, 4, 'No', '10055', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('486', '321', 'University Area', '321 Westcott Street All
Utilities And Wifi Included!!', 13210, 925, 0, 2, 'Fully Furnished', 2064, 3, 'No', '10056', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('487', '192', 'University Area', '1929 Genesee Street @
Westcott Street All Utilities Included!!', 13210, 975, 1, 1, 'Fully Furnished', 2366, 3, 'No', '10057', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('488', '132', 'University Area', '1322 East Genesee @
Comstock Ave Utilities Included!!', 13210, 3500, 7, 4, 'Fully Furnished', 2896, 0, 'No', '10058', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('489', '916', 'University Area', '916 Westcott', 13210,
1650, 3, 1, 'Fully Furnished', 2570, 0, 'No', '10059', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('490', '316', 'University Area', '316 Westcott Street All
Utilities And Wifi Included!!', 13210, 1575, 3, 1, 'Fully Furnished', 1369, 1, 'No', '10060', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('491', '308', 'University Area', '308 Beech Street All
Utilities And Wifi Included!!', 13210, 3000, 6, 1, 'Fully Furnished', 2057, 1, 'No', '10061', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('492', '120', 'University Area', '120 Lorraine Avenue @
E. Colvin St. Utilities Included!!', 13210, 1875, 3, 4, 'Fully Furnished', 482, 3, 'No', '10062', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('493', '410', 'University Area', '410 Westcott Street All
Utilities And Wifi Included!!', 13210, 2100, 4, 1, 'Fully Furnished', 3944, 2, 'No', '10063', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('494', '100', 'University Area', '1005 East Colvin Street
All Utilities And Wifi Included!!', 13210, 2625, 5, 3, 'Fully Furnished', 1197, 4, 'Yes', '10064', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('495', '327', 'University Area', '327 Westcott Street All
Utilities And Wifi Included!!', 13210, 1025, 1, 1, 'Fully Furnished', 1002, 1, 'No', '10065', 'Yes');

```

```
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('496', '240', 'University Area', '240 Lorraine Avenue All
Utilities And Wifi Included!!', 13210, 2200, 4, 4, 'Fully Furnished', 2206, 4, 'No', '10066', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('497', '327', 'University Area', '327 Westcott Street All
Utilities And Wifi Included!!', 13210, 1575, 3, 3, 'Fully Furnished', 3852, 3, 'No', '10067', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('498', '316', 'University Area', '316 Westcott Street All
Utilities And Wifi Included!!', 13210, 2975, 7, 4, 'Fully Furnished', 2546, 2, 'No', '10068', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('499', '115', 'University Area', '115 Comstock Avenue All
Utilities And Wifi Included!', 13210, 1075, 1, 4, 'Fully Furnished', 3793, 0, 'No', '10069', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('500', '140', 'University Area', '1400 East Genesee @
Comstock Ave Utilities Included!', 13210, 1600, 4, 4, 'Fully Furnished', 2678, 0, 'No', '10070', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('501', '115', 'University Area', '115 Comstock Avenue All
Utilities And Wifi Included!', 13210, 1250, 2, 4, 'Fully Furnished', 4675, 1, 'No', '10071', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('502', '142', 'University Area', '1420 East Genesee @
Comstock Ave 3 Bathrooms Utilities Included!', 13210, 2750, 5, 1, 'Fully Furnished', 872, 3, 'No', '10072',
'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('503', '421', 'University Area', '421 Westcott Street: All
Utilities And Wifi Included!!', 13210, 3800, 8, 1, 'Fully Furnished', 4855, 2, 'Yes', '10073', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('504', '604', 'University Area', '604 Walnut Ave 5
Bedroom', 13210, 3250, 5, 3, 'Fully Furnished', 873, 0, 'No', '10074', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('505', '604', 'University Area', '604 Walnut Ave 4
Bedroom', 13210, 2380, 4, 2, 'Fully Furnished', 1423, 1, 'No', '10075', 'Yes');
```



```

INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('506', '932', 'University Area', '932 Westcott St
20202021 School Year', 13210, 1900, 4, 3, 'Semi Furnished', 2861, 2, 'No', '10076', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('507', '102', 'University Area', '1023 Ackerman Down',
13210, 1200, 3, 2, 'Fully Furnished', 3588, 4, 'No', '10077', 'Yes');
INSERT INTO House(House_ID, House_Name, House_Location, House_Address, Zipcode, Rent,
No_of_Beds, No_of_Baths, Furnishing_Status, Area_in_square_foot, No_of_car_parking_slots,
Is_pet_friendly, Landlord_ID, Available) VALUES ('508', '102', 'University Area', '1021 Ackerman Up',
13210, 1200, 3, 2, 'Fully Furnished', 1589, 2, 'No', '10078', 'Yes');
*/

```

select * from House; --409 rows inserted correctly. Verified.

--5. INSERTING into Agency_House_Listings Table

```

/*
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '100',
'1/1/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '101',
'1/2/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '102',
'1/3/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '103',
'1/4/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '104',
'1/5/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '105',
'1/6/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '106',
'1/7/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '107',
'1/8/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '108',
'1/9/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '109',
'1/10/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '110',
'1/11/2010');

```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '111',  
'1/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '112',  
'1/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '113',  
'1/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '114',  
'1/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '115',  
'1/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '116',  
'1/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '117',  
'1/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '118',  
'1/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '119',  
'1/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '120',  
'1/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '121',  
'1/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '122',  
'1/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '123',  
'1/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '124',  
'1/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '125',  
'1/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '126',  
'1/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '127',  
'1/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '128',  
'1/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '129',  
'1/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '130',  
'1/31/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '131',  
'2/1/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '132',  
'2/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '133',  
'2/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '134',  
'2/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '135',  
'2/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '136',  
'2/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '137',  
'2/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '138',  
'2/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '139',  
'2/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '140',  
'2/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '141',  
'2/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '142',  
'2/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '143',  
'2/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '144',  
'2/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '145',  
'2/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '146',  
'2/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '147',  
'2/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '148',  
'2/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '149',  
'2/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '150',  
'2/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '151',  
'2/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '152',  
'2/22/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '153',  
'2/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '154',  
'2/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '155',  
'2/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '156',  
'2/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '157',  
'2/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '158',  
'2/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '159',  
'3/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '160',  
'3/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '161',  
'3/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '162',  
'3/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '163',  
'3/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '164',  
'3/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '165',  
'3/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '166',  
'3/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '167',  
'3/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '168',  
'3/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '169',  
'3/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '170',  
'3/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '171',  
'3/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '172',  
'3/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '173',  
'3/15/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '174',  
'3/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '175',  
'3/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '176',  
'3/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '177',  
'3/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '178',  
'3/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '179',  
'3/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '180',  
'3/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '181',  
'3/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '182',  
'3/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '183',  
'3/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '184',  
'3/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '185',  
'3/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '186',  
'3/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '187',  
'3/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '188',  
'3/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '189',  
'3/31/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '190',  
'4/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '191',  
'4/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '192',  
'4/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '193',  
'4/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '194',  
'4/5/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '195',  
'4/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '196',  
'4/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '197',  
'4/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '198',  
'4/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '199',  
'4/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '200',  
'4/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '201',  
'4/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '202',  
'4/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '203',  
'4/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '204',  
'4/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '205',  
'4/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '206',  
'4/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '207',  
'4/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '208',  
'4/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '209',  
'4/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '210',  
'4/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '211',  
'4/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '212',  
'4/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '213',  
'4/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '214',  
'4/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '215',  
'4/26/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '216',  
'4/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '217',  
'4/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '218',  
'4/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '219',  
'4/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '220',  
'5/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '221',  
'5/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '222',  
'5/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '223',  
'5/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '224',  
'5/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '225',  
'5/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '226',  
'5/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '227',  
'5/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '228',  
'5/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '229',  
'5/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '230',  
'5/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '231',  
'5/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '232',  
'5/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '233',  
'5/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '234',  
'5/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '235',  
'5/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '236',  
'5/17/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '237',
'5/18/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '238',
'5/19/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '239',
'5/20/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '240',
'5/21/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '241',
'5/22/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '242',
'5/23/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '243',
'5/24/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '244',
'5/25/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '245',
'5/26/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '246',
'5/27/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '247',
'5/28/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '248',
'5/29/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '249',
'5/30/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '250',
'5/31/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '251',
'6/1/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '252',
'6/2/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '253',
'6/3/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '254',
'6/4/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '255',
'6/5/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '256',
'6/6/2010');
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '257',
'6/7/2010');
```



```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '258',  
'6/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '259',  
'6/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '260',  
'6/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '261',  
'6/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '262',  
'6/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '263',  
'6/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '264',  
'6/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '265',  
'6/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '266',  
'6/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '267',  
'6/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '268',  
'6/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '269',  
'6/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '270',  
'6/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '271',  
'6/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '272',  
'6/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '273',  
'6/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '274',  
'6/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '275',  
'6/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '276',  
'6/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '277',  
'6/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '278',  
'6/28/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '279',  
'6/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '280',  
'6/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '281',  
'7/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '282',  
'7/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '283',  
'7/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '284',  
'7/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '285',  
'7/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '286',  
'7/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '287',  
'7/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '288',  
'7/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '289',  
'7/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '290',  
'7/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '291',  
'7/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '292',  
'7/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '293',  
'7/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '294',  
'7/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '295',  
'7/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '296',  
'7/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '297',  
'7/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '298',  
'7/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '299',  
'7/19/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '300',  
'7/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '301',  
'7/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '302',  
'7/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '303',  
'7/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '304',  
'7/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '305',  
'7/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '306',  
'7/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '307',  
'7/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '308',  
'7/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '309',  
'7/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '310',  
'7/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '311',  
'7/31/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '312',  
'8/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '313',  
'8/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '314',  
'8/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '315',  
'8/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '316',  
'8/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '317',  
'8/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '318',  
'8/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '319',  
'8/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '320',  
'8/9/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '321',  
'8/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '322',  
'8/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '323',  
'8/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '324',  
'8/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '325',  
'8/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '326',  
'8/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '327',  
'8/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '328',  
'8/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '329',  
'8/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '330',  
'8/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '331',  
'8/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '332',  
'8/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '333',  
'8/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '334',  
'8/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '335',  
'8/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '336',  
'8/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '337',  
'8/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '338',  
'8/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '339',  
'8/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '340',  
'8/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '341',  
'8/30/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '342',  
'8/31/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '343',  
'9/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '344',  
'9/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '345',  
'9/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '346',  
'9/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '347',  
'9/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '348',  
'9/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '349',  
'9/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '350',  
'9/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '351',  
'9/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '352',  
'9/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '353',  
'9/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '354',  
'9/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '355',  
'9/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '356',  
'9/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '357',  
'9/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '358',  
'9/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '359',  
'9/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '360',  
'9/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '361',  
'9/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '362',  
'9/20/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '363',  
'9/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '364',  
'9/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '365',  
'9/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '366',  
'9/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '367',  
'9/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '368',  
'9/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '369',  
'9/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '370',  
'9/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '371',  
'9/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '372',  
'9/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '373',  
'10/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '374',  
'10/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '375',  
'10/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '376',  
'10/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '377',  
'10/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '378',  
'10/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '379',  
'10/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '380',  
'10/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '381',  
'10/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '382',  
'10/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '383',  
'10/11/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '384',  
'10/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '385',  
'10/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '386',  
'10/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '387',  
'10/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '388',  
'10/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '389',  
'10/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '390',  
'10/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '391',  
'10/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '392',  
'10/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '393',  
'10/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '394',  
'10/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '395',  
'10/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '396',  
'10/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '397',  
'10/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '398',  
'10/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '399',  
'10/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '400',  
'10/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '401',  
'10/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '402',  
'10/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '403',  
'10/31/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '404',  
'11/1/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '405',  
'11/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '406',  
'11/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '407',  
'11/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '408',  
'11/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '409',  
'11/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '410',  
'11/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '411',  
'11/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '412',  
'11/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '413',  
'11/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '414',  
'11/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '415',  
'11/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '416',  
'11/13/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '417',  
'11/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '418',  
'11/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '419',  
'11/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '420',  
'11/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '421',  
'11/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '422',  
'11/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '423',  
'11/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '424',  
'11/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '425',  
'11/22/2010');
```



```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '426',  
'11/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '427',  
'11/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '428',  
'11/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '429',  
'11/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '430',  
'11/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '431',  
'11/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '432',  
'11/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '433',  
'11/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '434',  
'12/1/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '435',  
'12/2/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '436',  
'12/3/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '437',  
'12/4/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '438',  
'12/5/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '439',  
'12/6/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '440',  
'12/7/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '441',  
'12/8/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '442',  
'12/9/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '443',  
'12/10/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '444',  
'12/11/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '445',  
'12/12/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '446',  
'12/13/2010');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '447',  
'12/14/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '448',  
'12/15/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '449',  
'12/16/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '450',  
'12/17/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '451',  
'12/18/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '452',  
'12/19/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '453',  
'12/20/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '454',  
'12/21/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '455',  
'12/22/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '456',  
'12/23/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '457',  
'12/24/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '458',  
'12/25/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '459',  
'12/26/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '460',  
'12/27/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '461',  
'12/28/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '462',  
'12/29/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '463',  
'12/30/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '464',  
'12/31/2010');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '465',  
'1/1/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '466',  
'1/2/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '467',  
'1/3/2011');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '468',  
'1/4/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '469',  
'1/5/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '470',  
'1/6/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '471',  
'1/7/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '472',  
'1/8/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '473',  
'1/9/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '474',  
'1/10/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '475',  
'1/11/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '476',  
'1/12/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '477',  
'1/13/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '478',  
'1/14/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '479',  
'1/15/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '480',  
'1/16/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '481',  
'1/17/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '482',  
'1/18/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '483',  
'1/19/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '484',  
'1/20/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '485',  
'1/21/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '486',  
'1/22/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '487',  
'1/23/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '488',  
'1/24/2011');
```

```
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '489',  
'1/25/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '490',  
'1/26/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '491',  
'1/27/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '492',  
'1/28/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '493',  
'1/29/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '494',  
'1/30/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '495',  
'1/31/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '496',  
'2/1/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '497',  
'2/2/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('320', '498',  
'2/3/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('220', '499',  
'2/4/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('230', '500',  
'2/5/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('240', '501',  
'2/6/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('250', '502',  
'2/7/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('260', '503',  
'2/8/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('270', '504',  
'2/9/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('280', '505',  
'2/10/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('290', '506',  
'2/11/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('300', '507',  
'2/12/2011');  
INSERT INTO Agency_House_Listings(Agency_ID, House_ID, Website_Publish_Date) VALUES ('310', '508',  
'2/13/2011');  
*/
```

select * from Agency_House_Listings; --409 Rows inserted correctly. Verified.

--6. INSERTING into All_Leases Table

/*

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23456', 'Yes', '01-01-19', '01-01-20', '100', '220', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23457', 'Yes', '01-02-19', '01-02-20', '101', '230', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23458', 'Yes', '01-03-19', '01-03-20', '102', '240', '10002');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23459', 'Yes', '01-04-19', '01-04-20', '103', '250', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23460', 'Yes', '01-05-19', '01-05-20', '104', '260', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23461', 'Yes', '01-06-19', '01-06-20', '105', '270', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23462', 'Yes', '01-07-19', '01-07-20', '106', '280', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23463', 'Yes', '01-08-19', '01-08-20', '107', '290', '10007');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23464', 'Yes', '01-09-19', '01-09-20', '108', '300', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23465', 'Yes', '01-10-19', '01-10-20', '109', '310', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23466', 'Yes', '01-11-19', '01-11-20', '110', '320', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23467', 'Yes', '01-12-19', '01-12-20', '111', '220', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23468', 'Yes', '1/13/2019', '1/13/2020', '112', '230', '10012');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23469', 'Yes', '1/14/2019', '1/14/2020', '113', '240', '10013');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23470', 'Yes', '1/15/2019', '1/15/2020', '114', '250', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23471', 'Yes', '1/16/2019', '1/16/2020', '115', '260', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23472', 'Yes', '1/17/2019', '1/17/2020', '116', '270', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23473', 'Yes', '1/18/2019', '1/18/2020', '117', '280', '10017');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23474', 'Yes', '1/19/2019', '1/19/2020', '118', '290', '10018');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23475', 'Yes', '1/20/2019', '1/20/2020', '119', '300', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23476', 'Yes', '1/21/2019', '1/21/2020', '120', '310', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23477', 'Yes', '1/22/2019', '1/22/2020', '121', '320', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23478', 'Yes', '1/23/2019', '1/23/2020', '122', '220', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23479', 'Yes', '1/24/2019', '1/24/2020', '123', '230', '10023');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23480', 'Yes', '1/25/2019', '1/25/2020', '124', '240', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23481', 'Yes', '1/26/2019', '1/26/2020', '125', '250', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23482', 'Yes', '1/27/2019', '1/27/2020', '126', '260', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23483', 'Yes', '1/28/2019', '1/28/2020', '127', '270', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23484', 'Yes', '1/29/2019', '1/29/2020', '128', '280', '10028');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23485', 'Yes', '1/30/2019', '1/30/2020', '129', '290', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23486', 'Yes', '1/31/2019', '1/31/2020', '130', '300', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23487', 'Yes', '02-01-19', '02-01-20', '131', '310', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23488', 'Yes', '02-02-19', '02-02-20', '132', '320', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23489', 'Yes', '02-03-19', '02-03-20', '133', '220', '10033');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23490', 'Yes', '02-04-19', '02-04-20', '134', '230', '10034');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23491', 'Yes', '02-05-19', '02-05-20', '135', '240', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23492', 'Yes', '02-06-19', '02-06-20', '136', '250', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23493', 'Yes', '02-07-19', '02-07-20', '137', '260', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23494', 'Yes', '02-08-19', '02-08-20', '138', '270', '10038');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23495', 'Yes', '02-09-19', '02-09-20', '139', '280', '10039');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23496', 'Yes', '02-10-19', '02-10-20', '140', '290', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23497', 'Yes', '02-11-19', '02-11-20', '141', '300', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23498', 'Yes', '02-12-19', '02-12-20', '142', '310', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23499', 'Yes', '2/13/2019', '2/13/2020', '143', '320', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23500', 'Yes', '2/14/2019', '2/14/2020', '144', '220', '10044');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23501', 'Yes', '2/15/2019', '2/15/2020', '145', '230', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23502', 'Yes', '2/16/2019', '2/16/2020', '146', '240', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23503', 'Yes', '2/17/2019', '2/17/2020', '147', '250', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23504', 'Yes', '2/18/2019', '2/18/2020', '148', '260', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23505', 'Yes', '2/19/2019', '2/19/2020', '149', '270', '10049');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23506', 'Yes', '2/20/2019', '2/20/2020', '150', '280', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23507', 'Yes', '2/21/2019', '2/21/2020', '151', '290', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23508', 'Yes', '2/22/2019', '2/22/2020', '152', '300', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23509', 'Yes', '2/23/2019', '2/23/2020', '153', '310', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23510', 'Yes', '2/24/2019', '2/24/2020', '154', '320', '10054');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23511', 'Yes', '2/25/2019', '2/25/2020', '155', '220', '10055');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23512', 'Yes', '2/26/2019', '2/26/2020', '156', '230', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23513', 'Yes', '2/27/2019', '2/27/2020', '157', '240', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23514', 'Yes', '2/28/2019', '2/28/2020', '158', '250', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23515', 'Yes', '03-01-19', '2/29/2020', '159', '260', '10059');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23516', 'Yes', '03-02-19', '03-01-20', '160', '270', '10060');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23517', 'Yes', '03-03-19', '03-02-20', '161', '280', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23518', 'Yes', '03-04-19', '03-03-20', '162', '290', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23519', 'Yes', '03-05-19', '03-04-20', '163', '300', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23520', 'Yes', '03-06-19', '03-05-20', '164', '310', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23521', 'Yes', '03-07-19', '03-06-20', '165', '320', '10065');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23522', 'Yes', '03-08-19', '03-07-20', '166', '220', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23523', 'Yes', '03-09-19', '03-08-20', '167', '230', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23524', 'Yes', '03-10-19', '03-09-20', '168', '240', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23525', 'Yes', '03-11-19', '03-10-20', '169', '250', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23526', 'Yes', '03-12-19', '03-11-20', '170', '260', '10070');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23527', 'Yes', '3/13/2019', '03-12-20', '171', '270', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23528', 'Yes', '3/14/2019', '3/13/2020', '172', '280', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23529', 'Yes', '3/15/2019', '3/14/2020', '173', '290', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23530', 'Yes', '3/16/2019', '3/15/2020', '174', '300', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23531', 'Yes', '3/17/2019', '3/16/2020', '175', '310', '10075');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23532', 'Yes', '3/18/2019', '3/17/2020', '176', '320', '10076');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23533', 'Yes', '3/19/2019', '3/18/2020', '177', '220', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23534', 'Yes', '3/20/2019', '3/19/2020', '178', '230', '10078');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23535', 'Yes', '3/21/2019', '3/20/2020', '179', '240', '10079');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23536', 'Yes', '3/22/2019', '3/21/2020', '180', '250', '10080');
```



```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23537', 'Yes', '3/23/2019', '3/22/2020', '181', '260', '10081');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23538', 'Yes', '3/24/2019', '3/23/2020', '182', '270', '10082');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23539', 'Yes', '3/25/2019', '3/24/2020', '183', '280', '10083');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23540', 'Yes', '3/26/2019', '3/25/2020', '184', '290', '10084');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23541', 'Yes', '3/27/2019', '3/26/2020', '185', '300', '10085');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23542', 'Yes', '3/28/2019', '3/27/2020', '186', '310', '10086');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23543', 'Yes', '3/29/2019', '3/28/2020', '187', '320', '10087');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23544', 'Yes', '3/30/2019', '3/29/2020', '188', '220', '10088');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23545', 'Yes', '3/31/2019', '3/30/2020', '189', '230', '10089');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23546', 'Yes', '04-01-19', '3/31/2020', '190', '240', '10090');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23547', 'Yes', '04-02-19', '04-01-20', '191', '250', '10091');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23548', 'Yes', '04-03-19', '04-02-20', '192', '260', '10092');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23549', 'Yes', '04-04-19', '04-03-20', '193', '270', '10093');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23550', 'Yes', '04-05-19', '04-04-20', '194', '280', '10094');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23551', 'Yes', '04-06-19', '04-05-20', '195', '290', '10095');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23552', 'Yes', '04-07-19', '04-06-20', '196', '300', '10096');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23553', 'Yes', '04-08-19', '04-07-20', '197', '310', '10097');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23554', 'Yes', '04-09-19', '04-08-20', '198', '320', '10098');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23555', 'Yes', '04-10-19', '04-09-20', '199', '220', '10099');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23556', 'Yes', '04-11-19', '04-10-20', '200', '230', '10100');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23557', 'Yes', '04-12-19', '04-11-20', '201', '240', '10101');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23558', 'Yes', '4/13/2019', '04-12-20', '202', '250', '10102');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23559', 'Yes', '4/14/2019', '4/13/2020', '203', '260', '10103');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23560', 'Yes', '4/15/2019', '4/14/2020', '204', '270', '10104');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23561', 'Yes', '4/16/2019', '4/15/2020', '205', '280', '10105');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23562', 'Yes', '4/17/2019', '4/16/2020', '206', '290', '10106');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23563', 'Yes', '4/18/2019', '4/17/2020', '207', '300', '10107');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23564', 'Yes', '4/19/2019', '4/18/2020', '208', '310', '10108');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23565', 'Yes', '4/20/2019', '4/19/2020', '209', '320', '10109');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23566', 'Yes', '4/21/2019', '4/20/2020', '210', '220', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23567', 'Yes', '4/22/2019', '4/21/2020', '211', '230', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23568', 'Yes', '4/23/2019', '4/22/2020', '212', '240', '10002');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23569', 'Yes', '4/24/2019', '4/23/2020', '213', '250', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23570', 'Yes', '4/25/2019', '4/24/2020', '214', '260', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23571', 'Yes', '4/26/2019', '4/25/2020', '215', '270', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23572', 'Yes', '4/27/2019', '4/26/2020', '216', '280', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23573', 'Yes', '4/28/2019', '4/27/2020', '217', '290', '10007');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23574', 'Yes', '4/29/2019', '4/28/2020', '218', '300', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23575', 'Yes', '4/30/2019', '4/29/2020', '219', '310', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23576', 'Yes', '05-01-19', '4/30/2020', '220', '320', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23577', 'Yes', '05-02-19', '05-01-20', '221', '220', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23578', 'Yes', '05-03-19', '05-02-20', '222', '230', '10012');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23579', 'Yes', '05-04-19', '05-03-20', '223', '240', '10013');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23580', 'Yes', '05-05-19', '05-04-20', '224', '250', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23581', 'Yes', '05-06-19', '05-05-20', '225', '260', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23582', 'Yes', '05-07-19', '05-06-20', '226', '270', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23583', 'Yes', '05-08-19', '05-07-20', '227', '280', '10017');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23584', 'Yes', '05-09-19', '05-08-20', '228', '290', '10018');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23585', 'Yes', '05-10-19', '05-09-20', '229', '300', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23586', 'Yes', '05-11-19', '05-10-20', '230', '310', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23587', 'Yes', '05-12-19', '05-11-20', '231', '320', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23588', 'Yes', '5/13/2019', '05-12-20', '232', '220', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23589', 'Yes', '5/14/2019', '5/13/2020', '233', '230', '10023');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23590', 'Yes', '5/15/2019', '5/14/2020', '234', '240', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23591', 'Yes', '5/16/2019', '5/15/2020', '235', '250', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23592', 'Yes', '5/17/2019', '5/16/2020', '236', '260', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23593', 'Yes', '5/18/2019', '5/17/2020', '237', '270', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23594', 'Yes', '5/19/2019', '5/18/2020', '238', '280', '10028');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23595', 'Yes', '5/20/2019', '5/19/2020', '239', '290', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23596', 'Yes', '5/21/2019', '5/20/2020', '240', '300', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23597', 'Yes', '5/22/2019', '5/21/2020', '241', '310', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23598', 'Yes', '5/23/2019', '5/22/2020', '242', '320', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23599', 'Yes', '5/24/2019', '5/23/2020', '243', '220', '10033');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23600', 'Yes', '5/25/2019', '5/24/2020', '244', '230', '10034');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23601', 'Yes', '5/26/2019', '5/25/2020', '245', '240', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23602', 'Yes', '5/27/2019', '5/26/2020', '246', '250', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23603', 'Yes', '5/28/2019', '5/27/2020', '247', '260', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23604', 'Yes', '5/29/2019', '5/28/2020', '248', '270', '10038');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23605', 'Yes', '5/30/2019', '5/29/2020', '249', '280', '10039');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23606', 'Yes', '5/31/2019', '5/30/2020', '250', '290', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23607', 'Yes', '06-01-19', '5/31/2020', '251', '300', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23608', 'Yes', '06-02-19', '06-01-20', '252', '310', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23609', 'Yes', '06-03-19', '06-02-20', '253', '320', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23610', 'Yes', '06-04-19', '06-03-20', '254', '220', '10044');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23611', 'Yes', '06-05-19', '06-04-20', '255', '230', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23612', 'Yes', '06-06-19', '06-05-20', '256', '240', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23613', 'Yes', '06-07-19', '06-06-20', '257', '250', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23614', 'Yes', '06-08-19', '06-07-20', '258', '260', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23615', 'Yes', '06-09-19', '06-08-20', '259', '270', '10049');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23616', 'Yes', '06-10-19', '06-09-20', '260', '280', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23617', 'Yes', '06-11-19', '06-10-20', '261', '290', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23618', 'Yes', '06-12-19', '06-11-20', '262', '300', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23619', 'Yes', '6/13/2019', '06-12-20', '263', '310', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23620', 'Yes', '6/14/2019', '6/13/2020', '264', '320', '10054');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23621', 'Yes', '6/15/2019', '6/14/2020', '265', '220', '10055');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23622', 'Yes', '6/16/2019', '6/15/2020', '266', '230', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23623', 'Yes', '6/17/2019', '6/16/2020', '267', '240', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23624', 'Yes', '6/18/2019', '6/17/2020', '268', '250', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23625', 'Yes', '6/19/2019', '6/18/2020', '269', '260', '10059');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23626', 'Yes', '6/20/2019', '6/19/2020', '270', '270', '10060');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23627', 'Yes', '6/21/2019', '6/20/2020', '271', '280', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23628', 'Yes', '6/22/2019', '6/21/2020', '272', '290', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23629', 'Yes', '6/23/2019', '6/22/2020', '273', '300', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23630', 'Yes', '6/24/2019', '6/23/2020', '274', '310', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23631', 'Yes', '6/25/2019', '6/24/2020', '275', '320', '10065');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23632', 'Yes', '6/26/2019', '6/25/2020', '276', '220', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23633', 'Yes', '6/27/2019', '6/26/2020', '277', '230', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23634', 'Yes', '6/28/2019', '6/27/2020', '278', '240', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23635', 'Yes', '6/29/2019', '6/28/2020', '279', '250', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23636', 'Yes', '6/30/2019', '6/29/2020', '280', '260', '10070');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23637', 'Yes', '07-01-19', '6/30/2020', '281', '270', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23638', 'Yes', '07-02-19', '07-01-20', '282', '280', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23639', 'Yes', '07-03-19', '07-02-20', '283', '290', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23640', 'Yes', '07-04-19', '07-03-20', '284', '300', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23641', 'Yes', '07-05-19', '07-04-20', '285', '310', '10075');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23642', 'Yes', '07-06-19', '07-05-20', '286', '320', '10076');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23643', 'Yes', '07-07-19', '07-06-20', '287', '220', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23644', 'Yes', '07-08-19', '07-07-20', '288', '230', '10078');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23645', 'Yes', '07-09-19', '07-08-20', '289', '240', '10079');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23646', 'Yes', '07-10-19', '07-09-20', '290', '250', '10080');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23647', 'Yes', '07-11-19', '07-10-20', '291', '260', '10081');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23648', 'Yes', '07-12-19', '07-11-20', '292', '270', '10082');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23649', 'Yes', '7/13/2019', '07-12-20', '293', '280', '10083');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23650', 'Yes', '7/14/2019', '7/13/2020', '294', '290', '10084');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23651', 'Yes', '7/15/2019', '7/14/2020', '295', '300', '10085');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23652', 'Yes', '7/16/2019', '7/15/2020', '296', '310', '10086');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23653', 'Yes', '7/17/2019', '7/16/2020', '297', '320', '10087');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23654', 'Yes', '7/18/2019', '7/17/2020', '298', '220', '10088');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23655', 'Yes', '7/19/2019', '7/18/2020', '299', '220', '10089');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23656', 'Yes', '7/20/2019', '7/19/2020', '300', '230', '10090');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23657', 'Yes', '7/21/2019', '7/20/2020', '301', '240', '10091');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23658', 'Yes', '7/22/2019', '7/21/2020', '302', '250', '10092');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23659', 'Yes', '7/23/2019', '7/22/2020', '303', '260', '10093');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23660', 'Yes', '7/24/2019', '7/23/2020', '304', '270', '10094');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23661', 'Yes', '7/25/2019', '7/24/2020', '305', '280', '10095');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23662', 'Yes', '7/26/2019', '7/25/2020', '306', '290', '10096');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23663', 'Yes', '7/27/2019', '7/26/2020', '307', '300', '10097');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23664', 'Yes', '7/28/2019', '7/27/2020', '308', '310', '10098');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23665', 'Yes', '7/29/2019', '7/28/2020', '309', '320', '10099');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23666', 'Yes', '7/30/2019', '7/29/2020', '310', '220', '10100');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23667', 'Yes', '7/31/2019', '7/30/2020', '311', '230', '10101');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23668', 'Yes', '08-01-19', '7/31/2020', '312', '240', '10102');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23669', 'Yes', '08-02-19', '08-01-20', '313', '250', '10103');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23670', 'Yes', '08-03-19', '08-02-20', '314', '260', '10104');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23671', 'Yes', '08-04-19', '08-03-20', '315', '270', '10105');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23672', 'Yes', '08-05-19', '08-04-20', '316', '280', '10106');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23673', 'Yes', '08-06-19', '08-05-20', '317', '290', '10107');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23674', 'Yes', '08-07-19', '08-06-20', '318', '300', '10108');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23675', 'Yes', '08-08-19', '08-07-20', '319', '310', '10109');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23676', 'Yes', '08-09-19', '08-08-20', '320', '320', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23677', 'Yes', '08-10-19', '08-09-20', '321', '220', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23678', 'Yes', '08-11-19', '08-10-20', '322', '230', '10002');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23679', 'Yes', '08-12-19', '08-11-20', '323', '240', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23680', 'Yes', '8/13/2019', '08-12-20', '324', '250', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23681', 'Yes', '8/14/2019', '8/13/2020', '325', '260', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23682', 'Yes', '8/15/2019', '8/14/2020', '326', '270', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23683', 'Yes', '8/16/2019', '8/15/2020', '327', '280', '10007');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23684', 'Yes', '8/17/2019', '8/16/2020', '328', '290', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23685', 'Yes', '8/18/2019', '8/17/2020', '329', '300', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23686', 'Yes', '8/19/2019', '8/18/2020', '330', '310', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23687', 'Yes', '8/20/2019', '8/19/2020', '331', '320', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23688', 'Yes', '8/21/2019', '8/20/2020', '332', '220', '10012');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23689', 'Yes', '8/22/2019', '8/21/2020', '333', '230', '10013');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23690', 'Yes', '8/23/2019', '8/22/2020', '334', '240', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23691', 'Yes', '8/24/2019', '8/23/2020', '335', '250', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23692', 'Yes', '8/25/2019', '8/24/2020', '336', '260', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23693', 'Yes', '8/26/2019', '8/25/2020', '337', '270', '10017');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23694', 'Yes', '8/27/2019', '8/26/2020', '338', '280', '10018');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23695', 'Yes', '8/28/2019', '8/27/2020', '339', '290', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23696', 'Yes', '8/29/2019', '8/28/2020', '340', '300', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23697', 'Yes', '8/30/2019', '8/29/2020', '341', '310', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23698', 'Yes', '8/31/2019', '8/30/2020', '342', '320', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23699', 'Yes', '09-01-19', '8/31/2020', '343', '220', '10023');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23700', 'Yes', '09-02-19', '09-01-20', '344', '230', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23701', 'Yes', '09-03-19', '09-02-20', '345', '240', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23702', 'Yes', '09-04-19', '09-03-20', '346', '250', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23703', 'Yes', '09-05-19', '09-04-20', '347', '260', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23704', 'Yes', '09-06-19', '09-05-20', '348', '270', '10028');
```



```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23705', 'Yes', '09-07-19', '09-06-20', '349', '280', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23706', 'Yes', '09-08-19', '09-07-20', '350', '290', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23707', 'Yes', '09-09-19', '09-08-20', '351', '300', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23708', 'Yes', '09-10-19', '09-09-20', '352', '310', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23709', 'Yes', '09-11-19', '09-10-20', '353', '320', '10033');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23710', 'Yes', '09-12-19', '09-11-20', '354', '220', '10034');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23711', 'Yes', '9/13/2019', '09-12-20', '355', '230', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23712', 'Yes', '9/14/2019', '9/13/2020', '356', '240', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23713', 'Yes', '9/15/2019', '9/14/2020', '357', '250', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23714', 'Yes', '9/16/2019', '9/15/2020', '358', '260', '10038');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23715', 'Yes', '9/17/2019', '9/16/2020', '359', '270', '10039');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23716', 'Yes', '9/18/2019', '9/17/2020', '360', '280', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23717', 'Yes', '9/19/2019', '9/18/2020', '361', '290', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23718', 'Yes', '9/20/2019', '9/19/2020', '362', '300', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23719', 'Yes', '9/21/2019', '9/20/2020', '363', '310', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23720', 'Yes', '9/22/2019', '9/21/2020', '364', '320', '10044');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23721', 'Yes', '9/23/2019', '9/22/2020', '365', '220', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23722', 'Yes', '9/24/2019', '9/23/2020', '366', '230', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23723', 'Yes', '9/25/2019', '9/24/2020', '367', '240', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23724', 'Yes', '9/26/2019', '9/25/2020', '368', '250', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23725', 'Yes', '9/27/2019', '9/26/2020', '369', '260', '10049');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23726', 'Yes', '9/28/2019', '9/27/2020', '370', '270', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23727', 'Yes', '9/29/2019', '9/28/2020', '371', '280', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23728', 'Yes', '9/30/2019', '9/29/2020', '372', '290', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23729', 'Yes', '10-01-19', '9/30/2020', '373', '300', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23730', 'Yes', '10-02-19', '10-01-20', '374', '310', '10054');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23731', 'Yes', '10-03-19', '10-02-20', '375', '320', '10055');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23732', 'Yes', '10-04-19', '10-03-20', '376', '220', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23733', 'Yes', '10-05-19', '10-04-20', '377', '230', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23734', 'Yes', '10-06-19', '10-05-20', '378', '240', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23735', 'Yes', '10-07-19', '10-06-20', '379', '250', '10059');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23736', 'Yes', '10-08-19', '10-07-20', '380', '260', '10060');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23737', 'Yes', '10-09-19', '10-08-20', '381', '270', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23738', 'Yes', '10-10-19', '10-09-20', '382', '280', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23739', 'Yes', '10-11-19', '10-10-20', '383', '290', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23740', 'Yes', '10-12-19', '10-11-20', '384', '300', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23741', 'Yes', '10/13/2019', '10-12-20', '385', '310', '10065');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23742', 'Yes', '10/14/2019', '10/13/2020', '386', '320', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23743', 'Yes', '10/15/2019', '10/14/2020', '387', '220', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23744', 'Yes', '10/16/2019', '10/15/2020', '388', '220', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23745', 'Yes', '10/17/2019', '10/16/2020', '389', '230', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23746', 'Yes', '10/18/2019', '10/17/2020', '390', '240', '10070');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23747', 'Yes', '10/19/2019', '10/18/2020', '391', '250', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23748', 'Yes', '10/20/2019', '10/19/2020', '392', '260', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23749', 'Yes', '10/21/2019', '10/20/2020', '393', '270', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23750', 'Yes', '10/22/2019', '10/21/2020', '394', '280', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23751', 'Yes', '10/23/2019', '10/22/2020', '395', '290', '10075');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23752', 'Yes', '10/24/2019', '10/23/2020', '396', '300', '10076');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23753', 'Yes', '10/25/2019', '10/24/2020', '397', '310', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23754', 'Yes', '10/26/2019', '10/25/2020', '398', '320', '10078');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23755', 'Yes', '10/27/2019', '10/26/2020', '399', '220', '10079');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23756', 'Yes', '10/28/2019', '10/27/2020', '400', '230', '10080');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23757', 'Yes', '10/29/2019', '10/28/2020', '401', '240', '10081');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23758', 'Yes', '10/30/2019', '10/29/2020', '402', '250', '10082');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23759', 'Yes', '10/31/2019', '10/30/2020', '403', '260', '10083');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23760', 'Yes', '11-01-19', '10/31/2020', '404', '270', '10084');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23761', 'Yes', '11-02-19', '11-01-20', '405', '280', '10085');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23762', 'Yes', '11-03-19', '11-02-20', '406', '290', '10086');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23763', 'Yes', '11-04-19', '11-03-20', '407', '300', '10087');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23764', 'Yes', '11-05-19', '11-04-20', '408', '310', '10088');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23765', 'Yes', '11-06-19', '11-05-20', '409', '320', '10089');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23766', 'Yes', '11-07-19', '11-06-20', '410', '220', '10090');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23767', 'Yes', '11-08-19', '11-07-20', '411', '230', '10091');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23768', 'Yes', '11-09-19', '11-08-20', '412', '240', '10092');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23769', 'Yes', '11-10-19', '11-09-20', '413', '250', '10093');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23770', 'Yes', '11-11-19', '11-10-20', '414', '260', '10094');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23771', 'Yes', '11-12-19', '11-11-20', '415', '270', '10095');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23772', 'Yes', '11/13/2019', '11-12-20', '416', '280', '10096');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23773', 'Yes', '11/14/2019', '11/13/2020', '417', '290', '10097');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23774', 'Yes', '11/15/2019', '11/14/2020', '418', '300', '10098');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23775', 'Yes', '11/16/2019', '11/15/2020', '419', '310', '10099');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23776', 'Yes', '11/17/2019', '11/16/2020', '420', '320', '10100');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23777', 'Yes', '11/18/2019', '11/17/2020', '421', '220', '10101');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23778', 'Yes', '11/19/2019', '11/18/2020', '422', '230', '10102');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23779', 'Yes', '11/20/2019', '11/19/2020', '423', '240', '10103');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23780', 'Yes', '11/21/2019', '11/20/2020', '424', '250', '10104');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23781', 'Yes', '11/22/2019', '11/21/2020', '425', '260', '10105');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23782', 'Yes', '11/23/2019', '11/22/2020', '426', '270', '10106');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23783', 'Yes', '11/24/2019', '11/23/2020', '427', '280', '10107');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23784', 'Yes', '11/25/2019', '11/24/2020', '428', '290', '10108');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23785', 'Yes', '11/26/2019', '11/25/2020', '429', '300', '10109');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23786', 'Yes', '11/27/2019', '11/26/2020', '430', '310', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23787', 'Yes', '11/28/2019', '11/27/2020', '431', '320', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23788', 'Yes', '11/29/2019', '11/28/2020', '432', '220', '10002');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23789', 'Yes', '11/30/2019', '11/29/2020', '433', '230', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23790', 'Yes', '12-01-19', '11/30/2020', '434', '240', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23791', 'Yes', '12-02-19', '12-01-20', '435', '250', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23792', 'Yes', '12-03-19', '12-02-20', '436', '260', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23793', 'Yes', '12-04-19', '12-03-20', '437', '270', '10007');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23794', 'Yes', '12-05-19', '12-04-20', '438', '280', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23795', 'Yes', '12-06-19', '12-05-20', '439', '290', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23796', 'Yes', '12-07-19', '12-06-20', '440', '300', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23797', 'Yes', '12-08-19', '12-07-20', '441', '310', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23798', 'Yes', '12-09-19', '12-08-20', '442', '320', '10012');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23799', 'Yes', '12-10-19', '12-09-20', '443', '220', '10013');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23800', 'Yes', '12-11-19', '12-10-20', '444', '230', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23801', 'Yes', '12-12-19', '12-11-20', '445', '240', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23802', 'Yes', '12/13/2019', '12-12-20', '446', '250', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23803', 'Yes', '12/14/2019', '12/13/2020', '447', '260', '10017');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23804', 'Yes', '12/15/2019', '12/14/2020', '448', '270', '10018');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23805', 'Yes', '12/16/2019', '12/15/2020', '449', '280', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23806', 'Yes', '12/17/2019', '12/16/2020', '450', '290', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23807', 'Yes', '12/18/2019', '12/17/2020', '451', '300', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23808', 'Yes', '12/19/2019', '12/18/2020', '452', '310', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23809', 'Yes', '12/20/2019', '12/19/2020', '453', '320', '10023');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23810', 'Yes', '12/21/2019', '12/20/2020', '454', '220', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23811', 'Yes', '12/22/2019', '12/21/2020', '455', '230', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23812', 'Yes', '12/23/2019', '12/22/2020', '456', '240', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23813', 'Yes', '12/24/2019', '12/23/2020', '457', '250', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23814', 'Yes', '12/25/2019', '12/24/2020', '458', '260', '10028');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23815', 'No', '42736', '2/15/2018', '459', '270', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23816', 'No', '42767', '2/16/2018', '460', '280', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23817', 'No', '42795', '2/17/2018', '461', '290', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23818', 'No', '42826', '2/18/2018', '462', '300', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23819', 'No', '42856', '2/19/2018', '463', '310', '10033');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23820', 'No', '42887', '2/20/2018', '464', '320', '10034');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23821', 'No', '01-07-17', '2/21/2018', '465', '220', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23822', 'No', '01-08-17', '2/22/2018', '466', '230', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23823', 'No', '01-09-17', '2/23/2018', '467', '240', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23824', 'No', '01-10-17', '2/24/2018', '468', '250', '10038');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23825', 'No', '01-11-17', '2/25/2018', '469', '260', '10039');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23826', 'No', '01-12-17', '2/26/2018', '470', '270', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23827', 'No', '1/13/2017', '2/27/2018', '471', '280', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23828', 'No', '1/14/2017', '2/28/2018', '472', '290', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23829', 'No', '1/15/2017', '03-01-18', '473', '300', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23830', 'No', '1/16/2017', '03-02-18', '474', '310', '10044');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23831', 'No', '1/17/2017', '03-03-18', '475', '320', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23832', 'No', '1/18/2017', '03-04-18', '476', '220', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23833', 'No', '1/19/2017', '03-05-18', '477', '220', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23834', 'No', '1/20/2017', '43254', '478', '230', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23835', 'No', '1/21/2017', '43284', '479', '240', '10049');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23836', 'No', '1/22/2017', '43315', '480', '250', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23837', 'No', '1/23/2017', '43346', '481', '260', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23838', 'No', '1/24/2017', '43376', '482', '270', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23839', 'No', '1/25/2017', '43407', '483', '280', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23840', 'No', '1/26/2017', '43437', '484', '290', '10054');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23841', 'No', '1/27/2017', '3/13/2018', '485', '300', '10055');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23842', 'No', '1/28/2017', '3/14/2018', '486', '310', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23843', 'No', '1/29/2017', '3/15/2018', '487', '320', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23844', 'No', '1/30/2017', '3/16/2018', '488', '220', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23845', 'No', '1/31/2017', '3/17/2018', '489', '230', '10059');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23846', 'No', '42737', '3/18/2018', '490', '240', '10060');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23847', 'No', '42768', '3/19/2018', '491', '250', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23848', 'No', '42796', '3/20/2018', '492', '260', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23849', 'No', '42827', '3/21/2018', '493', '270', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23850', 'No', '42857', '3/22/2018', '494', '280', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23851', 'No', '42888', '3/23/2018', '495', '290', '10065');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23852', 'No', '02-07-17', '3/24/2018', '496', '300', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23853', 'No', '02-08-17', '3/25/2018', '497', '310', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23854', 'No', '02-09-17', '3/26/2018', '498', '320', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23855', 'No', '02-10-17', '3/27/2018', '499', '220', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23856', 'No', '02-11-17', '3/28/2018', '500', '230', '10070');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23857', 'No', '02-12-17', '3/29/2018', '501', '240', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23858', 'No', '2/13/2017', '3/30/2018', '502', '250', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23859', 'No', '2/14/2017', '3/31/2018', '503', '260', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23860', 'No', '2/15/2017', '04-01-18', '504', '270', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23861', 'No', '2/16/2017', '04-02-18', '505', '280', '10075');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23862', 'No', '2/17/2017', '04-03-18', '506', '290', '10076');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23863', 'No', '2/18/2017', '04-04-18', '507', '300', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23864', 'No', '2/19/2017', '04-05-18', '508', '310', '10078');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23865', 'No', '01-01-17', '2/15/2018', '100', '220', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23866', 'No', '01-02-17', '2/16/2018', '101', '230', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23867', 'No', '01-03-17', '2/17/2018', '102', '240', '10002');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23868', 'No', '01-04-17', '2/18/2018', '103', '250', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23869', 'No', '01-05-17', '2/19/2018', '104', '260', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23870', 'No', '01-06-17', '2/20/2018', '105', '270', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23871', 'No', '01-07-17', '2/21/2018', '106', '280', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23872', 'No', '01-08-17', '2/22/2018', '107', '290', '10007');
```



```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23873', 'No', '01-09-17', '2/23/2018', '108', '300', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23874', 'No', '01-10-17', '2/24/2018', '109', '310', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23875', 'No', '01-11-17', '2/25/2018', '110', '320', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23876', 'No', '01-12-17', '2/26/2018', '111', '220', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23877', 'No', '1/13/2017', '2/27/2018', '112', '230', '10012');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23878', 'No', '1/14/2017', '2/28/2018', '113', '240', '10013');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23879', 'No', '1/15/2017', '03-01-18', '114', '250', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23880', 'No', '1/16/2017', '03-02-18', '115', '260', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23881', 'No', '1/17/2017', '03-03-18', '116', '270', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23882', 'No', '1/18/2017', '03-04-18', '117', '280', '10017');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23883', 'No', '1/19/2017', '03-05-18', '118', '290', '10018');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23884', 'No', '1/20/2017', '03-06-18', '119', '300', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23885', 'No', '1/21/2017', '03-07-18', '120', '310', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23886', 'No', '1/22/2017', '03-08-18', '121', '320', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23887', 'No', '1/23/2017', '03-09-18', '122', '220', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23888', 'No', '1/24/2017', '03-10-18', '123', '230', '10023');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23889', 'No', '1/25/2017', '03-11-18', '124', '240', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23890', 'No', '1/26/2017', '03-12-18', '125', '250', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23891', 'No', '1/27/2017', '3/13/2018', '126', '260', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23892', 'No', '1/28/2017', '3/14/2018', '127', '270', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23893', 'No', '1/29/2017', '3/15/2018', '128', '280', '10028');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23894', 'No', '1/30/2017', '3/16/2018', '129', '290', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23895', 'No', '1/31/2017', '3/17/2018', '130', '300', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23896', 'No', '02-01-17', '3/18/2018', '131', '310', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23897', 'No', '02-02-17', '3/19/2018', '132', '320', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23898', 'No', '02-03-17', '3/20/2018', '133', '220', '10033');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23899', 'No', '02-04-17', '3/21/2018', '134', '230', '10034');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23900', 'No', '02-05-17', '3/22/2018', '135', '240', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23901', 'No', '02-06-17', '3/23/2018', '136', '250', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23902', 'No', '02-07-17', '3/24/2018', '137', '260', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23903', 'No', '02-08-17', '3/25/2018', '138', '270', '10038');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23904', 'No', '02-09-17', '3/26/2018', '139', '280', '10039');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23905', 'No', '02-10-17', '3/27/2018', '140', '290', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23906', 'No', '02-11-17', '3/28/2018', '141', '300', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23907', 'No', '02-12-17', '3/29/2018', '142', '310', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23908', 'No', '2/13/2017', '3/30/2018', '143', '320', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23909', 'No', '2/14/2017', '3/31/2018', '144', '220', '10044');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23910', 'No', '2/15/2017', '04-01-18', '145', '230', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23911', 'No', '2/16/2017', '04-02-18', '146', '240', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23912', 'No', '2/17/2017', '04-03-18', '147', '250', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23913', 'No', '2/18/2017', '04-04-18', '148', '260', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23914', 'No', '2/19/2017', '04-05-18', '149', '270', '10049');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23915', 'No', '2/20/2017', '04-06-18', '150', '280', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23916', 'No', '2/21/2017', '04-07-18', '151', '290', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23917', 'No', '2/22/2017', '04-08-18', '152', '300', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23918', 'No', '2/23/2017', '04-09-18', '153', '310', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23919', 'No', '2/24/2017', '04-10-18', '154', '320', '10054');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23920', 'No', '2/25/2017', '04-11-18', '155', '220', '10055');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23921', 'No', '2/26/2017', '04-12-18', '156', '230', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23922', 'No', '2/27/2017', '4/13/2018', '157', '240', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23923', 'No', '2/28/2017', '4/14/2018', '158', '250', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23924', 'No', '03-01-17', '4/15/2018', '159', '260', '10059');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23925', 'No', '03-02-17', '4/16/2018', '160', '270', '10060');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23926', 'No', '03-03-17', '4/17/2018', '161', '280', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23927', 'No', '03-04-17', '4/18/2018', '162', '290', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23928', 'No', '03-05-17', '4/19/2018', '163', '300', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23929', 'No', '03-06-17', '4/20/2018', '164', '310', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23930', 'No', '03-07-17', '4/21/2018', '165', '320', '10065');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23931', 'No', '03-08-17', '4/22/2018', '166', '220', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23932', 'No', '03-09-17', '4/23/2018', '167', '230', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23933', 'No', '03-10-17', '4/24/2018', '168', '240', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23934', 'No', '03-11-17', '4/25/2018', '169', '250', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23935', 'No', '03-12-17', '4/26/2018', '170', '260', '10070');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23936', 'No', '3/13/2017', '4/27/2018', '171', '270', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23937', 'No', '3/14/2017', '4/28/2018', '172', '280', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23938', 'No', '3/15/2017', '4/29/2018', '173', '290', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23939', 'No', '3/16/2017', '4/30/2018', '174', '300', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23940', 'No', '3/17/2017', '05-01-18', '175', '310', '10075');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23941', 'No', '3/18/2017', '05-02-18', '176', '320', '10076');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23942', 'No', '3/19/2017', '05-03-18', '177', '220', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23943', 'No', '3/20/2017', '05-04-18', '178', '230', '10078');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23944', 'No', '3/21/2017', '05-05-18', '179', '240', '10079');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23945', 'No', '3/22/2017', '05-06-18', '180', '250', '10080');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23946', 'No', '3/23/2017', '05-07-18', '181', '260', '10081');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23947', 'No', '3/24/2017', '05-08-18', '182', '270', '10082');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23948', 'No', '3/25/2017', '05-09-18', '183', '280', '10083');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23949', 'No', '3/26/2017', '05-10-18', '184', '290', '10084');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23950', 'No', '3/27/2017', '05-11-18', '185', '300', '10085');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23951', 'No', '3/28/2017', '05-12-18', '186', '310', '10086');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23952', 'No', '3/29/2017', '5/13/2018', '187', '320', '10087');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23953', 'No', '3/30/2017', '5/14/2018', '188', '220', '10088');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23954', 'No', '3/31/2017', '5/15/2018', '189', '230', '10089');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23955', 'No', '04-01-17', '5/16/2018', '190', '240', '10090');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23956', 'No', '04-02-17', '5/17/2018', '191', '250', '10091');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23957', 'No', '04-03-17', '5/18/2018', '192', '260', '10092');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23958', 'No', '04-04-17', '5/19/2018', '193', '270', '10093');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23959', 'No', '04-05-17', '5/20/2018', '194', '280', '10094');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23960', 'No', '04-06-17', '5/21/2018', '195', '290', '10095');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23961', 'No', '04-07-17', '5/22/2018', '196', '300', '10096');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23962', 'No', '04-08-17', '5/23/2018', '197', '310', '10097');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23963', 'No', '04-09-17', '5/24/2018', '198', '320', '10098');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23964', 'No', '04-10-17', '5/25/2018', '199', '220', '10099');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23965', 'No', '04-11-17', '5/26/2018', '200', '230', '10100');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23966', 'No', '04-12-17', '5/27/2018', '201', '240', '10101');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23967', 'No', '4/13/2017', '5/28/2018', '202', '250', '10102');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23968', 'No', '4/14/2017', '5/29/2018', '203', '260', '10103');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23969', 'No', '4/15/2017', '5/30/2018', '204', '270', '10104');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23970', 'No', '4/16/2017', '5/31/2018', '205', '280', '10105');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23971', 'No', '4/17/2017', '06-01-18', '206', '290', '10106');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23972', 'No', '4/18/2017', '06-02-18', '207', '300', '10107');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23973', 'No', '4/19/2017', '06-03-18', '208', '310', '10108');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23974', 'No', '4/20/2017', '06-04-18', '209', '320', '10109');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23975', 'No', '4/21/2017', '06-05-18', '210', '220', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23976', 'No', '4/22/2017', '06-06-18', '211', '230', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23977', 'No', '4/23/2017', '06-07-18', '212', '240', '10002');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23978', 'No', '4/24/2017', '06-08-18', '213', '250', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23979', 'No', '4/25/2017', '06-09-18', '214', '260', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23980', 'No', '4/26/2017', '06-10-18', '215', '270', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23981', 'No', '4/27/2017', '06-11-18', '216', '280', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23982', 'No', '4/28/2017', '06-12-18', '217', '290', '10007');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23983', 'No', '4/29/2017', '6/13/2018', '218', '300', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23984', 'No', '4/30/2017', '6/14/2018', '219', '310', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23985', 'No', '05-01-17', '6/15/2018', '220', '320', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23986', 'No', '05-02-17', '6/16/2018', '221', '220', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23987', 'No', '05-03-17', '6/17/2018', '222', '230', '10012');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23988', 'No', '05-04-17', '6/18/2018', '223', '240', '10013');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23989', 'No', '05-05-17', '6/19/2018', '224', '250', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23990', 'No', '05-06-17', '6/20/2018', '225', '260', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23991', 'No', '05-07-17', '6/21/2018', '226', '270', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23992', 'No', '05-08-17', '6/22/2018', '227', '280', '10017');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23993', 'No', '05-09-17', '6/23/2018', '228', '290', '10018');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23994', 'No', '05-10-17', '6/24/2018', '229', '300', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23995', 'No', '05-11-17', '6/25/2018', '230', '310', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23996', 'No', '05-12-17', '6/26/2018', '231', '320', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23997', 'No', '5/13/2017', '6/27/2018', '232', '220', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23998', 'No', '5/14/2017', '6/28/2018', '233', '230', '10023');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('23999', 'No', '5/15/2017', '6/29/2018', '234', '240', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24000', 'No', '5/16/2017', '6/30/2018', '235', '250', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24001', 'No', '5/17/2017', '07-01-18', '236', '260', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24002', 'No', '5/18/2017', '07-02-18', '237', '270', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24003', 'No', '5/19/2017', '07-03-18', '238', '280', '10028');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24004', 'No', '5/20/2017', '07-04-18', '239', '290', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24005', 'No', '5/21/2017', '07-05-18', '240', '300', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24006', 'No', '5/22/2017', '07-06-18', '241', '310', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24007', 'No', '5/23/2017', '07-07-18', '242', '320', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24008', 'No', '5/24/2017', '07-08-18', '243', '220', '10033');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24009', 'No', '5/25/2017', '07-09-18', '244', '230', '10034');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24010', 'No', '5/26/2017', '07-10-18', '245', '240', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24011', 'No', '5/27/2017', '07-11-18', '246', '250', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24012', 'No', '5/28/2017', '07-12-18', '247', '260', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24013', 'No', '5/29/2017', '7/13/2018', '248', '270', '10038');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24014', 'No', '5/30/2017', '7/14/2018', '249', '280', '10039');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24015', 'No', '5/31/2017', '7/15/2018', '250', '290', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24016', 'No', '06-01-17', '7/16/2018', '251', '300', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24017', 'No', '06-02-17', '7/17/2018', '252', '310', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24018', 'No', '06-03-17', '7/18/2018', '253', '320', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24019', 'No', '06-04-17', '7/19/2018', '254', '220', '10044');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24020', 'No', '06-05-17', '7/20/2018', '255', '230', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24021', 'No', '06-06-17', '7/21/2018', '256', '240', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24022', 'No', '06-07-17', '7/22/2018', '257', '250', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24023', 'No', '06-08-17', '7/23/2018', '258', '260', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24024', 'No', '06-09-17', '7/24/2018', '259', '270', '10049');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24025', 'No', '06-10-17', '7/25/2018', '260', '280', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24026', 'No', '06-11-17', '7/26/2018', '261', '290', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24027', 'No', '06-12-17', '7/27/2018', '262', '300', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24028', 'No', '6/13/2017', '7/28/2018', '263', '310', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24029', 'No', '6/14/2017', '7/29/2018', '264', '320', '10054');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24030', 'No', '6/15/2017', '7/30/2018', '265', '220', '10055');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24031', 'No', '6/16/2017', '7/31/2018', '266', '230', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24032', 'No', '6/17/2017', '08-01-18', '267', '240', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24033', 'No', '6/18/2017', '08-02-18', '268', '250', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24034', 'No', '6/19/2017', '08-03-18', '269', '260', '10059');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24035', 'No', '6/20/2017', '08-04-18', '270', '270', '10060');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24036', 'No', '6/21/2017', '08-05-18', '271', '280', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24037', 'No', '6/22/2017', '08-06-18', '272', '290', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24038', 'No', '6/23/2017', '08-07-18', '273', '300', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24039', 'No', '6/24/2017', '08-08-18', '274', '310', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24040', 'No', '6/25/2017', '08-09-18', '275', '320', '10065');
```



```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24041', 'No', '6/26/2017', '08-10-18', '276', '220', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24042', 'No', '6/27/2017', '08-11-18', '277', '230', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24043', 'No', '6/28/2017', '08-12-18', '278', '240', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24044', 'No', '6/29/2017', '8/13/2018', '279', '250', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24045', 'No', '6/30/2017', '8/14/2018', '280', '260', '10070');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24046', 'No', '07-01-17', '8/15/2018', '281', '270', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24047', 'No', '07-02-17', '8/16/2018', '282', '280', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24048', 'No', '07-03-17', '8/17/2018', '283', '290', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24049', 'No', '07-04-17', '8/18/2018', '284', '300', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24050', 'No', '07-05-17', '8/19/2018', '285', '310', '10075');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24051', 'No', '07-06-17', '8/20/2018', '286', '320', '10076');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24052', 'No', '07-07-17', '8/21/2018', '287', '220', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24053', 'No', '07-08-17', '8/22/2018', '288', '230', '10078');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24054', 'No', '07-09-17', '8/23/2018', '289', '240', '10079');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24055', 'No', '07-10-17', '8/24/2018', '290', '250', '10080');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24056', 'No', '07-11-17', '8/25/2018', '291', '260', '10081');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24057', 'No', '07-12-17', '8/26/2018', '292', '270', '10082');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24058', 'No', '7/13/2017', '8/27/2018', '293', '280', '10083');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24059', 'No', '7/14/2017', '8/28/2018', '294', '290', '10084');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24060', 'No', '7/15/2017', '8/29/2018', '295', '300', '10085');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24061', 'No', '7/16/2017', '8/30/2018', '296', '310', '10086');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24062', 'No', '7/17/2017', '8/31/2018', '297', '320', '10087');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24063', 'No', '7/18/2017', '09-01-18', '298', '220', '10088');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24064', 'No', '7/19/2017', '09-02-18', '299', '220', '10089');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24065', 'No', '7/20/2017', '09-03-18', '300', '230', '10090');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24066', 'No', '7/21/2017', '09-04-18', '301', '240', '10091');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24067', 'No', '7/22/2017', '09-05-18', '302', '250', '10092');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24068', 'No', '7/23/2017', '09-06-18', '303', '260', '10093');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24069', 'No', '7/24/2017', '09-07-18', '304', '270', '10094');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24070', 'No', '7/25/2017', '09-08-18', '305', '280', '10095');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24071', 'No', '7/26/2017', '09-09-18', '306', '290', '10096');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24072', 'No', '7/27/2017', '09-10-18', '307', '300', '10097');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24073', 'No', '7/28/2017', '09-11-18', '308', '310', '10098');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24074', 'No', '7/29/2017', '09-12-18', '309', '320', '10099');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24075', 'No', '7/30/2017', '9/13/2018', '310', '220', '10100');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24076', 'No', '7/31/2017', '9/14/2018', '311', '230', '10101');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24077', 'No', '08-01-17', '9/15/2018', '312', '240', '10102');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24078', 'No', '08-02-17', '9/16/2018', '313', '250', '10103');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24079', 'No', '08-03-17', '9/17/2018', '314', '260', '10104');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24080', 'No', '08-04-17', '9/18/2018', '315', '270', '10105');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24081', 'No', '08-05-17', '9/19/2018', '316', '280', '10106');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24082', 'No', '08-06-17', '9/20/2018', '317', '290', '10107');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24083', 'No', '08-07-17', '9/21/2018', '318', '300', '10108');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24084', 'No', '08-08-17', '9/22/2018', '319', '310', '10109');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24085', 'No', '08-09-17', '9/23/2018', '320', '320', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24086', 'No', '08-10-17', '9/24/2018', '321', '220', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24087', 'No', '08-11-17', '9/25/2018', '322', '230', '10002');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24088', 'No', '08-12-17', '9/26/2018', '323', '240', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24089', 'No', '8/13/2017', '9/27/2018', '324', '250', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24090', 'No', '8/14/2017', '9/28/2018', '325', '260', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24091', 'No', '8/15/2017', '9/29/2018', '326', '270', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24092', 'No', '8/16/2017', '9/30/2018', '327', '280', '10007');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24093', 'No', '8/17/2017', '10-01-18', '328', '290', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24094', 'No', '8/18/2017', '10-02-18', '329', '300', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24095', 'No', '8/19/2017', '10-03-18', '330', '310', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24096', 'No', '8/20/2017', '10-04-18', '331', '320', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24097', 'No', '8/21/2017', '10-05-18', '332', '220', '10012');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24098', 'No', '8/22/2017', '10-06-18', '333', '230', '10013');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24099', 'No', '8/23/2017', '10-07-18', '334', '240', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24100', 'No', '8/24/2017', '10-08-18', '335', '250', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24101', 'No', '8/25/2017', '10-09-18', '336', '260', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24102', 'No', '8/26/2017', '10-10-18', '337', '270', '10017');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24103', 'No', '8/27/2017', '10-11-18', '338', '280', '10018');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24104', 'No', '8/28/2017', '10-12-18', '339', '290', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24105', 'No', '8/29/2017', '10/13/2018', '340', '300', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24106', 'No', '8/30/2017', '10/14/2018', '341', '310', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24107', 'No', '8/31/2017', '10/15/2018', '342', '320', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24108', 'No', '09-01-17', '10/16/2018', '343', '220', '10023');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24109', 'No', '09-02-17', '10/17/2018', '344', '230', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24110', 'No', '09-03-17', '10/18/2018', '345', '240', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24111', 'No', '09-04-17', '10/19/2018', '346', '250', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24112', 'No', '09-05-17', '10/20/2018', '347', '260', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24113', 'No', '09-06-17', '10/21/2018', '348', '270', '10028');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24114', 'No', '09-07-17', '10/22/2018', '349', '280', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24115', 'No', '09-08-17', '10/23/2018', '350', '290', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24116', 'No', '09-09-17', '10/24/2018', '351', '300', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24117', 'No', '09-10-17', '10/25/2018', '352', '310', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24118', 'No', '09-11-17', '10/26/2018', '353', '320', '10033');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24119', 'No', '09-12-17', '10/27/2018', '354', '220', '10034');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24120', 'No', '9/13/2017', '10/28/2018', '355', '230', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24121', 'No', '9/14/2017', '10/29/2018', '356', '240', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24122', 'No', '9/15/2017', '10/30/2018', '357', '250', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24123', 'No', '9/16/2017', '10/31/2018', '358', '260', '10038');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24124', 'No', '9/17/2017', '11-01-18', '359', '270', '10039');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24125', 'No', '9/18/2017', '11-02-18', '360', '280', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24126', 'No', '9/19/2017', '11-03-18', '361', '290', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24127', 'No', '9/20/2017', '11-04-18', '362', '300', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24128', 'No', '9/21/2017', '11-05-18', '363', '310', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24129', 'No', '9/22/2017', '11-06-18', '364', '320', '10044');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24130', 'No', '9/23/2017', '11-07-18', '365', '220', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24131', 'No', '9/24/2017', '11-08-18', '366', '230', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24132', 'No', '9/25/2017', '11-09-18', '367', '240', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24133', 'No', '9/26/2017', '11-10-18', '368', '250', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24134', 'No', '9/27/2017', '11-11-18', '369', '260', '10049');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24135', 'No', '9/28/2017', '11-12-18', '370', '270', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24136', 'No', '9/29/2017', '11/13/2018', '371', '280', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24137', 'No', '9/30/2017', '11/14/2018', '372', '290', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24138', 'No', '10-01-17', '11/15/2018', '373', '300', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24139', 'No', '10-02-17', '11/16/2018', '374', '310', '10054');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24140', 'No', '10-03-17', '11/17/2018', '375', '320', '10055');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24141', 'No', '10-04-17', '11/18/2018', '376', '220', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24142', 'No', '10-05-17', '11/19/2018', '377', '230', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24143', 'No', '10-06-17', '11/20/2018', '378', '240', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24144', 'No', '10-07-17', '11/21/2018', '379', '250', '10059');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24145', 'No', '10-08-17', '11/22/2018', '380', '260', '10060');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24146', 'No', '10-09-17', '11/23/2018', '381', '270', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24147', 'No', '10-10-17', '11/24/2018', '382', '280', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24148', 'No', '10-11-17', '11/25/2018', '383', '290', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24149', 'No', '10-12-17', '11/26/2018', '384', '300', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24150', 'No', '10/13/2017', '11/27/2018', '385', '310', '10065');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24151', 'No', '10/14/2017', '11/28/2018', '386', '320', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24152', 'No', '10/15/2017', '11/29/2018', '387', '220', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24153', 'No', '10/16/2017', '11/30/2018', '388', '220', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24154', 'No', '10/17/2017', '12-01-18', '389', '230', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24155', 'No', '10/18/2017', '12-02-18', '390', '240', '10070');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24156', 'No', '10/19/2017', '12-03-18', '391', '250', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24157', 'No', '10/20/2017', '12-04-18', '392', '260', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24158', 'No', '10/21/2017', '12-05-18', '393', '270', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24159', 'No', '10/22/2017', '12-06-18', '394', '280', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24160', 'No', '10/23/2017', '12-07-18', '395', '290', '10075');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24161', 'No', '10/24/2017', '12-08-18', '396', '300', '10076');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24162', 'No', '10/25/2017', '12-09-18', '397', '310', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24163', 'No', '10/26/2017', '12-10-18', '398', '320', '10078');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24164', 'No', '10/27/2017', '12-11-18', '399', '220', '10079');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24165', 'No', '10/28/2017', '12-12-18', '400', '230', '10080');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24166', 'No', '10/29/2017', '12/13/2018', '401', '240', '10081');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24167', 'No', '10/30/2017', '12/14/2018', '402', '250', '10082');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24168', 'No', '10/31/2017', '12/15/2018', '403', '260', '10083');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24169', 'No', '11-01-17', '12/16/2018', '404', '270', '10084');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24170', 'No', '11-02-17', '12/17/2018', '405', '280', '10085');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24171', 'No', '11-03-17', '12/18/2018', '406', '290', '10086');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24172', 'No', '11-04-17', '12/19/2018', '407', '300', '10087');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24173', 'No', '11-05-17', '12/20/2018', '408', '310', '10088');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24174', 'No', '11-06-17', '12/21/2018', '409', '320', '10089');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24175', 'No', '11-07-17', '12/22/2018', '410', '220', '10090');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24176', 'No', '11-08-17', '12/23/2018', '411', '230', '10091');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24177', 'No', '11-09-17', '12/24/2018', '412', '240', '10092');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24178', 'No', '11-10-17', '12/25/2018', '413', '250', '10093');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24179', 'No', '11-11-17', '12/26/2018', '414', '260', '10094');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24180', 'No', '11-12-17', '12/27/2018', '415', '270', '10095');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24181', 'No', '11/13/2017', '12/28/2018', '416', '280', '10096');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24182', 'No', '11/14/2017', '12/29/2018', '417', '290', '10097');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24183', 'No', '11/15/2017', '12/30/2018', '418', '300', '10098');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24184', 'No', '11/16/2017', '12/31/2018', '419', '310', '10099');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24185', 'No', '11/17/2017', '01-01-19', '420', '320', '10100');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24186', 'No', '11/18/2017', '01-02-19', '421', '220', '10101');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24187', 'No', '11/19/2017', '01-03-19', '422', '230', '10102');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24188', 'No', '11/20/2017', '01-04-19', '423', '240', '10103');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24189', 'No', '11/21/2017', '01-05-19', '424', '250', '10104');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24190', 'No', '11/22/2017', '01-06-19', '425', '260', '10105');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24191', 'No', '11/23/2017', '01-07-19', '426', '270', '10106');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24192', 'No', '11/24/2017', '01-08-19', '427', '280', '10107');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24193', 'No', '11/25/2017', '01-09-19', '428', '290', '10108');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24194', 'No', '11/26/2017', '01-10-19', '429', '300', '10109');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24195', 'No', '11/27/2017', '01-11-19', '430', '310', '10000');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24196', 'No', '11/28/2017', '01-12-19', '431', '320', '10001');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24197', 'No', '11/29/2017', '1/13/2019', '432', '220', '10002');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24198', 'No', '11/30/2017', '1/14/2019', '433', '230', '10003');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24199', 'No', '12-01-17', '1/15/2019', '434', '240', '10004');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24200', 'No', '12-02-17', '1/16/2019', '435', '250', '10005');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24201', 'No', '12-03-17', '1/17/2019', '436', '260', '10006');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24202', 'No', '12-04-17', '1/18/2019', '437', '270', '10007');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24203', 'No', '12-05-17', '1/19/2019', '438', '280', '10008');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24204', 'No', '12-06-17', '1/20/2019', '439', '290', '10009');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24205', 'No', '12-07-17', '1/21/2019', '440', '300', '10010');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24206', 'No', '12-08-17', '1/22/2019', '441', '310', '10011');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24207', 'No', '12-09-17', '1/23/2019', '442', '320', '10012');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24208', 'No', '12-10-17', '1/24/2019', '443', '220', '10013');
```



```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24209', 'No', '12-11-17', '1/25/2019', '444', '230', '10014');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24210', 'No', '12-12-17', '1/26/2019', '445', '240', '10015');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24211', 'No', '12/13/2017', '1/27/2019', '446', '250', '10016');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24212', 'No', '12/14/2017', '1/28/2019', '447', '260', '10017');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24213', 'No', '12/15/2017', '1/29/2019', '448', '270', '10018');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24214', 'No', '12/16/2017', '1/30/2019', '449', '280', '10019');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24215', 'No', '12/17/2017', '1/31/2019', '450', '290', '10020');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24216', 'No', '12/18/2017', '02-01-19', '451', '300', '10021');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24217', 'No', '12/19/2017', '02-02-19', '452', '310', '10022');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24218', 'No', '12/20/2017', '02-03-19', '453', '320', '10023');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24219', 'No', '12/21/2017', '02-04-19', '454', '220', '10024');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24220', 'No', '12/22/2017', '02-05-19', '455', '230', '10025');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24221', 'No', '12/23/2017', '02-06-19', '456', '240', '10026');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24222', 'No', '12/24/2017', '02-07-19', '457', '250', '10027');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24223', 'No', '12/25/2017', '02-08-19', '458', '260', '10028');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24224', 'No', '12/26/2017', '02-09-19', '459', '270', '10029');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24225', 'No', '12/27/2017', '02-10-19', '460', '280', '10030');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24226', 'No', '12/28/2017', '02-11-19', '461', '290', '10031');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24227', 'No', '12/29/2017', '02-12-19', '462', '300', '10032');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24228', 'No', '12/30/2017', '2/13/2019', '463', '310', '10033');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24229', 'No', '12/31/2017', '2/14/2019', '464', '320', '10034');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24230', 'No', '01-01-18', '2/15/2019', '465', '220', '10035');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24231', 'No', '01-02-18', '2/16/2019', '466', '230', '10036');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24232', 'No', '01-03-18', '2/17/2019', '467', '240', '10037');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24233', 'No', '01-04-18', '2/18/2019', '468', '250', '10038');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24234', 'No', '01-05-18', '2/19/2019', '469', '260', '10039');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24235', 'No', '01-06-18', '2/20/2019', '470', '270', '10040');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24236', 'No', '01-07-18', '2/21/2019', '471', '280', '10041');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24237', 'No', '01-08-18', '2/22/2019', '472', '290', '10042');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24238', 'No', '01-09-18', '2/23/2019', '473', '300', '10043');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24239', 'No', '01-10-18', '2/24/2019', '474', '310', '10044');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24240', 'No', '01-11-18', '2/25/2019', '475', '320', '10045');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24241', 'No', '01-12-18', '2/26/2019', '476', '220', '10046');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24242', 'No', '1/13/2018', '2/27/2019', '477', '220', '10047');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24243', 'No', '1/14/2018', '2/28/2019', '478', '230', '10048');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24244', 'No', '1/15/2018', '03-01-19', '479', '240', '10049');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24245', 'No', '1/16/2018', '03-02-19', '480', '250', '10050');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24246', 'No', '1/17/2018', '03-03-19', '481', '260', '10051');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24247', 'No', '1/18/2018', '03-04-19', '482', '270', '10052');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24248', 'No', '1/19/2018', '03-05-19', '483', '280', '10053');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24249', 'No', '1/20/2018', '03-06-19', '484', '290', '10054');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24250', 'No', '1/21/2018', '03-07-19', '485', '300', '10055');
```

```
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24251', 'No', '1/22/2018', '03-08-19', '486', '310', '10056');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24252', 'No', '1/23/2018', '03-09-19', '487', '320', '10057');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24253', 'No', '1/24/2018', '03-10-19', '488', '220', '10058');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24254', 'No', '1/25/2018', '03-11-19', '489', '230', '10059');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24255', 'No', '1/26/2018', '03-12-19', '490', '240', '10060');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24256', 'No', '1/27/2018', '3/13/2019', '491', '250', '10061');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24257', 'No', '1/28/2018', '3/14/2019', '492', '260', '10062');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24258', 'No', '1/29/2018', '3/15/2019', '493', '270', '10063');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24259', 'No', '1/30/2018', '3/16/2019', '494', '280', '10064');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24260', 'No', '1/31/2018', '3/17/2019', '495', '290', '10065');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24261', 'No', '02-01-18', '3/18/2019', '496', '300', '10066');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24262', 'No', '02-02-18', '3/19/2019', '497', '310', '10067');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24263', 'No', '02-03-18', '3/20/2019', '498', '320', '10068');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24264', 'No', '02-04-18', '3/21/2019', '499', '220', '10069');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24265', 'No', '02-05-18', '3/22/2019', '500', '230', '10070');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24266', 'No', '02-06-18', '3/23/2019', '501', '240', '10071');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24267', 'No', '02-07-18', '3/24/2019', '502', '250', '10072');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24268', 'No', '02-08-18', '3/25/2019', '503', '260', '10073');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24269', 'No', '02-09-18', '3/26/2019', '504', '270', '10074');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24270', 'No', '02-10-18', '3/27/2019', '505', '280', '10075');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24271', 'No', '02-11-18', '3/28/2019', '506', '290', '10076');
```

```

INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24272', 'No', '02-12-18', '3/29/2019', '507', '300', '10077');
INSERT INTO All_Leases(Lease_ID, Is_Active, Lease_Start_Date, Lease_End_Date, House_ID, Agency_ID,
Landlord_ID) VALUES ('24273', 'No', '2/13/2018', '3/30/2019', '508', '310', '10078');
*/

```

```

select * from All_Leases; --818 Rows inserted correctly. Verified

```

--7. INSERTING into Tenant Table

```

/*INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('900', 'Adhikari Soham', 'adhikarisoham@email.com', 3158320000, 31, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('901', 'Agarwal Rishabh', 'agarwalrishabh@email.com', 3158320001, 30, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('902', 'Agrawal Preksha', 'agrawalpreksha@email.com', 3158320002, 29, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('903', 'Amonkar Satyen', 'amonkarsatyen@email.com', 3158320003, 24, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('904', 'Ashar Karan Puran', 'asharkaran@email.com', 3158320004, 27, 'Male', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('905', 'Asnani Harshita', 'asnaniharshita@email.com', 3158320005, 30, 'Male', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('906', 'Badhe Vidisha', 'badhevidisha@email.com', 3158320006, 27, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('907', 'Bai Xin', 'baixin@email.com', 3158320007, 24, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('908', 'Banerjee Oshin', 'banerjeeoshin@email.com', 3158320008, 35, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('909', 'Behata Naga Litin Kumar', 'behatanaga@email.com', 3158320009, 18, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('910', 'Bhala Akshay Pradeep', 'bhalaakshay@email.com', 3158320010, 18, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('911', 'Bisht Mudit', 'bishtmudit@email.com', 3158320011, 34, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('912', 'Blechner Dylan', 'blechnerdylan@email.com', 3158320012, 16, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('913', 'Canayaz Kaan', 'canayazkaan@email.com', 3158320013, 29, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('914', 'Cao Jenny', 'caojenny@email.com', 3158320014, 34, 'Female', 'Chinese');

```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('915', 'Cao Jiahe', 'caojiahe@email.com', 3158320015, 16, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('916', 'Chakraborty Trisha', 'chakrabortytrisha@email.com', 3158320016, 32, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('917', 'Chen Honglai', 'chenhonglai@email.com', 3158320017, 32, 'Male', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('918', 'Chen Jieer', 'chenjieer@email.com', 3158320018, 34, 'Female', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('919', 'Chen Junfan', 'chenjunfan@email.com', 3158320019, 26, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('920', 'Chen Tiehao', 'chentiehao@email.com', 3158320020, 27, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('921', 'Chheda Madhu Pravin', 'chhedamadhu@email.com', 3158320021, 19, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('922', 'Cole Lisa', 'colelisa@email.com', 3158320022, 22, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('923', 'Coleman James', 'colemanjames@email.com', 3158320023, 21, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('924', 'Corsun Meryl', 'corsunmeryl@email.com', 3158320024, 22, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('925', 'Dai Yucan', 'daiyucan@email.com', 3158320025, 21, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('926', 'Desai Raj', 'desairaj@email.com', 3158320026, 25, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('927', 'Deshpande Mihir Milind', 'deshpandemihir@email.com', 3158320027, 29, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('928', 'Devalla Sai Praharsha', 'devallasai@email.com', 3158320028, 17, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('929', 'Dhuppe Shashikant Rajeshwar', 'dhuppeshashikant@email.com', 3158320029, 24, 'Male',
'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('930', 'Dhuru Om', 'dhuruom@email.com', 3158320030, 33, 'Female', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('931', 'Doshi Ami', 'doshiami@email.com', 3158320031, 22, 'Female', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('932', 'Du Yuzhen', 'duyuzhen@email.com', 3158320032, 26, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('933', 'Feng Jiyu', 'fengjiyu@email.com', 3158320033, 30, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('934', 'Feng Liyuan', 'fengliyuan@email.com', 3158320034, 30, 'Female', 'Indian');
```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('935', 'Feng Xiaoying', 'fengxiaoying@email.com', 3158320035, 24, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('936', 'French Ryan', 'frenchryan@email.com', 3158320036, 33, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('937', 'Gandhi Dhvani Rekhang', 'gandhidhwani@email.com', 3158320037, 17, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('938', 'Garg Prankur', 'gargprankur@email.com', 3158320038, 24, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('939', 'Ghosh Sourabh', 'ghoshsourabh@email.com', 3158320039, 18, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('940', 'Ghosh Trina', 'ghoshtrina@email.com', 3158320040, 32, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('941', 'Gopal Abhiram', 'gopalabhiram@email.com', 3158320041, 31, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('942', 'Goral Paul', 'goralpaul@email.com', 3158320042, 27, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('943', 'Guo Liangjunwa', 'guoliangjunwa@email.com', 3158320043, 23, 'Female', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('944', 'Gupta Lakshya', 'guptalakshya@email.com', 3158320044, 22, 'Male', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('945', 'Guseh Nahnsan', 'gusehnaahnsan@email.com', 3158320045, 23, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('946', 'Haggerty Adam', 'haggertyadam@email.com', 3158320046, 19, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('947', 'Havaladar Isha', 'havaladarisha@email.com', 3158320047, 28, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('948', 'He Guoxiangchi', 'heguoxiangchi@email.com', 3158320048, 17, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('949', 'Hegde Vishwanath', 'hegdevishwanath@email.com', 3158320049, 18, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('950', 'Huang Po Kai', 'huangpo@email.com', 3158320050, 29, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('951', 'Jain Aarjav', 'jainaarjav@email.com', 3158320051, 25, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('952', 'Ji Xuanran', 'jixuanran@email.com', 3158320052, 30, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('953', 'Jian Jian', 'jianjian@email.com', 3158320053, 34, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('954', 'Jiang Tian', 'jiangtian@email.com', 3158320054, 21, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('955', 'Jin Rong', 'jinrong@email.com', 3158320055, 18, 'Female', 'Chinese');
```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('956', 'Kamal Muhammad Maaz', 'kamalmuhammad@email.com', 3158320056, 35, 'Male', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('957', 'Kannaiah Manideep', 'kannaiahmanideep@email.com', 3158320057, 19, 'Male', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('958', 'Kapadia Aakash', 'kapadiaaakash@email.com', 3158320058, 29, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('959', 'Kapadia Yash', 'kapadiayash@email.com', 3158320059, 22, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('960', 'Kaushik Rachit', 'kaushikrachit@email.com', 3158320060, 32, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('961', 'Khandelwal Shubham', 'khandelwalshubham@email.com', 3158320061, 17, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('962', 'Kottoli Radhakrishna Pranav', 'kottoliradhakrishna@email.com', 3158320062, 28, 'Female',
'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('963', 'Kumar Ayush', 'kumarayush@email.com', 3158320063, 34, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('964', 'Kumar Bhavish', 'kumarbhavish@email.com', 3158320064, 25, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('965', 'Kumar Laxman', 'kumarlaxman@email.com', 3158320065, 19, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('966', 'Lamba Harmeet Singh', 'lambaharmeet@email.com', 3158320066, 25, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('967', 'Le Thi Lan Anh', 'lethi@email.com', 3158320067, 26, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('968', 'Li Huiyu', 'lihuiyu@email.com', 3158320068, 17, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('969', 'Lii Chiyong', 'liichiyong@email.com', 3158320069, 21, 'Male', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('970', 'Lim Justin', 'limjustin@email.com', 3158320070, 25, 'Female', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('971', 'Lin Peisen', 'linpeisen@email.com', 3158320071, 21, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('972', 'Lindmayer Roland', 'lindmayerroland@email.com', 3158320072, 19, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('973', 'Liu Jinhui', 'liujinhui@email.com', 3158320073, 27, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('974', 'Liu Xiyuan', 'liuxiyuan@email.com', 3158320074, 16, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('975', 'Liu Zixuan', 'liuzixuan@email.com', 3158320075, 17, 'Female', 'Chinese');
```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('976', 'Lu Irene', 'luirene@email.com', 3158320076, 25, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('977', 'Luo Zeyi', 'luozeyi@email.com', 3158320077, 20, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('978', 'Luong Hung', 'luonghung@email.com', 3158320078, 27, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('979', 'Lyu Chaoying', 'lyuchaoying@email.com', 3158320079, 21, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('980', 'Maniganahalli Venkatesh Nishitha', 'maniganahallivenkatesh@email.com', 3158320080, 32, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('981', 'Matta Bryan', 'mattabryan@email.com', 3158320081, 33, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('982', 'Mehta Harshil Sameer', 'mehtaharshil@email.com', 3158320082, 24, 'Female', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('983', 'Menon Vazhapilly Rohit', 'menonvazhapilly@email.com', 3158320083, 26, 'Female', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('984', 'Miller Adam', 'milleradam@email.com', 3158320084, 32, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('985', 'Mishra Vidushi', 'mishraavidushi@email.com', 3158320085, 35, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('986', 'Mistry Jimit', 'mistryjimit@email.com', 3158320086, 25, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('987', 'Moss Amara', 'mossamara@email.com', 3158320087, 24, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('988', 'Mu Wei', 'muwei@email.com', 3158320088, 27, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('989', 'Mundhe Neil', 'mundheneil@email.com', 3158320089, 21, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('990', 'Nair Akhil', 'nairakhil@email.com', 3158320090, 27, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('991', 'Narain Priya', 'narainpriya@email.com', 3158320091, 20, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('992', 'Nguyen Alan', 'nguyenalan@email.com', 3158320092, 35, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('993', 'Nguyen Duong', 'nguyenduong@email.com', 3158320093, 26, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('994', 'Ondocin Ryan', 'ondocinryan@email.com', 3158320094, 33, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('995', 'Palaniswamy Jaishree', 'palaniswamyjaishree@email.com', 3158320095, 35, 'Female', 'American');
```



```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('996', 'Pang He', 'panghe@email.com', 3158320096, 16, 'Male', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('997', 'Parihar Tanishk', 'parihartanishk@email.com', 3158320097, 35, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('998', 'Parlin Ralph', 'parlinralph@email.com', 3158320098, 35, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('999', 'Patil Tejas Dinesh', 'patiltejas@email.com', 3158320099, 27, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1000', 'Phadnis Adheesh Ajit', 'phadnisadheesh@email.com', 3158320100, 21, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1001', 'Phatak Aneesh', 'phatakaneesh@email.com', 3158320101, 18, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1002', 'Prabhakara Reddy Prathik', 'prabhakarareddy@email.com', 3158320102, 35, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1003', 'Puzzanghera Hope', 'puzzangherahope@email.com', 3158320103, 20, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1004', 'Qiu Qianlong', 'qiuqianlong@email.com', 3158320104, 19, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1005', 'Raghuvanshi Sakshi', 'raghuvanshisakshi@email.com', 3158320105, 25, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1006', 'Rai Aishwarya', 'raiaishwarya@email.com', 3158320106, 18, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1007', 'Rajyaguru Paridhi', 'rajyaguruparidhi@email.com', 3158320107, 28, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1008', 'Ramachandran Srinath', 'ramachandransrinath@email.com', 3158320108, 23, 'Male',
'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1009', 'Rangnani Nisha', 'rangnaninisha@email.com', 3158320109, 19, 'Male', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1010', 'Rankin William', 'rankinwilliam@email.com', 3158320110, 28, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1011', 'Rogatch Diana Gisele', 'rogatchdiana@email.com', 3158320111, 21, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1012', 'Sadagopan Shreyas Raghavan', 'sadagopanshreyas@email.com', 3158320112, 29, 'Male',
'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1013', 'Saini Manpreet Singh', 'sainimanpreet@email.com', 3158320113, 16, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1014', 'Salunkhe Juilee Prashant', 'salunkhejuilee@email.com', 3158320114, 29, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1015', 'Salvi Gaurav', 'salvigaurav@email.com', 3158320115, 17, 'Female', 'Indian');
```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1016', 'Seredneva Sabina', 'serednevasabina@email.com', 3158320116, 26, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1017', 'Shah Neha', 'shahneha@email.com', 3158320117, 23, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1018', 'Shah Parshva', 'shahparshva@email.com', 3158320118, 23, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1019', 'Shah Yash', 'shahyash@email.com', 3158320119, 23, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1020', 'Sharma Abhinav', 'sharmaabhinav@email.com', 3158320120, 30, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1021', 'Shen Xiwei', 'shenxiwei@email.com', 3158320121, 17, 'Male', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1022', 'Shi Yuying', 'shiyuying@email.com', 3158320122, 33, 'Female', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1023', 'Singh Abhiraj', 'singhabhiraj@email.com', 3158320123, 30, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1024', 'Singh Ankita', 'singhankita@email.com', 3158320124, 16, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1025', 'Singh Saheb', 'singhsaheb@email.com', 3158320125, 28, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1026', 'Singh Sankalp', 'singhsankalp@email.com', 3158320126, 27, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1027', 'Singh Surjit Singh', 'singhsurjit@email.com', 3158320127, 20, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1028', 'Sira Nikita Rao', 'siranikita@email.com', 3158320128, 19, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1029', 'Song Yuanliang', 'songyuanliang@email.com', 3158320129, 30, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1030', 'Soni Nishant', 'soninishant@email.com', 3158320130, 32, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1031', 'Soundararajan Aishwarya', 'soundararajanaishwarya@email.com', 3158320131, 26, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1032', 'Srinivasan Praneshwar Govind', 'srinivasanpraneshwar@email.com', 3158320132, 34, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1033', 'Steele Josh', 'steelejosh@email.com', 3158320133, 32, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1034', 'Suman Aatish', 'sumanaatish@email.com', 3158320134, 24, 'Female', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES ('1035', 'Sun Jing', 'sunjing@email.com', 3158320135, 17, 'Female', 'French');
```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1036', 'Sun Mars', 'sunmars@email.com', 3158320136, 28, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1037', 'Sunkara Kartheek', 'sunkarakartheek@email.com', 3158320137, 27, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1038', 'Tandon Sarthak', 'tandonsarthak@email.com', 3158320138, 25, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1039', 'Thadhani Hitesh Chandrakumar', 'thadhanihitesh@email.com', 3158320139, 17, 'Female',
'Chineese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1040', 'Tornekar Aditya', 'tornekaraditya@email.com', 3158320140, 34, 'Male', 'Chineese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1041', 'Torres-Lopez Andy', 'torres-lopezandy@email.com', 3158320141, 16, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1042', 'Turbadkar Sharvil', 'turbadkarsharvil@email.com', 3158320142, 16, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1043', 'Upadhye Rishabh', 'upadhyerishabh@email.com', 3158320143, 19, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1044', 'Ustanik Ian', 'ustanikian@email.com', 3158320144, 30, 'Male', 'Chineese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1045', 'Vaisman Yaakob', 'vaismanyakob@email.com', 3158320145, 26, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1046', 'Velapalem Yeswanth Reddy', 'velapalemyeswanth@email.com', 3158320146, 27, 'Female',
'Chineese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1047', 'Wang Dong', 'wangdong@email.com', 3158320147, 16, 'Female', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1048', 'Wang Rui', 'wangrui@email.com', 3158320148, 19, 'Male', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1049', 'Wang Tian', 'wangtian@email.com', 3158320149, 25, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1050', 'Wang Valerie', 'wangvalerie@email.com', 3158320150, 20, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1051', 'Wang Yifan', 'wangyifan@email.com', 3158320151, 23, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1052', 'Wanyue Xiao', 'wanyuexiao@email.com', 3158320152, 35, 'Male', 'Chineese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1053', 'Wen Jun', 'wenjun@email.com', 3158320153, 23, 'Male', 'Chineese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1054', 'Wu Chenghao', 'wuchenghao@email.com', 3158320154, 24, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1055', 'Wu Yuke', 'wuyuke@email.com', 3158320155, 34, 'Female', 'Indian');
```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1056', 'Xie Andi', 'xieandi@email.com', 3158320156, 23, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1057', 'Xu Aitong', 'xuaitong@email.com', 3158320157, 20, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1058', 'Xu Mengjie', 'xumengjie@email.com', 3158320158, 29, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1059', 'Xu Zhengyang', 'xuzhengyang@email.com', 3158320159, 22, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1060', 'Xue Liyang', 'xueliyang@email.com', 3158320160, 29, 'Male', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1061', 'Xue Yuanyuan', 'xueyuanyuan@email.com', 3158320161, 24, 'Male', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1062', 'Yang Guanlin', 'yangguanlin@email.com', 3158320162, 27, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1063', 'Yang Sihan', 'yangsihan@email.com', 3158320163, 29, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1064', 'Yao Yuan', 'yaoyuan@email.com', 3158320164, 27, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1065', 'Yerraguntla Aditya Sai', 'yerraguntlaaditya@email.com', 3158320165, 34, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1066', 'Yin Xiaoben', 'yinxiaoben@email.com', 3158320166, 20, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1067', 'Yu Hao', 'yuhao@email.com', 3158320167, 34, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1068', 'Yu Xiaodan', 'yuxiaodan@email.com', 3158320168, 23, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1069', 'Yuan Fangzhou', 'yuanfangzhou@email.com', 3158320169, 26, 'Male', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1070', 'Yuan Yating', 'yuanyating@email.com', 3158320170, 23, 'Female', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1071', 'Zheng Ruixia', 'zhengruixia@email.com', 3158320171, 24, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1072', 'Zheng Yixiong', 'zhengyixiong@email.com', 3158320172, 21, 'Male', 'Chinese');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1073', 'Zhong Peilin', 'zhongpeilin@email.com', 3158320173, 18, 'Male', 'American');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1074', 'Zhou Sijin', 'zhousijin@email.com', 3158320174, 35, 'Female', 'French');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1075', 'Zhu Hong', 'zhuhong@email.com', 3158320175, 16, 'Female', 'Indian');
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1076', 'Zhu Qingkun', 'zhuqingkun@email.com', 3158320176, 19, 'Male', 'Indian');
```

```
INSERT INTO Tenant(Tenant_ID, Tenant_Name, Email, Phone_No, Age, Gender, Nationality) VALUES
('1077', 'Zou Jiangning', 'zoujiangning@email.com', 3158320177, 31, 'Male', 'Indian');
*/
```

```
select * from Tenant; -- 176 rows inserted correctly. Verified
```

--8. INSERTING into Tenant_Lease_Agreement table

```
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('900', '23456');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('901', '23456');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('902', '23456');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('903', '23456');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('904', '23460');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('905', '23460');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('906', '23460');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('907', '23460');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('908', '23460');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('909', '23461');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('910', '23461');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('911', '23461');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('912', '23461');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('913', '23473');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('914', '23474');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('915', '23475');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('916', '23476');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('917', '23477');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('918', '23478');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('919', '23479');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('920', '23480');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('921', '23481');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('922', '23482');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('923', '23483');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('924', '23484');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('925', '23485');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('926', '23486');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('927', '23487');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('928', '23488');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('929', '23489');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('930', '23490');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('931', '23491');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('932', '23492');
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1049', '24258');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1050', '24259');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1051', '24260');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1052', '24261');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1053', '24262');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1054', '24263');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1055', '24264');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1056', '24265');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1057', '24266');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1058', '24267');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1059', '24268');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1060', '24269');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1061', '24270');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1062', '24271');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1063', '24272');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1064', '24273');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1065', '24241');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1066', '24242');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1067', '24243');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1068', '24244');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1069', '24245');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1070', '24246');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1071', '24247');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1072', '24248');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1073', '24249');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1074', '24250');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1075', '24251');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1076', '24252');
INSERT INTO Tenant_Lease_Agreement(Tenant_ID, Lease_ID) VALUES ('1077', '24253');
```

```
select * from Tenant_Lease_Agreement; -- rows inserted correctly. Verified
```

6. MAJOR DATA QUESTIONS

- a. What is the house name and address of all the houses available for renting out on Westcott street?

```
select House_Name,
Available,
House_Address
from House
where (House_Address like '%Westcott Street%' OR House_Address like '%Westcott St%')
and Available = 'Yes'
```

	House_Name	Available	House_Address
1	318	Yes	318 Westcott Street All Utilities And Wifi Included!
2	321	Yes	321 Westcott Street All Utilities And Wifi Included!!
3	192	Yes	1929 Genesee Street @ Westcott Street All Utilit...
4	316	Yes	316 Westcott Street All Utilities And Wifi Included!!
5	410	Yes	410 Westcott Street All Utilities And Wifi Included!!
6	327	Yes	327 Westcott Street All Utilities And Wifi Included!
7	327	Yes	327 Westcott Street All Utilities And Wifi Included!!
8	316	Yes	316 Westcott Street All Utilities And Wifi Included!!
9	421	Yes	421 Westcott Street: All Utilities And Wifi Include...
10	932	Yes	932 Westcott St 20202021 School Year

- b. What is the house name, address and number of baths of fully furnished houses available with rent below \$1600 having 3 bedrooms?

```
select House_Name,
Available,
House_Address,
Furnishing_Status,
No_of_Baths,
No_of_Beds,
Rent
from House
where Available = 'Yes' and Furnishing_Status = 'Fully Furnished' and Rent <= 1600 and
No_of_Beds = 3
```

	House_Name	Available	House_Address	Furnishing_Status	No_of_Baths	No_of_Beds	Rent
1	415	Yes	415 Clarendon St	Fully Furnished	2	3	1575
2	556	Yes	556 Clarendon St Apt #3	Fully Furnished	2	3	1500
3	949	Yes	949 Ackeman Ave Apt #1	Fully Furnished	3	3	1500
4	110	Yes	110 Comstock Ave Apt #7	Fully Furnished	2	3	1575
5	101	Yes	1010 Euclid Avenue	Fully Furnished	2	3	1185
6	102	Yes	1021 Lancaster Ave	Fully Furnished	2	3	1170
7	102	Yes	1023 Lancaster Ave	Fully Furnished	2	3	1170
8	316	Yes	316 Westcott Street All Utilities And Wifi Inclu...	Fully Furnished	1	3	1575
9	327	Yes	327 Westcott Street All Utilities And Wifi Inclu...	Fully Furnished	3	3	1575
10	102	Yes	1023 Ackeman Down	Fully Furnished	2	3	1200
11	102	Yes	1021 Ackeman Up	Fully Furnished	2	3	1200

- c. Fetch the phone number of University Hill Apartments rental agency if they have a house listing on Westcott street.

```
select h.House_Name,
h.House_Address,
r.Agency_Name,
r.Phone_No
from House h
inner join Agency_House_Listings a
on h.House_ID = a.House_ID
inner join Rental_Agency r
on a.Agency_ID = r.Agency_ID
where (h.House_Address like '%Westcott Street%' OR h.House_Address like '%Westcott
St%') and r.Agency_Name = 'University Hill Apartments'
```

	House_Name	House_Address	Agency_Name	Phone_No
1	449	449451 Westcott St	University Hill Apartments	3158320213

- d. What is the name and phone number of landlords associated with University Hill and have house listing on Westcott street?

```
select l.Landlord_Name,
l.Phone_No,
r.Agency_Name,
h.House_Address
from Landlord l
inner join Landlord_Agency_Agreement la
on l.Landlord_ID = la.Landlord_ID
inner join Rental_Agency r
on la.Agency_ID = r.Agency_ID
inner join House h
on l.Landlord_ID = h.Landlord_ID
where r.Agency_Name = 'University Hill Apartments' and (h.House_Address like
'%Westcott Street%' OR h.House_Address like '%Westcott St%')
```

	Landlord_Name	Phone_No	Agency_Name	House_Address
1	Mrs.Wazen	3154467969	University Hill Apartments	449451 Westcott St
2	Jennifer	6073458660	University Hill Apartments	722 Westcott St

- e. What are the start dates and end dates of Tejas' and Aditya's active lease agreements?

```
select t.Tenant_Name,
l.Lease_Start_Date,
l.Lease_End_Date,
l.Is_Active
from Tenant t
```

```

inner join Tenant_Lease_Agreement t1
on t.Tenant_ID = t1.Tenant_ID
inner join All_Leases l
on t1.Lease_ID = l.Lease_ID
where (t.Tenant_Name like '%Tejas%' or t.Tenant_Name like '%Aditya%') and l.Is_Active =
'Yes'

```

	Tenant_Name	Lease_Start_Date	Lease_End_Date	Is_Active
1	Patil Tejas Dinesh	3/30/2019	3/29/2020	Yes
2	Tomekar Aditya	6/18/2019	6/17/2020	Yes
3	Yerraguntla Aditya Sai	06-05-19	06-04-20	Yes

7. TRIGGER

The database needed a trigger to change the availability status of a house as 'No', as and when a lease gets signed for that house. Hence a trigger was written on the All Leases table, where an update on an existing lease or an insert of new lease would result in the availability status of the house containing the lease to be set as 'No', i.e. the house becomes unavailable

```

CREATE TRIGGER UpdateHouseAvailabilityStatus ON All_Leases
after update, insert
as
begin
update House set Available = 'No'
where House_ID in (select House_ID from All_Leases where Is_Active = 'Yes')
end
go

```

The successful functioning of the trigger was verified by inserting a new active record into the All_Leases table for a given house that was initially available prior to the lease getting signed.

- Number of houses available before a new active lease got signed: Initially **50** houses were available

	Available	(No column name)
1	No	359
2	Yes	50

- Number of available houses after a new active lease got signed: Only **49** houses are available after a new lease got signed.

	Available	(No column name)
1	No	360
2	Yes	49