

1

```
console.log(a);
```

```
var a = 10;
```

2

```
console.log(a);
```

```
let a = 20;
```

3

```
console.log(a);
```

```
const a = 30;
```

4

```
var a = 10;
```

```
console.log(a);
```

5

```
let a = 50;
```

```
console.log(a);
```

6

```
console.log(a);
```

```
var a;
```

```
a = 100;
```

7

```
var a = 10;  
  
var a = 20;  
  
console.log(a);
```

8

```
let a = 10;  
  
let a = 20;
```

9

```
const a = 10;  
  
a = 20;
```

10

```
{  
  var a = 10;  
}  
  
console.log(a);
```

11

```
{  
  let a = 10;  
}  
  
console.log(a);
```

12

```
{  
  const a = 20;  
}  
  
console.log(a);
```

13

```
console.log(a);
```

```
{  
  var a = 100;  
}
```

14

```
console.log(a);
```

```
{  
  let a = 100;  
}
```

15

```
var a = 10;
```

```
function test() {  
  console.log(a);  
}
```

```
test();
```

Medium Level (16–35)

16

```
var a = 10;
```

```
function test() {  
  var a = 20;
```

```
  console.log(a);  
}
```

```
test();
```

```
console.log(a);
```

17

```
var a = 10;
```

```
function test() {  
  console.log(a);
```

```
  var a = 20;  
}
```

```
test();
```

18

```
let a = 10;
```

```
function test() {  
  console.log(a);
```

```
  let a = 20;  
}
```

```
test();
```

19

```
const a = 10;
```

```
function test() {  
  console.log(a);  
}
```

```
test();
```

20

```
var a = 1;
```

```
function x() {  
  console.log(a);  
}
```

```
function y() {  
  var a = 2;
```

```
x();  
}
```

```
y();
```

21

```
var a = 10;
```

```
{  
  var a = 20;  
}
```

```
console.log(a);
```

22

```
let a = 10;
```

```
{  
  let a = 20;  
}
```

```
console.log(a);
```

23

```
let a = 10;
```

```
{  
  console.log(a);
```

```
  let a = 20;  
}
```

24

```
var a = 10;
```

```
function test() {  
  console.log(a);
```

```
  if (true) {
```

```
    var a = 20;
  }

  console.log(a);
}

test();
```

25

```
let a = 10;

function test() {
  console.log(a);

  if (true) {
    let a = 20;

    console.log(a);
  }

  console.log(a);
}

test();
```

26

```
console.log(a);

var a = 10;

function a() {}
```

27

```
function a() {
  console.log("Hello");
}

var a = 10;

console.log(a);
```

28

```
var a = 10;
```

```
function test() {  
  console.log(a);
```

```
  a = 20;
```

```
  console.log(a);  
}
```

```
test();
```

```
console.log(a);
```

29

```
let a = 10;
```

```
function test() {  
  a = 30;  
}
```

```
test();
```

```
console.log(a);
```

30

```
const a = {  
  name: "JS"  
};
```

```
a.name = "React";
```

```
console.log(a);
```

31

```
const a = [1, 2];
```

```
a.push(3);
```

```
console.log(a);
```

32

```
const a = [1, 2];
```

```
a = [4, 5];
```

```
console.log(a);
```

33

```
var a = 10;
```

```
function test() {  
  console.log(a);
```

```
  let a = 20;  
}
```

```
test();
```

34

```
var a = 5;
```

```
function x() {  
  var a = 10;
```

```
  function y() {  
    console.log(a);  
  }
```

```
  y();  
}
```

```
x();
```

35

```
let a = 1;

{
  let a = 2;

  {
    let a = 3;

    console.log(a);
  }

  console.log(a);
}

console.log(a);
```

Hard Level (36–50)

36

```
var a = 1;

function x() {
  console.log(a);

  var a = 2;

  function y() {
    console.log(a);

    var a = 3;

    console.log(a);
  }

  y();

  console.log(a);
}

x();

console.log(a);
```

37

```
let a = 10;

function test() {
  console.log(a);

  {
    let a = 20;
  }
}

test();
```

38

```
var a = 10;

(function () {
  console.log(a);

  var a = 20;
})();
```

39

```
let a = 10;

(function () {
  console.log(a);

  let a = 20;
})();
```

40

```
function test() {
  console.log(a);

  if (true) {
```

```
    var a = 10;
  }

  console.log(a);
}

test();
```

41

```
function test() {
  console.log(a);

  if (true) {
    let a = 10;
  }
}

test();
```

42

```
var a = 100;

function outer() {
  var a = 200;

  function inner() {
    console.log(a);
  }

  return inner;
}

const fn = outer();

fn();
```

43

```
var a = 1;

function x() {
  console.log(a);
}
```

```
let a = 2;  
}
```

```
x();
```

44

```
let a = 10;
```

```
function x() {  
  {  
    console.log(a);  
  
    let a = 20;  
  }  
}
```

```
x();
```

45

```
var a = 10;
```

```
function x() {  
  console.log(a);
```

```
  function a() {}
```

```
  var a = 20;
```

```
  console.log(a);  
}
```

```
x();
```

46

```
function x() {  
  console.log(a);
```

```
  var a = 10;
```

```
function a() {}

console.log(a);
}

x();
```

47

```
var a = 1;

function x() {
  console.log(a);

  a = 10;

  function a() {}

  console.log(a);
}

x();
```

48

```
let a = 10;

{
  console.log(a);

  {
    console.log(a);

    let a = 20;
  }
}
```

49

```
var a = 10;
```

```
function test(a) {  
  console.log(a);  
  
  var a = 20;  
  
  console.log(a);  
}  
  
test(5);
```

50

```
var a = 1;  
  
function x() {  
  function y() {  
    console.log(a);  
  }  
  
  var a = 2;  
  
  return y;  
}  
  
const fn = x();  
  
fn();
```