

Master JavaScript Essentials for Backend Development | Part 1

```
1 // Fundamentals of JavaScript:
2 // arrays and objects
3 // functions return
4 // async js coding
5 // foreach map filter find indexOf
6
7 var arr = [1,2,3,4];
8 arr.forEach(function(val){
9     console.log(val + " hello");
10 })
```


I added hello, right console log perfect, let's go and if we talk about this,



Master JavaScript Essentials for Backend Development | Part 1

```
1 // Fundamentals of JavaScript:
2 // arrays and objects
3 // functions return
4 // async js coding
5 // foreach map filter find indexOf
6
7 var arr = [1,2,3,4];
8
9 var ans = arr.map(function(val){
10     ...return 13;
11 })
```


You will get the answer, you can create any variable and make it a normal variable, just like you



Master JavaScript Essentials for Backend Development | Part 1

```
3 // functions return
4 // async js coding
5 // foreach map filter find indexOf
6
7 var arr = [1,2,3,4];
8
9 var newarr = arr.map(function(val){
10     return val;
11 })
12
13 console.log(newarr);
```

one member will come in the well for the first time the first member will come which is one then returned One



youtubebackend

```
3 // functions return
4 // async js coding
5 // foreach map filter find indexOf
6
7 var arr = [1,2,3,4];
8
9 arr.filter(function(val){
10     if(val > 3) { return true;}
11     else return false;
12 })
```


will not go there. Okay, then we will talk about what is bigger than a tooth, what



Master JavaScript Essentials for Backend Development | Part 1

```
3 // functions return
4 // async js coding
5 // foreach map filter find indexOf
6
7 var arr = [1,2,2,3,4];
8
9 var ans = arr.find(function(val){
10   ...if(val===2) return val;
11 })
12
13 console.log(ans);
```

That's about it. This is find means you can find it's more like



```
> arr.indexOf(12)
< -1
> arr.indexOf(2)
< 1
>
```

if that guy is in Hey then I will get an index otherwise




The screenshot shows a video lecture interface. The main part is a code editor with a dark theme. The code is as follows:

```
1 // Fundamentals of JavaScript:
2 // arrays and objects
3 // functions return
4 // async js coding
5
6 var obj = {
7   name: "harsh"
8 }
```

Below the code editor, there is a circular inset showing a man with a beard, likely the speaker. At the bottom of the video frame, there is a subtitle: "putting the name inside that so in this way you can touch any You can touch the value Okay".

(Object is always key value pair)



The screenshot shows a code editor with a dark theme. The code is as follows:

```
function abcd(){
  return "hello world";
}

var ans = abcd();
```

javascript

Copy

Edit

```
function delay(ms) {  
  return new Promise(resolve => setTimeout(resolve, ms));  
}  
  
async function greet() {  
  console.log("Hello...");  
  await delay(2000); // Waits for 2 seconds  
  console.log("...World!");  
}  
  
greet();
```

javascript

Copy

Edit

```
async function fetchUser() {  
  try {  
    const response = await fetch('https://jsonplaceholder.typicode.com/users/1');  
    const data = await response.json();  
    console.log(data);  
  } catch (error) {  
    console.log("Error:", error);  
  }  
}  
  
fetchUser();
```