

PizzaBox Sales Analysis

1) Viewing the Data

select * from order_details;

	order_details_id	order_id	pizza_id	quantity
▶	1	1	hawaiian_m	1
	2	2	classic_dlx_m	1
	3	2	five_cheese_l	1
	4	2	ital_supr_l	1
	5	2	mexicana_m	1

select * from orders;

	order_id	order_date	order_time
▶	1	2015-01-01	11:38:36
	2	2015-01-01	11:57:40
	3	2015-01-01	12:12:28
	4	2015-01-01	12:16:31
	5	2015-01-01	12:21:30

select * from pizza_types;

	pizza_type_id	name	category	ingredients
▶	bbq_ckn	The Barbecue Chicken Pizza	Chicken	Barbecued Chicken, Red Peppers, Green Peppe...
	cali_ckn	The California Chicken Pizza	Chicken	Chicken, Artichoke, Spinach, Garlic, Jalapeno P...
	ckn_alfredo	The Chicken Alfredo Pizza	Chicken	Chicken, Red Onions, Red Peppers, Mushrooms...
	ckn_pesto	The Chicken Pesto Pizza	Chicken	Chicken, Tomatoes, Red Peppers, Spinach, Garl...
	southw_ckn	The Southwest Chicken Pizza	Chicken	Chicken, Tomatoes, Red Peppers, Red Onions, ...

select * from pizzas;

	pizza_id	pizza_type_id	size	price
▶	bbq_ckn_s	bbq_ckn	S	12.75
	bbq_ckn_m	bbq_ckn	M	16.75
	bbq_ckn_l	bbq_ckn	L	20.75
	cali_ckn_s	cali_ckn	S	12.75
	cali_ckn_m	cali_ckn	M	16.75

2) Retrieve the total number of orders placed

SELECT

COUNT(order_id) AS total_orders

FROM

orders;

	total_orders
▶	21350

3) Calculate the total revenue generated from pizza sales

SELECT

ROUND(SUM(order_details.quantity * pizzas.price),
2) AS total_sales

FROM

order_details

JOIN

pizzas ON pizzas.pizza_id = order_details.pizza_id;

	total_sales
▶	817860.05

4) Identify the highest-priced pizza

SELECT

pizza_types.name, pizzas.price

FROM

pizza_types

JOIN

pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id

ORDER BY pizzas.price DESC

LIMIT 1;

	name	price
▶	The Greek Pizza	35.95

5) Identify the most common pizza size ordered

```
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
    JOIN
        order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

	size	order_count
▶	L	18526
	M	15385
	S	14137
	XL	544
	XXL	28

6) List the top 5 most ordered pizza types along with their quantities

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
        order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
```

ORDER BY quantity DESC

LIMIT 5;

	name	quantity
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

7) Join the necessary tables to find the total quantity of each pizza category ordered

SELECT

pizza_types.category,

SUM(order_details.quantity) AS quantity

FROM

pizza_types

JOIN

pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id

JOIN

order_details ON order_details.pizza_id = pizzas.pizza_id

GROUP BY pizza_types.category

ORDER BY quantity DESC;

	category	quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050

8) Determine the distribution of orders by hour of the day

SELECT

HOUR(order_time) AS hour, COUNT(order_id) AS order_count

FROM

orders

GROUP BY HOUR(order_time);

	hour	order_count
▶	11	1231
	12	2520
	13	2455
	14	1472
	15	1468

9) Join relevant tables to find the category-wise distribution of pizzas

SELECT

category, COUNT(name)

FROM

pizza_types

GROUP BY category;

	category	count(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9

10) Group the orders by date and calculate the average number of pizzas ordered per day

SELECT

ROUND(AVG(quantity), 0)

FROM

(SELECT

orders.order_date, SUM(order_details.quantity) AS quantity

FROM

orders

```
JOIN order_details ON orders.order_id = order_details.order_id
GROUP BY orders.order_date) AS order_quantity;
```

	round(avg(quantity),0)
▶	138

11) Determine the top 3 most ordered pizza types based on revenue

```
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
    JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

12) Calculate the percentage contribution of each pizza type to total revenue

```
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
```

FROM

order_details

JOIN

pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,

2) AS revenue

FROM

pizza_types

JOIN

pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id

JOIN

order_details ON order_details.pizza_id = pizzas.pizza_id

GROUP BY pizza_types.category

ORDER BY revenue DESC;

	category	revenue
▶	Classic	26.91
	Supreme	25.46
	Chicken	23.96
	Veggie	23.68

13) Analyse the cumulative revenue generated over time

select order_date,

sum(revenue) over(order by order_date) as cum_revenue

from (select orders.order_date,

sum(order_details.quantity * pizzas.price) as revenue

from order_details join pizzas

on order_details.pizza_id = pizzas.pizza_id

join orders

on orders.order_id = order_details.order_id

group by orders.order_date) as sales;

	order_date	cum_revenue
►	2015-01-01	2713.8500000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55

14) Determine the top 3 most ordered pizza types based on revenue for each pizza category

```
select name, revenue from
(select category, name, revenue,
rank() over(partition by category order by revenue desc) as rn
from
(select pizza_types.category, pizza_types.name,
sum((order_details.quantity) * pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as b
where rn<=3;
```

	name	revenue
►	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Hawaiian Pizza	32273.25
	The Pepperoni Pizza	30161.75