

■ Patient	■ Email	■ Gender	■ Date of Birth
Priya Sharma	priya@demo.com	Female	22 Mar 1988

Chronic Lower Back Pain — Desk Job Related Assessment

Patient reports 2 weeks of central-left lower back pain worsening with prolonged sitting, improving with rest. Pattern consistent with mechanical lumbar strain, likely postural/occupational in nature. No neurological symptoms present.

■ Main Health Concerns

Mechanical Lower Back Pain

Moderate

Dull central-left lumbar pain that sharpens with bending and prolonged sitting. Classic pattern of muscle strain from desk posture.

Postural Dysfunction

Moderate

Extended desk hours creating sustained lumbar flexion, weakening core stabilizers and overloading lumbar muscles.

■ Possible Associated Conditions

◆ Lumbar Muscle Strain	◆ Lumbar Disc Irritation
◆ Sacroiliac Joint Dysfunction	◆ Postural Kyphosis

■ Recommendations & Suggestions

01

Ergonomic Workstation Setup

Chair at height where feet are flat, knees 90°. Screen at eye level. Lumbar support cushion. Keyboard at elbow height.

02**Movement Breaks**

Set a timer — stand and walk for 2-3 minutes every 30-45 minutes of sitting. Non-negotiable.

03**Heat Therapy**

Apply heating pad or warm compress to lower back for 15-20 minutes, 3 times daily, especially before stretching.

04**Sleep Position**

Sleep on side with pillow between knees to maintain spinal alignment. Avoid sleeping on stomach.

■ Exercises, Activities & Yoga**Cat-Cow Stretch (Marjaryasana-Bitilasana)**

■ Start on all fours. Inhale, drop belly, lift head and tailbone (Cow). Exhale, round spine, tuck chin to chest (Cat). Flow slowly.

■ **Duration:** 10 cycles, twice daily

■ **Benefit:** Lubricates spinal joints, relieves morning stiffness

Child's Pose (Balasana)

■ Kneel with big toes touching. Sit back on heels. Stretch arms forward on mat, forehead down. Breathe deeply.

■ **Duration:** Hold 60 seconds, 3 times daily

■ **Benefit:** Decompresses lumbar spine, releases paraspinal muscles

Glute Bridge

■ Lie on back, knees bent, feet flat. Press feet into floor, lift hips until body forms straight line from knees to shoulders. Squeeze glutes at top.

■ **Duration:** 3 sets of 15 reps daily

■ **Benefit:** Strengthens posterior chain, reduces lumbar load

Bird-Dog

■ On all fours, extend right arm and left leg simultaneously. Keep back flat. Hold 5 seconds. Alternate sides.

■ **Duration:** 3 sets of 10 reps each side

■ **Benefit:** Core stabilization, reduces spinal instability

Cobra Pose (Bhujangasana)

■ Lie face down, palms under shoulders. Gently lift chest off floor using back muscles (not arms). Hold 20 seconds.

■ **Duration:** 5 reps, twice daily

■ **Benefit:** Strengthens lumbar extensors, counteracts flexion posture

■ What to Avoid

✗ Prolonged Sitting (>45 min)	Increases intradiscal pressure and compresses lumbar muscles, the primary cause of your pain
✗ Forward Bending without Knee Bend	Creates enormous leverage force on lumbar discs — can worsen strain significantly
✗ Heavy Lifting	Avoid all lifting >5kg until pain resolves completely
✗ High-Heeled Footwear	Shifts center of gravity forward, increasing lumbar lordosis and strain
✗ Soft/Sagging Mattress	Lacks spinal support during sleep, worsening recovery

■ Healthy Habits to Follow

✓ Daily 20-Minute Walk	Flat-surface walking is the single best exercise for back pain. Maintain upright posture. Start slow.
✓ Golden Milk (Haldi Doodh)	Warm milk with 1 tsp turmeric, pinch of black pepper, and honey. Daily before bed for anti-inflammatory effect.
✓ Core Strengthening Routine	Plank, bird-dog, and bridge 5 days per week. Strong core = protected lower back.
✓ Mindful Sitting Posture	Set phone alarm every 30 min as posture check reminder during work hours.

■ Personalized Diet Plan

Anti-inflammatory diet focused on omega-3 fatty acids, magnesium, and curcumin for tissue repair and pain reduction

■ Morning	Warm turmeric milk or golden milk • Overnight soaked walnuts and almonds (5 each) • Egg white omelette with spinach or oats with flaxseeds
■ Mid-Morning	Fresh fruit — papaya or berries • Green tea
■ Lunch	Brown rice or roti with dal • Palak (spinach) sabzi • Cucumber-tomato salad • Curd
■ Evening	Ginger-tulsi tea • Handful of mixed nuts
■ Dinner	Grilled fish or tofu with vegetables • Or: Moong dal with roti • Warm soup

■ Include	■ Avoid
+ Turmeric with black pepper	- Sugar and sweets
+ Fatty fish (salmon, sardines)	- Fried and processed foods
+ Walnuts and flaxseeds	- Excessive red meat
+ Spinach and leafy greens	- Alcohol
+ Ginger and garlic	- Refined white flour products
+ Berries	

■ When to See a Doctor

■ Pain radiates down the leg (sciatica pattern)
■ Numbness or tingling in legs or feet
■ Bladder or bowel control issues (emergency — go immediately)
■ Pain worsens despite 4 weeks of home care
■ History of cancer, osteoporosis, or recent trauma

■ Medical Disclaimer

This report is generated by CareBot AI for informational purposes only and does not constitute medical diagnosis or treatment. Always consult a qualified healthcare professional.

