

CareBot Health Report

AI-Powered Personal Health Assessment

27 Jun 2026

■ Patient	■ Email	■ Gender	■ Date of Birth
Rahul Singh	rahul@demo.com	Male	08 Nov 1995

Work-Related Anxiety & Sleep Disruption Assessment

Patient reports 3 weeks of sustained anxiety, pre-meeting nervousness, racing thoughts, and broken sleep (4-5 hours). Pattern consistent with work-related stress disorder with secondary insomnia. No acute psychiatric emergency.

■ Main Health Concerns

Work-Related Anxiety

Moderate

Persistent daytime anxiety heightened before meetings and deadlines, indicating performance anxiety with generalized anxiety components.

Sleep Disruption (Insomnia)

Needs Attention

Only 4-5 hours of broken sleep nightly for 3 weeks. Chronic sleep deprivation significantly impairs cognitive function, emotional regulation, and immune response.

Tension Headaches

Mild

Recurring headaches likely caused by muscle tension from sustained stress response and sleep deprivation.

■ Possible Associated Conditions

◆ Adjustment Disorder with Anxiety	◆ Work-Related Stress Disorder
◆ Generalized Anxiety Disorder (mild)	◆ Secondary Insomnia

■ Recommendations & Suggestions

01**Establish a Sleep Ritual**

Fixed bedtime and wake time daily (including weekends). No screens 60 min before bed. Dim lights after 9 PM.

02**Therapy / Counseling**

Consider 4-6 sessions of Cognitive Behavioral Therapy for Insomnia (CBT-I) — the gold standard, more effective than medication.

03**Work Boundary Setting**

Define a clear end-of-work time. No work emails/Slack after that hour. Physical transition ritual (change clothes, walk) to signal brain that work is over.

04**Daily Anxiety Journaling**

Morning: write 3 things causing anxiety. Evening: write what you handled well. This builds metacognitive awareness of anxiety triggers.

■ Exercises, Activities & Yoga**4-7-8 Breathing**

■ Inhale through nose for 4 counts. Hold breath for 7 counts. Exhale completely through mouth for 8 counts. This is one cycle.

■ **Duration:** 4 cycles, before bed and when anxious

■ **Benefit:** Activates parasympathetic nervous system, reduces anxiety within 2 minutes

Yoga Nidra (Yogic Sleep)

■ Use a guided audio recording. Lie flat in Shavasana. Follow body scan and breath awareness for 20-30 minutes.

■ **Duration:** Daily before sleep

■ **Benefit:** 30 min of Yoga Nidra equals 3 hours of regular sleep neurologically

Nadi Shodhana Pranayama

■ Sit comfortably. Close right nostril, inhale left for 4 counts. Close left, exhale right for 8 counts. Alternate.

■ **Duration:** 10 minutes morning and evening

■ **Benefit:** Directly balances left-right brain hemispheres, reduces cortisol

Evening Walk (Mindful)

■ 30-minute walk without phone. Focus only on physical sensations — feet touching ground, air temperature, sounds around you.

- **Duration:** Daily, preferably after work
- **Benefit:** Cortisol reduction, natural sleep hormone reset, mental decompression

■ What to Avoid

✗ Caffeine after 2 PM	Caffeine has a 5-6 hour half-life. Afternoon coffee keeps cortisol elevated and directly causes the racing mind at night
✗ News and Social Media Before Bed	Activates threat-detection pathways in the brain, the opposite of what's needed for sleep
✗ Alcohol as a Sleep Aid	While it may help you fall asleep, it dramatically reduces REM sleep quality and worsens anxiety the next day
✗ Skipping Meals	Blood sugar crashes trigger cortisol release, worsening anxiety symptoms significantly
✗ Overcommitting to Tasks	The pressure of an overloaded to-do list is a primary driver of your current anxiety cycle

■ Healthy Habits to Follow

✓ Morning Sunlight (10-15 min)	Step outside within 30 minutes of waking. Sunlight exposure sets your circadian rhythm and boosts serotonin — nature's antidepressant.
✓ Ashwagandha (KSM-66)	300-600mg ashwagandha extract daily has clinical evidence for reducing cortisol by 28% in stressed adults. Consult doctor before starting.
✓ Gratitude Practice	Write 3 specific things you are grateful for each evening. Scientifically proven to rewire the brain toward positive emotional bias within 3 weeks.
✓ Single-Tasking	Work on one task at a time. Close other tabs. Put phone in another room. Multitasking increases cortisol by 40%.

■ Personalized Diet Plan

Nervous system supportive diet rich in magnesium, B vitamins, and tryptophan to naturally regulate cortisol and promote serotonin production

■ Morning	Warm water with lemon • Oats with banana and pumpkin seeds (magnesium-rich) • 1 cup green tea (not coffee)
■ Mid-Morning	Handful of almonds and dark chocolate (70%+) • Chamomile or ashwagandha tea
■ Lunch	Brown rice with rajma or chickpeas • Spinach sabzi • Curd (probiotic for gut-brain axis) • Salad
■ Evening	Chamomile or lavender tea • Fruits — banana or kiwi (natural melatonin)
■ Dinner	Light meal — dal soup with roti • Warm turmeric milk before bed • Avoid heavy, oily dinner

■ Include	■ Avoid
+ Magnesium: pumpkin seeds, spinach, dark chocolate	- Caffeine (limit to 1 cup before noon)
+ B6/B12: eggs, chickpeas, bananas	- Alcohol
+ Omega-3: walnuts, flaxseeds	- Refined sugar
+ Tryptophan: milk, curd, turkey	- Ultra-processed foods
	- Excess salt

■ When to See a Doctor

■ Anxiety interferes with work or daily functioning for more than 4 weeks
■ Panic attacks (sudden intense fear, heart racing, difficulty breathing)
■ Thoughts of harming yourself — seek immediate help
■ Sleep deprivation causes impaired driving or work performance
■ Symptoms worsen despite consistent self-care for 2 weeks

■ Medical Disclaimer

This report is generated by CareBot AI for informational and wellness purposes only. It does not constitute mental health diagnosis or treatment. If you are struggling, please speak with a qualified mental health professional.

