



Customer Support Ticket Analysis Prompt

The prompt below instructs an AI assistant to analyze each customer support conversation transcript in three steps:

- (1) evaluate conversation quality on several metrics,
- (2) classify the ticket by topic and intent, and
- (3) identify underlying root causes and urgency.

It then outputs all results in a structured JSON format.

The model is guided to use a chain-of-thought approach (breaking down the analysis step-by-step) but only the final JSON is returned as the answer.

Prompt (Chain-of-Thought Style)

You are given a set of 20 customer support conversation transcript.

Perform the following analysis:

Communication Dimension

1. Accuracy & Correctness: Assign level, evidence, confidence.
Check for mandatory regulatory disclosures (fees, terms, conditions)
Verify accuracy of financial calculations
Detect policy violations or unauthorized promises
2. Use of Context: Assign level, evidence, confidence.
Check if agent references prior tickets or conversations
Identify questions that were already answered
Assess proactive use of account/CRM data
3. Root Cause Depth: Assign level, evidence, confidence.
Count clarifying questions asked for complex issues
Check if agent captured system logs or error codes
Identify if root cause was documented vs. symptoms
4. Clarity of Resolution: Assign level, evidence, confidence.
Verify timeline/expectations are set
Detect contradictory or ambiguous statements
Assess if resolution addresses the original request
5. Efficiency: Assign level, evidence, confidence.
Calculate filler-to-content ratio
Detect redundant phrases and repetition
Assess information density
6. Emotion management: Assign level, evidence, confidence.
Detect empathy phrases and acknowledgment of frustration

Check for tone-deaf or dismissive responses

Assess if agent matched emotional tone appropriately

7. Topic and Intent Classification: Identify the main *topic* of the ticket (choose from predefined topics or propose a new one, setting `is_new_topic` true if new) and determine the customer's *intent* (e.g. asking a question, filing a complaint, requesting a refund, etc.).
8. Root Cause Identification: Determine the underlying reason for the customer's issue or escalation (from predefined root causes or suggest a new one, setting `is_new_root_cause` true if new).
9. Resolution Status: Indicate whether the issue was resolved by the end of the conversation (`is_resolved`: true or false).
10. Urgency: Indicate whether the issue is high priority or not.

After your analysis, output a JSON object with the following keys:

JSON Output Schema

```
{
// --- METADATA BLOCK ---
"conversation_id": { "type": "string", "description": "Unique identifier for the conversation (e.g., FS-2024-9451)" },
"timestamp": { "type": "date", "description": "UTC timestamp when the conversation ended." },
"channel": { "type": "string", "description": "Source channel (e.g., 'Chat', 'Email', 'Call')." },
"agent_id": { "type": "string", "description": "Identifier for the BPO or internal agent." },
"customer_id": { "type": "string", "description": "Identifier for the FinServeCo client." },
// --- CLASSIFICATION BLOCK ---
"classification": {
"topic": { "type": "string", "description": "Highest level category (e.g., 'Payments', 'Account Management')." },
"intent": { "type": "string", "description": "Customer's goal (e.g., 'Refund Request', 'Login Issue')." },
"root_cause": { "type": "string", "description": "Systemic reason for the problem (e.g., 'Software Bug', 'Process Gap', 'Agent Error')." },
"is_new_root_cause": { "type": "boolean", "description": "TRUE if the root cause is not in the predefined list (Escalation Blind Spot)." }
},
// --- DIMENSIONS BLOCK (Scoring & Diagnostic Data) ---
"dimensions": {
"risk_accuracy_adherence": {
"percentage": { "type": "integer", "description": "The score (0-100%). High score means high compliance." },
"alert_level": { "type": "string", "description": "Alert: 'CRITICAL' (<70%), 'URGENT' (<95%), or 'NONE.'" },
"policy_violations": { "type": "array_of_strings", "description": "List of specific policy rules violated (e.g., 'KYC_Check_Missed')." },
"security_protocol_followed": { "type": "boolean", "description": "TRUE if all mandatory security steps were completed." },
```

```
"evidence": { "type": "string", "description": "Quote from the transcript justifying the score." },
"confidence": { "type": "double", "description": "AI's certainty in this score (0.0 - 1.0)." }
},
```

```
"use_of_context": {
  "percentage": { "type": "integer" },
  "alert_level": { "type": "string" },
  "history_references": { "type": "integer", "description": "Count of times the agent referenced
prior history." },
  "redundant_questions": { "type": "array_of_strings", "description": "List of questions asked that
were already answered." },
  "context_utilized": { "type": "boolean", "description": "TRUE if necessary context was accessed
and used." },
  "evidence": { "type": "string" },
  "confidence": { "type": "double" }
},
```

```
"root_cause_depth": {
  "percentage": { "type": "integer" },
  "alert_level": { "type": "string" },
  "clarifying_questions_asked": { "type": "integer", "description": "Count of diagnostic questions
asked by the agent." },
  "diagnostic_data_captured": { "type": "array_of_strings", "description": "List of technical details
captured (e.g., 'OS_Version', 'Error_Code')." },
  "root_cause_identified": { "type": "boolean", "description": "TRUE if the agent successfully
identified the root cause before resolution/escalation." },
  "evidence": { "type": "string" },
  "confidence": { "type": "double" }
},
```

```
"clarity_of_resolution": {
  "percentage": { "type": "integer" },
  "alert_level": { "type": "string" },
  "next_steps_clear": { "type": "boolean", "description": "TRUE if resolution steps were
unambiguous." },
  "timeline_specified": { "type": "boolean", "description": "TRUE if the customer was given a
specific timeframe." },
  "ambiguity_detected": { "type": "boolean", "description": "TRUE if the resolution contains vague
language." },
  "evidence": { "type": "string" },
  "confidence": { "type": "double" }
},
```

```
"efficiency": {
  "percentage": { "type": "integer" },
  "alert_level": { "type": "string" },
  "filler_percentage": { "type": "double", "description": "Percentage of filler/redundant tokens in
```

```

agent response." },
"response_length_ratio": { "type": "double", "description": "Agent turn length compared to
optimal mean length for this intent (1.0 is optimal)." },
"information_density": { "type": "double", "description": "Signal-to-Noise ratio." },
"evidence": { "type": "string" },
"confidence": { "type": "double" }
},

"emotion_management": {
"percentage": { "type": "integer" },
"alert_level": { "type": "string" },
"sentiment_delta": { "type": "double", "description": "Change in customer sentiment (end_score
- start_score). Positive is good." },
"empathy_indicators": { "type": "array_of_strings", "description": "Specific phrases used by the
agent to show empathy." },
"evidence": { "type": "string" },
"confidence": { "type": "double" }
}
},
// --- OVERALL ASSESSMENT BLOCK (Roll-up & Triage) ---
"overall_assessment": {
"quality_flag": { "type": "string", "description": "Overall summary: 'HIGH', 'MEDIUM', or 'LOW'."
},
"is_resolved": { "type": "boolean", "description": "TRUE if the conversation achieved a clear
outcome." },
"urgency_alert_level": { "type": "string", "description": "Highest alert level triggered across all
dimensions (e.g., 'CRITICAL')." },
"critical_issues": { "type": "array_of_strings", "description": "List of dimensions that triggered a
CRITICAL alert (e.g., ['Risk_Accuracy_Adherence'])." },
"coaching_recommendations": { "type": "array_of_strings", "description": "Top 1-2
recommended focus areas based on the lowest scores." }
}
}

```

Here is a structured, step-by-step customer support ticket analysis prompt designed for AI models. It guides the model through communication assessment, topic and intent classification, root cause identification, and urgency evaluation, returning a JSON object formatted according to your schema:

Customer Support Ticket Analysis (Chain-of-Thought Style)

For each conversation transcript, follow this procedure and ONLY return the final JSON in your output.

Step 1: Communication Dimension Analysis

- **Accuracy & Correctness**

- Assign a score and alert level.
- Extract evidentiary quotes related to regulatory disclosures, calculation accuracy, or policies.
- List specific violations (e.g., missing KYC).
- State if mandatory security checks were completed.
- Report confidence.

- **Use of Context**

- Score depth of context use.
- Count history/CRM references, redundant questions.
- Judge if sufficient context was leveraged.
- Provide evidence and confidence.

- **Root Cause Depth**

- Score the agent's diagnostic depth.
- Tally clarifying questions.
- Specify captured diagnostics (e.g., system logs).
- Indicate if agent identified root cause.
- Include evidence and confidence.

- **Clarity of Resolution**

- Measure how clearly resolution steps, timelines, and expectations are conveyed.
- Flag ambiguity or contradictory statements.
- Quote supporting evidence.

- **Efficiency**

- Calculate filler vs. content ratio.
- Estimate response length optimality.
- Judge information density.
- Support with evidence.

- **Emotion Management**

- Score empathy and emotional attunement.
- Note sentiment change (delta).
- List empathy/acknowledgment phrases.
- Cite transcript evidence.

Step 2: Topic and Intent Classification

- Assign topic from a set list (or propose a new topic – set `is_new_topic` true).
- Determine customer intent (e.g., request, question, complaint).
- Identify root cause (predefined or new, flag with `is_new_root_cause`).

Step 3: Resolution and Urgency Assessment

- Is the ticket resolved? (`is_resolved`)
- Mark urgency (`HIGH_PRIORITY`)
- Collate alert levels for overall triage.

Step 4: Final Output

RETURN ONLY THIS JSON OBJECT PER TICKET:

```
{
  "conversation_id": "FS-2024-9451",
  "timestamp": "2025-10-30T17:45:00Z",
  "channel": "Chat",
  "agent_id": "AGT-2107",
  "customer_id": "CUS-44872",
  "classification": {
    "topic": "Payments",
    "intent": "Refund Request",
    "root_cause": "Process Gap",
    "is_new_root_cause": false
  },
  "dimensions": {
    "risk_accuracy_adherence": {
      "percentage": 98,
      "alert_level": "NONE",
      "policy_violations": [],
      "security_protocol_followed": true,
      "evidence": "Agent disclosed all refund processing fees and provided precise refund",
      "confidence": 0.95
    },
    "use_of_context": {
      "percentage": 90,
      "alert_level": "NONE",
      "history_references": 2,
      "redundant_questions": [],
      "context_utilized": true,
      "evidence": "Agent cited previous ticket FS-2024-8890 and referenced customer's acc",
      "confidence": 0.93
    },
    "root_cause_depth": {
      "percentage": 100,
      "alert_level": "NONE",
      "clarifying_questions_asked": 3,
      "diagnostic_data_captured": ["Error_Code: P315", "Transaction_ID: TX1872"],
      "root_cause_identified": true,

```

```

    "evidence": "Agent asked about error message details and retrieved system logs.",
    "confidence": 0.99
  },
  "clarity_of_resolution": {
    "percentage": 97,
    "alert_level": "NONE",
    "next_steps_clear": true,
    "timeline_specified": true,
    "ambiguity_detected": false,
    "evidence": "Agent confirmed refund timeline: 2 business days.",
    "confidence": 0.96
  },
  "efficiency": {
    "percentage": 94,
    "alert_level": "NONE",
    "filler_percentage": 0.04,
    "response_length_ratio": 1.05,
    "information_density": 0.91,
    "evidence": "Short, direct responses with minimal repetition.",
    "confidence": 0.98
  },
  "emotion_management": {
    "percentage": 95,
    "alert_level": "NONE",
    "sentiment_delta": 0.6,
    "empathy_indicators": ["I understand your frustration", "Thank you for your patience"],
    "evidence": "Agent used empathetic language and acknowledged customer's concerns.",
    "confidence": 0.97
  }
},
"overall_assessment": {
  "quality_flag": "HIGH",
  "is_resolved": true,
  "urgency_alert_level": "NONE",
  "critical_issues": [],
  "coaching_recommendations": ["Increase use of CRM data for context"]
}
}

```

Instructions to model: Analyze each ticket step-by-step (chain-of-thought style), but return only the completed JSON object for each conversation.

apply the above prompt on below conversations:

Example 1: Shipping Delay Issue

Transcript:

Customer: Hi, I'm upset that my order still hasn't arrived.

Agent: I'm sorry to hear that. Let me check your order status.

Customer: I paid for express shipping; it's been two weeks now.

Agent: According to the tracking, the package was delayed by the courier.

Agent: I will arrange a rush delivery so you get it by tomorrow.

Customer: Thank you, I appreciate it.

Mitali from team 2:

Example 2: New Topic / Website Bug

(Assume predefined topics are [Billing, Technical Issue, Account, Shipping, Returns].)

Transcript:

Customer: I'm really frustrated. Your new site update has broken the search function – nothing shows up when I try to find products.

Agent: I apologize for the inconvenience. We have a ticket open for this bug.

Agent: Our developers are working on a fix and expect it to be resolved in 2 days.

```
[
  {
    "conversation_id": "FS-2025-1001",
    "timestamp": "2025-10-30T17:10:00Z",
    "channel": "Chat",
    "agent_id": "Mitali-Team2",
    "customer_id": "CUS-10001",
    "classification": {
      "topic": "Shipping",
      "intent": "Complaint about Delay",
      "root_cause": "Courier Delay",
      "is_new_root_cause": false
    },
    "dimensions": {
      "risk_accuracy_adherence": {
        "percentage": 100,
        "alert_level": "NONE",
        "policy_violations": [],
        "security_protocol_followed": true,
        "evidence": "Agent checked the tracking and informed customer of courier delay. M",
        "confidence": 0.95
      },
      "use_of_context": {
        "percentage": 75,
        "alert_level": "URGENT",
        "history_references": 1,
        "redundant_questions": [],
        "context_utilized": true,
        "evidence": "Agent referenced customer's specific order and shipping method but c",
        "confidence": 0.80
      },
      "root_cause_depth": {
        "percentage": 85,
        "alert_level": "NONE",
        "clarifying_questions_asked": 1,
        "diagnostic_data_captured": ["Order Status", "Tracking Status"],
        "root_cause_identified": true,
        "evidence": "Agent identified courier delay as root cause after checking tracking",
        "confidence": 0.9
      },
      "clarity_of_resolution": {
        "percentage": 90,
        "alert_level": "NONE",
```

```

      "next_steps_clear": true,
      "timeline_specified": true,
      "ambiguity_detected": false,
      "evidence": "Agent specified rush delivery by tomorrow.",
      "confidence": 0.94
    },
    "efficiency": {
      "percentage": 95,
      "alert_level": "NONE",
      "filler_percentage": 0.03,
      "response_length_ratio": 1.0,
      "information_density": 0.9,
      "evidence": "Short and direct exchanges, minimal repetition.",
      "confidence": 0.97
    },
    "emotion_management": {
      "percentage": 90,
      "alert_level": "NONE",
      "sentiment_delta": 0.7,
      "empathy_indicators": ["I'm sorry to hear that"],
      "evidence": "Agent acknowledged frustration and promised resolution.",
      "confidence": 0.91
    }
  },
  "overall_assessment": {
    "quality_flag": "HIGH",
    "is_resolved": true,
    "urgency_alert_level": "URGENT",
    "critical_issues": ["Use_of_Context"],
    "coaching_recommendations": ["Reference previous ticket history or CRM data for rep
  }
},
{
  "conversation_id": "FS-2025-1002",
  "timestamp": "2025-10-30T17:12:00Z",
  "channel": "Chat",
  "agent_id": "Mitali-Team2",
  "customer_id": "CUS-10002",
  "classification": {
    "topic": "Technical Issue",
    "intent": "Bug Report",
    "root_cause": "Website Search Bug",
    "is_new_root_cause": true
  },
  "dimensions": {
    "risk_accuracy_adherence": {
      "percentage": 100,
      "alert_level": "NONE",
      "policy_violations": [],
      "security_protocol_followed": true,
      "evidence": "Agent correctly acknowledged the technical bug and gave expected fix",
      "confidence": 0.98
    },
    "use_of_context": {
      "percentage": 80,
      "alert_level": "NONE",

```

```

    "history_references": 0,
    "redundant_questions": [],
    "context_utilized": true,
    "evidence": "Agent referenced the recent update and confirmed issue is tracked.",
    "confidence": 0.85
  },
  "root_cause_depth": {
    "percentage": 80,
    "alert_level": "NONE",
    "clarifying_questions_asked": 0,
    "diagnostic_data_captured": ["Bug Ticket Open"],
    "root_cause_identified": true,
    "evidence": "Agent did not ask for more reproduction details, but confirmed devel",
    "confidence": 0.87
  },
  "clarity_of_resolution": {
    "percentage": 90,
    "alert_level": "NONE",
    "next_steps_clear": true,
    "timeline_specified": true,
    "ambiguity_detected": false,
    "evidence": "Agent gave resolution time estimate: 2 days.",
    "confidence": 0.95
  },
  "efficiency": {
    "percentage": 95,
    "alert_level": "NONE",
    "filler_percentage": 0.02,
    "response_length_ratio": 1.0,
    "information_density": 0.92,
    "evidence": "Agent concisely provided bug status and next steps.",
    "confidence": 0.96
  },
  "emotion_management": {
    "percentage": 88,
    "alert_level": "NONE",
    "sentiment_delta": 0.6,
    "empathy_indicators": ["I apologize for the inconvenience"],
    "evidence": "Agent acknowledged user's frustration and provided reassurance.",
    "confidence": 0.92
  }
},
"overall_assessment": {
  "quality_flag": "HIGH",
  "is_resolved": false,
  "urgency_alert_level": "NONE",
  "critical_issues": [],
  "coaching_recommendations": ["Ask clarifying questions to gather more specifics on
}
}
]

```

Example 3: Multiple Tickets (Shipping & Billing)

Transcript 1:

Customer: Hi, I'm upset that my order still hasn't arrived.

Agent: I'm sorry to hear that. Let me check your order status.

Customer: I paid for express shipping; it's been two weeks now.

Agent: According to the tracking, the package was delayed by the courier.

Agent: I will arrange a rush delivery so you get it by tomorrow.

Customer: Thank you, I appreciate it.

Transcript 2:

Customer: I noticed I was charged twice for my recent order.

Agent: I apologize for the confusion. I will reverse the duplicate charge right away.

Customer: Thank you, I appreciate it

Example 4: Single-Instruction Prompt (Account Login)

Prompt:

Analyze the following conversation transcript and output a JSON summary with the quality metrics,

topic, intent, root cause, and resolution status as specified above.

Transcript:

Customer: I can't log into my account after the app update.

Agent: I apologize for the inconvenience. Please reset your password by clicking 'Forgot Password'.

Customer: That fixed it, thanks.

run 2 more from different CX team members

```
[
  {
    "conversation_id": "FS-2025-1003",
    "timestamp": "2025-10-30T17:14:00Z",
    "channel": "Chat",
    "agent_id": "Priya-Team4",
    "customer_id": "CUS-10003",
    "classification": {
      "topic": "Shipping",
      "intent": "Complaint about Delay",
      "root_cause": "Courier Delay",
      "is_new_root_cause": false
    },
    "dimensions": {
      "risk_accuracy_adherence": {
        "percentage": 100,
        "alert_level": "NONE",
        "policy_violations": [],
        "security_protocol_followed": true,
        "evidence": "Agent checked tracking and arranged rush delivery.",
        "confidence": 0.95
      }
    }
  },

```

```

    "use_of_context": {
      "percentage": 78,
      "alert_level": "URGENT",
      "history_references": 1,
      "redundant_questions": [],
      "context_utilized": true,
      "evidence": "Agent referenced the customer's order and shipping choice.",
      "confidence": 0.81
    },
    "root_cause_depth": {
      "percentage": 85,
      "alert_level": "NONE",
      "clarifying_questions_asked": 1,
      "diagnostic_data_captured": ["Order Status", "Tracking Status"],
      "root_cause_identified": true,
      "evidence": "Agent identified courier delay as the issue.",
      "confidence": 0.9
    },
    "clarity_of_resolution": {
      "percentage": 93,
      "alert_level": "NONE",
      "next_steps_clear": true,
      "timeline_specified": true,
      "ambiguity_detected": false,
      "evidence": "Agent assured rush delivery by tomorrow.",
      "confidence": 0.94
    },
    "efficiency": {
      "percentage": 95,
      "alert_level": "NONE",
      "filler_percentage": 0.03,
      "response_length_ratio": 0.98,
      "information_density": 0.91,
      "evidence": "Efficient, short responses with clear resolution.",
      "confidence": 0.97
    },
    "emotion_management": {
      "percentage": 90,
      "alert_level": "NONE",
      "sentiment_delta": 0.7,
      "empathy_indicators": ["I'm sorry to hear that"],
      "evidence": "Agent expressed empathy and resolved the issue.",
      "confidence": 0.91
    }
  },
  "overall_assessment": {
    "quality_flag": "HIGH",
    "is_resolved": true,
    "urgency_alert_level": "URGENT",
    "critical_issues": ["Use_of_Context"],
    "coaching_recommendations": ["Increase referencing of CRM history for follow-up iss
  }
},
{
  "conversation_id": "FS-2025-1004",
  "timestamp": "2025-10-30T17:15:00Z",

```

```
"channel": "Chat",
"agent_id": "Sameer-Team1",
"customer_id": "CUS-10004",
"classification": {
  "topic": "Billing",
  "intent": "Dispute Double Charge",
  "root_cause": "Processing Error",
  "is_new_root_cause": false
},
"dimensions": {
  "risk_accuracy_adherence": {
    "percentage": 99,
    "alert_level": "NONE",
    "policy_violations": [],
    "security_protocol_followed": true,
    "evidence": "Agent acknowledged and reversed duplicate charge immediately.",
    "confidence": 0.96
  },
  "use_of_context": {
    "percentage": 85,
    "alert_level": "NONE",
    "history_references": 0,
    "redundant_questions": [],
    "context_utilized": true,
    "evidence": "Agent confirmed the customer's recent order before acting.",
    "confidence": 0.87
  },
  "root_cause_depth": {
    "percentage": 76,
    "alert_level": "NONE",
    "clarifying_questions_asked": 0,
    "diagnostic_data_captured": ["Order Reference"],
    "root_cause_identified": true,
    "evidence": "Agent identified processing error and reversed charge.",
    "confidence": 0.87
  },
  "clarity_of_resolution": {
    "percentage": 96,
    "alert_level": "NONE",
    "next_steps_clear": true,
    "timeline_specified": false,
    "ambiguity_detected": false,
    "evidence": "Resolution was made immediately; timeline not needed.",
    "confidence": 0.96
  },
  "efficiency": {
    "percentage": 97,
    "alert_level": "NONE",
    "filler_percentage": 0.01,
    "response_length_ratio": 0.95,
    "information_density": 0.93,
    "evidence": "Quick response, immediate action, minimal dialogue.",
    "confidence": 0.98
  },
  "emotion_management": {
    "percentage": 84,
```

```

        "alert_level": "NONE",
        "sentiment_delta": 0.6,
        "empathy_indicators": ["I apologize for the confusion"],
        "evidence": "Agent apologized and resolved issue quickly.",
        "confidence": 0.90
    }
},
"overall_assessment": {
    "quality_flag": "HIGH",
    "is_resolved": true,
    "urgency_alert_level": "NONE",
    "critical_issues": [],
    "coaching_recommendations": ["Ask clarifying question before processing reversals"]
}
},
{
    "conversation_id": "FS-2025-1005",
    "timestamp": "2025-10-30T17:16:00Z",
    "channel": "Chat",
    "agent_id": "Arjun-Team3",
    "customer_id": "CUS-10005",
    "classification": {
        "topic": "Account",
        "intent": "Login Issue",
        "root_cause": "Password Expired After Update",
        "is_new_root_cause": false
    },
    "dimensions": {
        "risk_accuracy_adherence": {
            "percentage": 100,
            "alert_level": "NONE",
            "policy_violations": [],
            "security_protocol_followed": true,
            "evidence": "Agent gave correct action for password reset.",
            "confidence": 0.98
        },
        "use_of_context": {
            "percentage": 83,
            "alert_level": "NONE",
            "history_references": 0,
            "redundant_questions": [],
            "context_utilized": true,
            "evidence": "Agent connected the issue to recent app update context.",
            "confidence": 0.89
        },
        "root_cause_depth": {
            "percentage": 80,
            "alert_level": "NONE",
            "clarifying_questions_asked": 0,
            "diagnostic_data_captured": [],
            "root_cause_identified": true,
            "evidence": "Agent inferred root cause from the symptom and advised password reset.",
            "confidence": 0.90
        },
        "clarity_of_resolution": {
            "percentage": 99,

```

```

    "alert_level": "NONE",
    "next_steps_clear": true,
    "timeline_specified": false,
    "ambiguity_detected": false,
    "evidence": "Resolution immediate after action; no timeline required.",
    "confidence": 0.99
  },
  "efficiency": {
    "percentage": 98,
    "alert_level": "NONE",
    "filler_percentage": 0.01,
    "response_length_ratio": 0.90,
    "information_density": 0.96,
    "evidence": "Prompt, effective resolution.",
    "confidence": 0.99
  },
  "emotion_management": {
    "percentage": 88,
    "alert_level": "NONE",
    "sentiment_delta": 0.6,
    "empathy_indicators": ["I apologize for the inconvenience"],
    "evidence": "Agent acknowledged inconvenience; issue fixed.",
    "confidence": 0.91
  }
},
"overall_assessment": {
  "quality_flag": "HIGH",
  "is_resolved": true,
  "urgency_alert_level": "NONE",
  "critical_issues": [],
  "coaching_recommendations": ["Capture technical details for frequently recurring ap
}
}
]

```

re-run: Example 4: Single-Instruction Prompt (Account Login)

Prompt:

Analyze the following conversation transcript and output a JSON summary with the quality metrics,

topic, intent, root cause, and resolution status as specified above.

Transcript:

Customer: I can't log into my account after the app update.

Agent: I apologize for the inconvenience. Please reset your password by clicking 'Forgot Password'.

Customer: That fixed it, thanks.

and compare result from previous prompt and this prompt

```
{
  "conversation_id": "FS-2025-1005",
  "timestamp": "2025-10-30T17:16:00Z",
  "channel": "Chat",
  "agent_id": "Arjun-Team3",
  "customer_id": "CUS-10005",
  "classification": {
    "topic": "Account",
    "intent": "Login Issue",
    "root_cause": "Password Reset Required After Update",
    "is_new_root_cause": false
  },
  "dimensions": {
    "risk_accuracy_adherence": {
      "percentage": 100,
      "alert_level": "NONE",
      "policy_violations": [],
      "security_protocol_followed": true,
      "evidence": "Agent immediately provided the correct action for password reset.",
      "confidence": 0.99
    },
    "use_of_context": {
      "percentage": 83,
      "alert_level": "NONE",
      "history_references": 0,
      "redundant_questions": [],
      "context_utilized": true,
      "evidence": "Agent recognized the issue was linked to the app update.",
      "confidence": 0.88
    },
    "root_cause_depth": {
      "percentage": 85,
      "alert_level": "NONE",
      "clarifying_questions_asked": 0,
      "diagnostic_data_captured": [],
      "root_cause_identified": true,
      "evidence": "Agent deduced the root cause and suggested immediate fix.",
      "confidence": 0.92
    },
    "clarity_of_resolution": {
      "percentage": 99,
      "alert_level": "NONE",
      "next_steps_clear": true,
      "timeline_specified": false,
      "ambiguity_detected": false,
      "evidence": "Issue resolved right after customer followed agent instruction.",
      "confidence": 0.99
    },
    "efficiency": {
      "percentage": 98,
      "alert_level": "NONE",
      "filler_percentage": 0.01,
      "response_length_ratio": 0.92,
      "information_density": 0.97,
      "evidence": "Fast and concise solution delivered in minimal exchanges.",
      "confidence": 0.99
    }
  }
}
```

```

    },
    "emotion_management": {
      "percentage": 90,
      "alert_level": "NONE",
      "sentiment_delta": 0.7,
      "empathy_indicators": ["I apologize for the inconvenience"],
      "evidence": "Agent acknowledged inconvenience and made sure issue was fixed.",
      "confidence": 0.94
    }
  },
  "overall_assessment": {
    "quality_flag": "HIGH",
    "is_resolved": true,
    "urgency_alert_level": "NONE",
    "critical_issues": [],
    "coaching_recommendations": ["Record technical detail for login recurrence and monitor"]
  }
}

```

Comparison Table

Dimension	Previous Result	Current Result
topic	Account	Account
intent	Login Issue	Login Issue
root_cause	Password Expired After Update	Password Reset Required After Update
is_new_root_cause	false	false
risk_accuracy_adherence	100%	100%
use_of_context	83%	83%
root_cause_depth	80%	85%
clarity_of_resolution	99%	99%
efficiency	98%	98%
emotion_management	88%	90%
is_resolved	true	true
urgency_alert_level	NONE	NONE
coaching_recommendations	Capture technical details for recurring login issues	Record technical detail for login recurrence and monitor after app updates

- Both results assign **HIGH quality**, issue resolved, and high scores on all metrics .
- The latest run graded *root cause depth* and *emotion management* slightly higher, and clarified root cause as "Password Reset Required After Update" rather than "Password Expired After Update" .

- Coaching recommendation is more specific in the current result, suggesting monitoring post-update impact .