

JSON Output Schema

```
{  
  
  // --- METADATA BLOCK ---  
  
  "conversation_id": { "type": "string", "description": "Unique identifier for the  
conversation (e.g., FS-2024-9451)" },  
  
  "timestamp": { "type": "date", "description": "UTC timestamp when the conversation ended."  
},  
  
  "channel": { "type": "string", "description": "Source channel (e.g., 'Chat', 'Email',  
'Call')." },  
  
  "agent_id": { "type": "string", "description": "Identifier for the BPO or internal agent."  
},  
  
  "customer_id": { "type": "string", "description": "Identifier for the FinServeCo client." },  
  
  // --- CLASSIFICATION BLOCK ---  
  
  "classification": {  
  
    "topic": { "type": "string", "description": "Highest level category (e.g., 'Payments',  
'Account Management')." },  
  
    "intent": { "type": "string", "description": "Customer's goal (e.g., 'Refund Request',  
'Login Issue')." },  
  
    "root_cause": { "type": "string", "description": "Systemic reason for the problem (e.g.,  
'Software Bug', 'Process Gap', 'Agent Error')." },  
  
    "is_new_root_cause": { "type": "boolean", "description": "TRUE if the root cause is not in  
the predefined list (Escalation Blind Spot)." }  
  
  },  
  
  // --- DIMENSIONS BLOCK (Scoring & Diagnostic Data) ---  
  
  "dimensions": {  
  
    "risk_accuracy_adherence": {  
  
      "percentage": { "type": "integer", "description": "The score (0-100%). High score means high  
compliance." },  
  
      "alert_level": { "type": "string", "description": "Alert: 'CRITICAL' (<70%), 'URGENT'  
(<95%), or 'NONE'." },  

```

```
"policy_violations": { "type": "array_of_strings", "description": "List of specific policy
rules violated (e.g., 'KYC_Check_Missed')." },

"security_protocol_followed": { "type": "boolean", "description": "TRUE if all mandatory
security steps were completed." },

"evidence": { "type": "string", "description": "Quote from the transcript justifying the
score." },

"confidence": { "type": "double", "description": "AI's certainty in this score (0.0 - 1.0)."
}

},

"use_of_context": {

"percentage": { "type": "integer" },

>alert_level": { "type": "string" },

"history_references": { "type": "integer", "description": "Count of times the agent
referenced prior history." },

"redundant_questions": { "type": "array_of_strings", "description": "List of questions asked
that were already answered." },

"context_utilized": { "type": "boolean", "description": "TRUE if necessary context was
accessed and used." },

"evidence": { "type": "string" },

"confidence": { "type": "double" }

},

"root_cause_depth": {

"percentage": { "type": "integer" },

>alert_level": { "type": "string" },

"clarifying_questions_asked": { "type": "integer", "description": "Count of diagnostic
questions asked by the agent." },

"diagnostic_data_captured": { "type": "array_of_strings", "description": "List of technical
details captured (e.g., 'OS_Version', 'Error_Code')." },

"root_cause_identified": { "type": "boolean", "description": "TRUE if the agent successfully
identified the root cause before resolution/escalation." },
```

```
"evidence": { "type": "string" },

"confidence": { "type": "double" }

},

"clarity_of_resolution": {

"percentage": { "type": "integer" },

"alert_level": { "type": "string" },

"next_steps_clear": { "type": "boolean", "description": "TRUE if resolution steps were
unambiguous." },

"timeline_specified": { "type": "boolean", "description": "TRUE if the customer was given a
specific timeframe." },

"ambiguity_detected": { "type": "boolean", "description": "TRUE if the resolution contains
vague language." },

"evidence": { "type": "string" },

"confidence": { "type": "double" }

},

"efficiency": {

"percentage": { "type": "integer" },

"alert_level": { "type": "string" },

"filler_percentage": { "type": "double", "description": "Percentage of filler/redundant
tokens in agent response." },

"response_length_ratio": { "type": "double", "description": "Agent turn length compared to
optimal mean length for this intent (1.0 is optimal)." },

"information_density": { "type": "double", "description": "Signal-to-Noise ratio." },

"evidence": { "type": "string" },

"confidence": { "type": "double" }

},

"emotion_management": {

"percentage": { "type": "integer" },
```

```
"alert_level": { "type": "string" },

"sentiment_delta": { "type": "double", "description": "Change in customer sentiment
(end_score - start_score). Positive is good." },

"empathy_indicators": { "type": "array_of_strings", "description": "Specific phrases used by
the agent to show empathy." },

"evidence": { "type": "string" },

"confidence": { "type": "double" }

}

},

// --- OVERALL ASSESSMENT BLOCK (Roll-up & Triage) ---

"overall_assessment": {

"quality_flag": { "type": "string", "description": "Overall summary: 'HIGH', 'MEDIUM', or
'LOW'." },

"is_resolved": { "type": "boolean", "description": "TRUE if the conversation achieved a
clear outcome." },

"urgency_alert_level": { "type": "string", "description": "Highest alert level triggered
across all dimensions (e.g., 'CRITICAL')." },

"critical_issues": { "type": "array_of_strings", "description": "List of dimensions that
triggered a CRITICAL alert (e.g., ['Risk_Accuracy_Adherence'])."},

"coaching_recommendations": { "type": "array_of_strings", "description": "Top 1-2
recommended focus areas based on the lowest scores." }

}

}
```