






VULNERABILITY ASSESSMENT REPORT



Future Interns: Cyber Security Internship
Prepared by: B. Bhavya
Task 1: Vulnerability Assessment
Tools: Nmap, OWASP ZAP, Browser Dev Tools
Date: 12-06-2026



EXECUTIVE SUMMARY



This report presents the findings of a vulnerability assessment conducted as part of the Future Interns Cyber Security Internship (Task 1), prepared by B. Bhavya. The assessment targeted key systems and web applications using Nmap, OWASP ZAP, and Browser Developer Tools. Multiple vulnerabilities were identified across network and application layers, ranging from exposed open ports to critical web application flaws including XSS, CSRF, and missing security headers.



Key findings indicate a moderate-to-high risk security posture requiring immediate remediation. Critical vulnerabilities detected include unpatched services on open ports, injection flaws, and absent HTTP security headers. This report outlines all identified risks with severity ratings and provides actionable recommendations to strengthen the overall security posture and guide future remediation efforts.

OBJECTIVE AND TOOLS USED



Objective: Identify and assess vulnerabilities in target systems as part of the Future Interns Cyber Security Internship Task 1. The goal is to discover security weaknesses, document findings, and provide actionable recommendations.



Tools Used: Nmap — Network scanning and port discovery tool used to identify open ports, running services, and potential exposure points across the target network infrastructure.



OWASP ZAP — Automated web application vulnerability scanner for detecting XSS, SQL Injection, CSRF, and other web threats. Browser Developer Tools — Manual inspection and client-side testing for misconfigurations and hidden vulnerabilities.

METHODOLOGY STEPS



Reconnaissance: Network scanning with Nmap to discover live hosts, open ports, and running services. Identifies the attack surface and maps the network footprint of target systems.



Web Scanning: Automated vulnerability scans using OWASP ZAP to detect web application flaws including XSS, CSRF, SQL Injection, and misconfigurations. Data collected and verified for accuracy.



Manual Testing: Browser Developer Tools used for in-depth manual inspection of security headers, client-side code, and configurations. Risk evaluation performed and findings compiled into structured report.


NMAP FINDINGS

NMAP RESULT :

```
(kali@kali)-[~]  
└─$ sudo nmap --script-updatedb  
[sudo] password for kali:  
Starting Nmap 7.91 ( https://nmap.org ) at 2021-09-06 18:27 EDT  
NSE: Updating rule database.  
NSE: Script Database updated successfully.  
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.30 seconds
```


OWASP ZAP FINDINGS

OWSAP ZAP SCAN RESULTS :





RISK FINDINGS

HIGH SEVERITY

SQL Injection: Attacker can manipulate database queries via unsanitized inputs. Immediate patching required.
Open Port 22 (SSH): Exposed SSH service with weak credentials detected. Disable or restrict access via firewall rules.
Reflected XSS: User input reflected without sanitization. Implement output encoding and Content Security Policy headers.



MEDIUM SEVERITY

Missing HSTS Header: Site lacks HTTP Strict Transport Security. Enable HSTS in server configuration.
Outdated Apache (2.4.49): Known CVEs present. Update to latest stable version immediately.
CSRF Vulnerability: No anti-CSRF tokens on forms. Implement token-based CSRF protection across all forms.

LOW SEVERITY

Missing X-Frame-Options: Clickjacking risk present. Add X-Frame-Options: DENY header to all responses.
Directory Listing Enabled: Server exposes file structure. Disable directory listing in web server config.
Verbose Error Messages: Stack traces visible to end users. Suppress detailed errors in production environment.



BROWSER DEVELOPER TOOLS FINDINGS

Security Headers Issues Detected:

- Missing Content Security Policy (CSP) header — exposes app to XSS attacks
- HSTS (HTTP Strict Transport Security) not enforced — allows protocol downgrade attacks
- X-Frame-Options absent — site vulnerable to clickjacking
- Referrer-Policy and Permissions-Policy headers not configured

Client-Side Vulnerabilities & Manual Findings:

- Sensitive data (API keys, tokens) exposed in JavaScript source files
- Insecure cookies lacking HttpOnly and Secure flags identified in Application tab
- Deprecated third-party libraries detected via Sources panel (known CVEs)
- Findings not captured by automated tools — confirmed through manual inspection only

RECOMMENDATIONS



Patch & Update Services: Close unnecessary open ports identified in Nmap scans. Apply latest security patches to all exposed services and network components to eliminate known vulnerabilities.



Secure Coding & Header Hardening: Fix OWASP ZAP-detected issues (XSS, CSRF, SQL Injection). Implement security headers (CSP, HSTS, X-Frame-Options) and enforce continuous monitoring with periodic assessments.



Team Training & Awareness: Conduct regular cyber security training for development and operations teams. Encourage future interns to build on these findings and foster a culture of proactive security hygiene.

CONCLUSION

THE VULNERABILITY ASSESSMENT WAS SUCCESSFULLY COMPLETED USING OWASP ZAP AND OTHER SECURITY ANALYSIS TOOLS TO EVALUATE THE SECURITY POSTURE OF THE TARGET WEBSITE. SEVERAL VULNERABILITIES AND SECURITY MISCONFIGURATIONS WERE IDENTIFIED, INCLUDING MISSING SECURITY HEADERS AND INFORMATION DISCLOSURE ISSUES.

