

first enable the Gmail API

Product details

Gmail API

[Google Enterprise API](#)

View and manage Gmail mailbox data.

[MANAGE](#) [TRY THIS API](#) API Enabled

[OVERVIEW](#) [DOCUMENTATION](#) [SUPPORT](#) [RELATED PRODUCTS](#)

Overview

With the Gmail API, you can view and manage Gmail mailbox data like threads, messages, and labels.

[Learn more](#)

Additional details

Type: [SaaS & APIs](#)

Last product update: 06/02/2023

Category: [Google Enterprise APIs](#), [Google Workspace](#)

Service name: gmail.googleapis.com

Tutorials and documentation

[Overview](#) [Quickstarts](#)

Select OAuth Client ID

Google Cloud

Ai assistant

Search (/) for resources, docs, products and more

Search

3

APIs and services

Enabled APIs and services

Library

Credentials

OAuth consent screen

Page usage agreements

Credentials

+ CREATE CREDENTIALS

DELETE

RESTORE DELETED CREDENTIALS

Create credentials to access your project

API keys

☐

Name

☐

API key 1

OAuth 2.0 Client IDs

☐

Name

☐

Desktop client 2

☐

Desktop client 1

Service Accounts

☐

Email

Restrictions

None

SHOW

Creation date

20 Jun 2024

12 Jun 2024

Type

Desktop

Desktop

Client ID

No service accounts to display

API key
Identifies your project using a simple API key to check quota and access

OAuth client ID
Requests user consent so that your app can access the user's data.

Service account
Enables server-to-server, app-level authentication using robot accounts

Help me choose
Asks a few questions to help you decide which type of credential to use



Go to Desktop App

Google Cloud

Ai assistant

Search (/) for resources, docs, products and more

Search

APIs and services

Enabled APIs and services

Library

Credentials

OAuth consent screen

Page usage agreements

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

Web application

Android

Chrome Extension

iOS

TVs and Limited Input devices

Desktop app

Universal Windows Platform (UWP)

A black arrow pointing from the right side of the image to the 'Desktop app' option in the 'Application type' dropdown menu.

Download Json file

Enabled APIs and services

Library

Credentials


OAuth consent screen

Page usage agreements

Create credentials to access your enable

API keys

☐ Name

☐  [API key 1](#)

OAuth 2.0 Client IDs

☐ Name

☐ [Desktop client 3](#)

☐ [Desktop client 2](#)

☐ [Desktop client 1](#)

Service Accounts

☐ Email


No service accounts to display

OAuth client created

The client ID and secret can always be accessed from Credentials in APIs & Services









OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

| | |
|---------------|---|
| Client ID | 271880081628-8j3i4ttj7s4ics3368g2v1aiv160jjrt.apps.googleusercontent.com |
| Client secret | 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 |
| Creation date | 25 June 2024 at 19:04:22 GMT+5 |
| Status |  Enabled |

 DOWNLOAD JSON

OK

SHOW KEY

| Client ID | |
|----------------------|---|
| 271880081628-8j3i... |   |
| 271880081628-9v2n... |   |
| 271880081628-69p4... |   |

[Manage service acco](#)

