Results

Repeated Measures ANOVA

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
RM Factor 1	0.016	2	0.008	3.843	0.068
Residuals	0.017	8	0.002		

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p
Residuals	0.076	4	0.019		

Note. Type III Sum of Squares

Descriptives

Descriptives

RM Factor 1	N	Mean	SD	SE	Coefficient of variation
Condition 1	5	0.920	0.057	0.025	0.062
Condition 2	5	0.870	0.097	0.044	0.112
Condition 3	5	0.840	0.102	0.046	0.122

Post Hoc Tests

Post Hoc Comparisons - RM Factor 1

		Mean Difference	95% CI for Mean Difference Lower	95% CI for Mean Difference Upper	SE	t	p_{bonf}	p_{holm}
Condition 1	Condition 2	0.050	−0.038	0.138	0.029	1.715	0.374	0.249
	Condition 3	0.080	−0.008	0.168	0.029	2.744	0.076	0.076
Condition 2	Condition 3	0.030	−0.058	0.118	0.029	1.029	1.000	0.334

Note. P-value and confidence intervals adjusted for comparing a family of 3 estimates (confidence intervals corrected using the bonferroni method).

Descriptive Statistics

Descriptive Statistics

	Condition 1 Accuracy	Condition 2 Accuracy	Condition 3 Accuracy
Valid	5	5	5
Missing	0	0	0
Mean	0.920	0.870	0.840
Std. Deviation	0.057	0.097	0.102
Minimum	0.850	0.750	0.750
Maximum	1.000	1.000	0.950