NUBRA · PRODUCT MANAGEMENT INTERN CASE · PROBLEM 03, POST-TRADE REVIEW

TradeLens: the monthly review that names the habits costing you money

Bhavya Mohnot · October 2026

My take on the problem

Traders don't skip reviews out of laziness; reviewing is hard. A tradebook is hundreds of buy/sell rows, and a P&L report says *how much* you lost, not *what to change*. The losses that matter are repeated behaviours: the instrument that never works for you, the expiry-day option punt, the trade taken ten minutes after a loss. Each is invisible one trade at a time and obvious across a month.

87.7%
of individual F&O traders lost money in FY26

₹91,685 cr
lost by individual traders in total

~90%
of those who lost two years running, and kept trading, lost again

People keep trading; they don't keep learning.

> So the job is not "more analytics". It is to take a month of raw order history, name the **two or three habits that cost the most rupees**, prove each with the actual trades, and hand back **one rule to try next month**.

Why Nubra should solve it

- **It already has the data.** Nothing to export or upload; the review can arrive on the 1st of every month.
- **The right users.** Nubra is built for active traders, scalpers and options strategists, which is where habits compound fastest.
- **It can close the loop.** A journal app can only tell you about a habit. Nubra can turn it into a guardrail at the moment of decision: an expiry-day nudge on the order ticket, a cool-off after three losses, or pausing an instrument on a smart watchlist.
- **Retention.** Traders who blow up their accounts churn. Helping them lose less is good for them and for lifetime value.

The solution space

OPTION	WHY NOT (OR WHY)
P&L dashboard (Console-style)	Answers "how much", not "what to change"; most traders never open it
Trade journal (TradeZella, Tradervue)	Needs manual tagging; too much effort for most retail traders
AI chat over your trades	Flexible but hard to verify; a confident wrong rupee figure does real damage
Opinionated monthly review (chosen)	Deterministic checks, ranked by ₹, at most three, each with evidence and a rule

1. **Rank by marginal ₹.** If BANKNIFTY losses and closing-hour losses are the same trades, they count once, and the closing hour is cleared.
2. **Don't invent problems.** A habit must cover at least 5% of the month's losses and be statistically worse than the trader's other trades. Everything checked and cleared is shown, for example "your quick re-entries made +₹650".
3. **Plain words, no motive-guessing.** It says "jumping back in within 15 minutes of a loss", never "revenge trading".

In scope (v1)

- One month of NSE equity/F&O order history: a broker tradebook CSV/XLSX, or a closed-trade sheet.
- Round-trip rebuild from fills (scale-ins, partial exits, shorts), with charges estimated when the file has none.
- Nine habit checks: an instrument that keeps losing · trading on after three losses · quick re-entry after a loss · overtrading · a losing time of day · expiry-day options · holding losers longer than winners · sizing up after a loss · charges eating small trades.
- A one-rule commitment, checked against next month's review.
- Runs entirely in the browser; the file never leaves the device.

Out of scope

- Live positions and margin (problem 02).
- Broker API sync.
- Grouping multi-leg strategies (each leg is reviewed on its own).
- Intraday price paths, so no "you exited too early" claims.
- Tax P&L, guessing emotions, free-form AI chat.

How I'd know it works

- **Adoption:** the share of monthly active traders who open the review, and the share who commit to a rule.
- **Outcome (north star):** the ₹ cost of the committed habit the following month against its baseline. Target: at least a 20% drop for half of committers.
- **Trust:** the "this is wrong" rate per habit card; a high rate means re-tuning or removing that check.

Figures: SEBI study of individual traders in equity derivatives, FY26 (Aug 2026). Live app: trade-lens-omega.vercel.app · Prompts p.2–3 · Evals p.4 · App p.5

ARTIFACT 02 · PROMPTS

How TradeLens was prompted into existence

Two rounds. A first version was built quickly with ChatGPT (Codex); it worked, but answered the wrong question. It was then audited against the brief and rebuilt and refined with Claude (Claude Code).

Round 1 · ChatGPT (Codex): the prompts as sent, and why they didn't work

```
which of these can we make immediately
```

Codex compared all four problems and recommended **#03 Post-trade review**: clearest problem, fewest dependencies, testable. KEPT

```
lets quickly build an agentic ai workflow with a web app where chatbot type interface, chat history and so on is there where the traders can upload their trade book and the agentic workflow will analyse it for them , behavioural patterns, wins losses and so on so forth
```

A chat-style app with CSV upload, saved history, win/loss/fee/drawdown metrics and "behavioural observations". The free-form AI was never connected; the "chat" was keyword routing. WRONG SHAPE

```
deploy on vercel real quick and no login required. and lets test it out real quick
```

Deployed publicly. Codex built locally and uploaded only the compiled output, so the source was never kept. NO SOURCE

```
make it more open ,, the excel upload
```

Added Excel import with a column-matching step.

```
even more, i meant the pnl and other columns requirement sounds big, or have an example created for me real quick so i can test
```

Generated **TradeLens-example.xlsx**: 60 synthetic closed trades with three planted patterns. KEPT AS A TEST FILE

What the audit of the Round 1 app found

- **Wrong #1 habit.** Findings appeared in a fixed order, not by ₹. Its single "next step" pointed at fees (₹2,100) while BANKNIFTY had cost ₹9,100.
- **Flagged a habit that made money.** It called re-entries after a loss a problem, but those trades made +₹650.
- **Wrong answers in chat.** "What time of day am I worst?" returned the *strongest* hour, which was itself −₹1,390.
- **Couldn't read order history.** It needed closed trades with P&L already worked out; the brief starts from order history.
- **A dashboard, not a review.** Metrics first, chat second, and no single "fix this one thing" outcome.

> **Lesson carried into Round 2:** "build an agentic chatbot" described a technology, not the user's job. The rebuild started from the outcome instead: the 2–3 habits that cost the most rupees, each proven with trades and turned into one rule.

Round 2 · Claude (Claude Code): audit, then rebuild

Round 2 opened by pointing Claude at the brief, the JD, the example file and the live Round 1 app, and asking for an audit. The findings above became the spec. The rebuild was then driven step by step; the next page distils those steps into a prompt sequence that recreates TradeLens from scratch.

ARTIFACT 02 · PROMPTS

Prompts to recreate TradeLens, step by step

The Round 2 build distilled into a sequence you can run in order with a coding agent. Each step names an outcome and a way to check it.

1 Audit before building

```
Here is the assignment PDF, the JD, an example trades file and a first prototype. Check the prototype against every requirement and against the example data: what should the top habit be, and what does the app actually say? List what it meets and misses. No code yet.
```

2 Frame the product

```
Problem 03: turn a month of order history into the 2–3 habits costing a trader money. Define a "habit" in measurable terms, what the output looks like (at most 3, ranked by ₹, each with the trades that prove it and one rule to try), and what's out of scope. Plain words, no motive-guessing.
```

3 Read real broker files

```
In TypeScript, read CSV/XLSX, find the header row even under title rows, and auto-map columns. Accept a broker tradebook (one row per buy/sell, Zerodha Console style) or a closed-trade sheet. Rebuild round trips per symbol: scale-ins, partial exits, shorts, flips through zero. Leave open positions out and say so. If there's no charges column, estimate NSE charges and label them as estimates.
```

4 Write the habit checks

```
Write pure-function detectors that return the trades involved and the ₹ fixing each would have saved: an instrument that keeps losing, trading on after 3 straight losses, re-entering ≤15 min after a loss, trades past your usual daily count, a losing time of day, options opened on expiry day, losers held ≥2× longer than winners, sizing up after a loss, charges ≥30% of the move.
```

5 Rank by rupees, and don't invent problems

```
Rank by marginal ₹: each habit only gets credit for trades a higher-ranked habit hasn't claimed. Show a habit only if it covers ≥3 trades, ≥5% of the month's losses, and is statistically worse than the trader's other trades. For everything checked and not shown, say why in one line: made money, too small, not significant, or overlapping.
```

6 Design a review, not a dashboard

```
Build a React page: upload and samples; a column check only when detection is unsure; then a verdict sentence, three habit cards (₹ cost, evidence, rule, trade list), one chart of the month with and without the habits, the "checked" list, and small stats last. Mobile first, INR formatting, everything in the browser.
```

7 Close the loop

```
Let the trader commit to one rule. Next month, compare that habit's ₹ cost with the month they committed.
```

8 Make a realistic month of data

```
Generate a deterministic September 2026 Zerodha-style tradebook: NIFTY weeklies with Tuesday expiries, BANKNIFTY monthlies, RELIANCE futures, equity intraday. Plant 3 habits of known cost plus decoys that must not be flagged, and write an answer key computed from the fills, not from the app.
```

9 Write the evals and a ship bar

```
Fixed cases (the brief's example, the sample, one per habit, a clean trader, a symbol-vs-time confound, messy formats), seeded sweeps (20 traders per habit, 30 clean traders), and copy checks on every review. Fail the run if the ship bar isn't met.
```

10 Fix honestly, then check on unseen data

```
Run the evals. For each failure, decide whether the engine or the test is wrong before changing anything, and never loosen a threshold just to pass. Then rerun on a held-out seed set you didn't tune on.
```

11 Ship

```
Make it a static Vite app on Vercel with no backend and no environment variables. Test both samples on the live URL at desktop and phone width.
```

ARTIFACT 03 · EVALS

How I decided it was good enough to ship

Every ₹ figure comes from deterministic code, so every claim can be tested. A single command, `npm run eval`, runs everything and fails if the ship bar isn't met.

Four layers of checks

LAYER	WHAT IT PROVES	RESULT
Unit tests (91)	NSE symbol parsing incl. weekly/monthly expiries; timestamp formats; round-trip rebuild for scale-ins, partial exits, shorts, flips and open positions	91 / 91 pass
Fixed cases (22)	The brief's example file to the rupee; the September sample against its answer key; one case per habit; a clean trader; a symbol-vs-time confound; 8 messy-format cases (net-only P&L, no timestamps, DD-MM dates with ₹ and brackets, BOM/CRLF, bad rows, no price column, empty files, open position)	22 / 22 pass
Seeded sweeps	Each habit planted into 20 synthetic traders: is it among the 3 shown (recall@3), and is it #1? Plus 30 clean traders with nothing planted (false alarms)	See below
Copy & consistency	On all 350 reviews: titles ≤60 chars, no judgemental words ("revenge", "gamble"…), every habit has ₹, trades and a rule, ranks sorted by cost, all ₹ reconcile	0 violations

Ship bar, on tuning seeds and on unseen seeds

METRIC	BAR	TUNING SEEDS	HELD-OUT SEEDS (NEVER TUNED ON)
Planted habit is shown (recall@3), worst habit type	≥ 90%	100%	95%
Planted habit ranked #1, worst habit type	≥ 80%	95%	85%
False alarms on clean traders	≤ 10%	0%	3%
Fixed cases · copy checks	all	pass	pass

Thresholds were tuned on seeds 1–30 and 1001–1030, then checked once on seeds 2001–2030. A habit at half strength is mostly *not* reported (0–20% at half strength); that is by design: silence beats a false alarm.

Acceptance on the example data

Brief's example file (60 trades)

- Net −₹5,090 (gross −₹2,990, charges ₹2,100) ✓
- One habit: **BANKNIFTY kept losing**, ₹9,100 ✓
- Re-entries cleared: they made +₹650 ✓
- Closing hour cleared once BANKNIFTY is set aside ✓
- Weekend-dated trades flagged as a data warning ✓

September 2026 tradebook (388 fills)

- 158 round trips, 1 open position set aside ✓
- #1 Expiry-day options ₹30,131 · #2 Quick re-entry ₹15,932 · #3 Holding losers ₹11,916, matching the answer key ✓
- No decoy flagged: profitable opening half hour, RELIANCE ✓

What the evals caught, and what changed

1. **Expiry-day losses were hidden under "NIFTY keeps losing"** in 25% of traders. The engine now prefers the narrower habit when it explains most of the cost (75% → 100%).
2. **10% false alarms on clean traders**, all from checks that test many variants at once (5 time windows, every instrument). A stricter bar for those cut it to 0% (3% unseen).
3. **"Holding losers" overstated its cost**, then was masked by other habits' fast losses. It is now measured only after higher habits claim their trades, so its evidence and ₹ agree.
4. **Twice the test was wrong, not the app:** the example's longest losing streak is 21, not 20; and a planted habit sat exactly on the 5% materiality line. Both were fixed in the tests, with reasons recorded.


Limits: the data is synthetic; thresholds are judgement calls; only Zerodha-style tradebooks and generic closed-trade sheets are tested; charges are estimates when the file has none.


ARTIFACT 04 · WORKING APP

Click through it

No login, no backend. Files are analysed in the browser and never uploaded.

LIVE APP	trade-lens-omega.vercel.app
SOURCE	github.com/bhavyamohnot/TradeLens
FASTEST PATH	Open the app → Sample: a month of F&O order history → read the verdict and the three habit cards
ALSO TRY	"Sample: closed-trade sheet" (the brief's example file), or upload a Zerodha Console tradebook





What to look for

- **The verdict** names the month's net result, the habits' total cost and what the month would have been without them.
- **Each habit card** shows the ₹ cost, the evidence, a strip of the month's trades with the habit's trades highlighted, one rule, and "Commit to this rule".
- **"Checked, not costing you money"** shows the patterns that were tested and cleared, so the tool visibly doesn't invent problems.
- **Data notes** cover estimated charges and positions left open. The review downloads as Markdown or prints to PDF.