


Lab#7 Create dashboard with accordion using Bootstrap. Each accordion contains different bootstrap components.

TAGS USED	ATTRIBUTES USED	DESCRIPTION
<HTML>	lang	Defines the root element of the document. In the code, the lang="en" attribute is used to specify that the document is in English.
<HEAD>	--	Contains metadata such as the character set (<meta charset="UTF-8">) and viewport settings for the webpage
<TITLE>	--	Sets the webpage title shown in the browser tab. The code sets this to "Student Reg Form".
<BODY>	BGCOLOR, TEXT, BACKGROUND	Contains all the visible content of the web page. The listed attributes historically set the background color, text color, and background image, though modern development handles this via CSS.
<H1>,<H2>,<H3>,<H4>,<H5>,<H6>	ALIGN	Defines section headings, ranging from <H1> (most important) to <H6> (least important). The ALIGN attribute historically positioned the text (left, right, center).
	FACE, SIZE, COLOR	An older, deprecated tag used to visually style text by changing its font family
<P> (Paragraph)	--	Defines a distinct block of text or paragraph.
<U> (Underline)	--	Renders the enclosed text with a solid underline, typically to denote a stylistic difference or annotation.

<HR> (Horizontal Rules)	--	Creates a horizontal dividing line to thematically separate content on the page. The attributes adjust its width, color, and horizontal alignment.
 (Break Line)	--	Inserts a single line break, pushing subsequent content to the next line without creating a new paragraph block.

Final Outcome:



The screenshot shows the 'My Academic Dashboard' of a University Student Portal. The dashboard includes a 'Current Assignments' section with three items: 'Database Management Systems' (Final Project Phase 1, Due Tomorrow), 'Advanced Web Tech' (Lab 8 Submission, Pending), and 'Software Engineering' (Requirement Analysis Doc, Submitted). Below this are expandable sections for 'My Organizations', 'Announcements & Events', and 'Student Support Services'. The URL at the bottom is 'file:///C:/study material/sem-3/WT/lab-7/Bhavyanshi.html#'. The top navigation bar includes 'University Student Portal' and a 'Log Out' button.

University Student Portal

Log Out

My Academic Dashboard
Access your courses, organizations, and campus support services.

Current Assignments

My Organizations

Announcements & Events

Student Support Services

University Student Portal

Log Out

My Academic Dashboard
Access your courses, organizations, and campus support services.

Current Assignments

My Organizations

Announcements & Events

Student Support Services

Eco Campus Initiative

Next meeting: Wednesday 5:00 PM

University Student Portal Log Out

My Academic Dashboard
Access your courses, organizations, and campus support services.

Current Assignments

My Organizations

Student Council

Planning Committee Session

Announcements & Events

Student Support Services

University Student Portal Log Out

My Academic Dashboard
Access your courses, organizations, and campus support services.

Current Assignments

My Organizations

Coding Bootcamp Club

Weekly LeetCode Challenges

Announcements & Events

Student Support Services

University Student Portal Log Out

My Academic Dashboard
Access your courses, organizations, and campus support services.

Current Assignments

My Organizations

Announcements & Events

Student Support Services

Career Fair 2026
Location: Main Gymnasium
Date: Oct 12, 10:00 AM

Alumni Meetup
Location: Conference Room A
Date: Oct 15, 6:00 PM

University Student Portal Log Out

My Academic Dashboard
Access your courses, organizations, and campus support services.

Current Assignments


My Organizations

Announcements & Events

Student Support Services

Need Assistance?
Access academic advising, tutoring, and mental health resources.

[Open Service Directory](#)



Source-Filename: lab7.html

Code Snippet:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>University Student Portal</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    body {
      background-color: #f0f2f5;
      font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
      color: #2c3e50;
    }

    .portal-header {
      background: linear-gradient(135deg, #0d6efd, #0dcaf0);
      box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
    }
  </style>
</head>
```

```
.accordion-button:not(.collapsed) {
  background-color: #e7f1ff;
  color: #0c63e4;
  font-weight: 600;
}

.accordion-button:focus {
  box-shadow: inset 0 -1px 0 rgba(0,0,0,125);
}

.event-card {
  border: none;
  border-left: 4px solid #0d6efd;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.04);
  transition: transform 0.2s;
}

.event-card:hover {
  transform: translateY(-2px);
}
</style>
</head>

<body>

<nav class="navbar navbar-expand-lg portal-header py-3 mb-5">
  <div class="container">
    <span class="navbar-brand text-white fw-bold mb-0 h1">University Student
    Portal</span>
    <button class="btn btn-light btn-sm fw-semibold text-primary">Log Out</button>
  </div>
</nav>

<div class="container mb-5" style="max-width: 850px;">

  <div class="mb-4 text-center">
    <h3 class="fw-bold">My Academic Dashboard</h3>
    <p class="text-secondary">Access your courses, organizations, and campus support
    services.</p>
  </div>
```

```
<div class="accordion shadow-sm rounded" id="portalAccordion">

  <!-- Section 1 -->
  <div class="accordion-item border-0 border-bottom">
    <h2 class="accordion-header" id="headingA">
      <button class="accordion-button" type="button" data-bs-toggle="collapse"
        data-bs-target="#collapseA" aria-expanded="true" aria-controls="collapseA">
        <i class="bi bi-book me-2"></i> Current Assignments
      </button>
    </h2>
    <div id="collapseA" class="accordion-collapse collapse show" aria-
labelledby="headingA"
      data-bs-parent="#portalAccordion">
      <div class="accordion-body p-4">
        <div class="list-group">
          <a href="#" class="list-group-item list-group-item-action d-flex justify-
content-between align-items-start">
            <div class="ms-2 me-auto">
              <div class="fw-bold">Database Management Systems</div>
              <small class="text-muted">Final Project Phase 1</small>
            </div>
            <span class="badge bg-danger rounded-pill mt-2">Due Tomorrow</span>
          </a>
          <a href="#" class="list-group-item list-group-item-action d-flex justify-
content-between align-items-start">
            <div class="ms-2 me-auto">
              <div class="fw-bold">Advanced Web Tech</div>
              <small class="text-muted">Lab 8 Submission</small>
            </div>
            <span class="badge bg-warning text-dark rounded-pill mt-
2">Pending</span>
          </a>
          <a href="#" class="list-group-item list-group-item-action d-flex justify-
content-between align-items-start">
            <div class="ms-2 me-auto">
              <div class="fw-bold">Software Engineering</div>
              <small class="text-muted">Requirement Analysis Doc</small>
            </div>
            <span class="badge bg-success rounded-pill mt-2">Submitted</span>
          </a>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

        </div>
    </div>
</div>
</div>

<!-- Section 2 -->
<div class="accordion-item border-0 border-bottom">
    <h2 class="accordion-header" id="headingB">
        <button class="accordion-button collapsed" type="button" data-bs-
toggle="collapse"
        data-bs-target="#collapseB" aria-expanded="false" aria-controls="collapseB">
            My Organizations
        </button>
    </h2>
    <div id="collapseB" class="accordion-collapse collapse" aria-
labelledby="headingB"
        data-bs-parent="#portalAccordion">
        <div class="accordion-body p-4">

            <div id="orgCarousel" class="carousel slide" data-bs-ride="carousel">
                <div class="carousel-indicators mb-2">
                    <button type="button" data-bs-target="#orgCarousel" data-bs-slide-
to="0" class="active bg-primary" aria-current="true"></button>
                    <button type="button" data-bs-target="#orgCarousel" data-bs-slide-
to="1" class="bg-primary"></button>
                    <button type="button" data-bs-target="#orgCarousel" data-bs-slide-
to="2" class="bg-primary"></button>
                </div>

                <div class="carousel-inner rounded shadow-sm text-center py-5 bg-white
border">
                    <div class="carousel-item active">
                        <h4 class="text-success fw-bold">Eco Campus Initiative</h4>
                        <p class="text-muted mb-4">Next meeting: Wednesday 5:00 PM</p>
                    </div>
                    <div class="carousel-item">
                        <h4 class="text-danger fw-bold">Student Council</h4>
                        <p class="text-muted mb-4">Planning Committee Session</p>
                    </div>
                    <div class="carousel-item">
                        <h4 class="text-info fw-bold">Coding Bootcamp Club</h4>

```

```

        <p class="text-muted mb-4">Weekly LeetCode Challenges</p>
    </div>
</div>

    <button class="carousel-control-prev" type="button" data-bs-
target="#orgCarousel" data-bs-slide="prev">
        <span class="carousel-control-prev-icon bg-dark rounded-circle p-2" aria-
hidden="true"></span>
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#orgCarousel" data-bs-slide="next">
        <span class="carousel-control-next-icon bg-dark rounded-circle p-2" aria-
hidden="true"></span>
        <span class="visually-hidden">Next</span>
    </button>
</div>

</div>
</div>
</div>

<!-- Section 3 -->
<div class="accordion-item border-0 border-bottom">
    <h2 class="accordion-header" id="headingC">
        <button class="accordion-button collapsed" type="button" data-bs-
toggle="collapse"
        data-bs-target="#collapseC" aria-expanded="false" aria-controls="collapseC">
            Announcements & Events
        </button>
    </h2>
    <div id="collapseC" class="accordion-collapse collapse" aria-
labelledby="headingC"
        data-bs-parent="#portalAccordion">
        <div class="accordion-body p-4 bg-light">
            <div class="row g-3">
                <div class="col-md-6">
                    <div class="card event-card h-100 p-2">
                        <div class="card-body">
                            <h6 class="card-title fw-bold text-primary">Career Fair 2026</h6>
                            <p class="card-text small text-secondary mb-0">Location: Main

```

Gymnasium</p>

<p class="card-text small text-secondary">Date: Oct 12, 10:00

AM</p>

</div>

</div>

</div>

<div class="col-md-6">

<div class="card event-card h-100 p-2" style="border-left-color:

#198754;">

<div class="card-body">

<h6 class="card-title fw-bold text-success">Alumni Meetup</h6>

<p class="card-text small text-secondary mb-0">Location: Conference

Room A</p>

<p class="card-text small text-secondary">Date: Oct 15, 6:00 PM</p>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<!-- Section 4 -->

<div class="accordion-item border-0">

<h2 class="accordion-header" id="headingD">

<button class="accordion-button collapsed" type="button" data-bs-toggle="collapse"

data-bs-target="#collapseD" aria-expanded="false" aria-controls="collapseD">

Student Support Services

</button>

</h2>

<div id="collapseD" class="accordion-collapse collapse" aria-labelledby="headingD"

data-bs-parent="#portalAccordion">

<div class="accordion-body p-4">

<div class="alert alert-secondary text-center border-0 shadow-sm py-4 mb-0">

<h5 class="fw-semibold text-dark">Need Assistance?</h5>

<p class="text-muted">Access academic advising, tutoring, and mental health resources.</p>

<button type="button" class="btn btn-primary mt-2" data-bs-

```

toggle="modal"
        data-bs-target="#supportModal">
        Open Service Directory
    </button>
</div>
</div>
</div>
</div>
</div>

</div>
</div>

<!-- Modal -->
<div class="modal fade" id="supportModal" tabindex="-1" aria-
labelledby="supportModalTitle" aria-hidden="true">
    <div class="modal-dialog modal-dialog-centered">
        <div class="modal-content overflow-hidden border-0 shadow-lg">
            <div class="modal-header bg-primary text-white">
                <h5 class="modal-title" id="supportModalTitle">Service Directory</h5>
                <button type="button" class="btn-close btn-close-white" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body p-4">
                <ul class="list-unstyled mb-0">
                    <li class="mb-3">
                        <h6 class="fw-bold mb-1"><i class="bi bi-geo-alt"></i> Advising
Center</h6>
                        <span class="text-muted">Admin Block, Room 101 (9 AM - 4 PM)</span>
                    </li>
                    <li class="mb-3">
                        <h6 class="fw-bold mb-1"><i class="bi bi-envelope"></i> General
Queries</h6>
                        <a href="mailto:support@university.edu" class="text-decoration-
none">support@university.edu</a>
                    </li>
                    <li>
                        <div class="p-3 bg-light rounded border border-danger border-opacity-25
mt-4">
                            <span class="d-block text-danger fw-semibold mb-1">Emergency / Crisis
Hotline</span>
                            <span class="fs-5 fw-bold">1-800-UNIV-HLP</span>

```

```
</div>
</li>
</ul>
</div>
</div>
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></s
cript>
</body>

</html>
```