

Scope	Global
Type/Subtype	Governance and Procedure > Standard Operating Procedure (SOP)
Classification	Main Document
Title	Change Control
Document Name	BI-VQD-09748-S
Document Number	BI-VQD-09748
Version	5.0
Previous Document Number	N/A

GENERAL INFORMATION

Applicability Impacted Division(s)	Animal Health, BIX, Commercial - R/B-OPU, Development, Global Business Services, Global Facilities & Engineering, Global Quality, Human Pharma, Medicine
Owning/Issuing Division	Global Quality
Signatories	See entry in Document Management System or print out

Boehringer Ingelheim

Page 2 of 27

Document Name: BI-VQD-09748-S

Document Number: BI-VQD-09748

Version 5.0

Table of Content

1	PURPOSE	3
2	APPLICABILITY	3
3	DEFINITIONS & ABBREVIATIONS	4
4	IMPLEMENTATION AND/OR PRE-REQUISITES	9
5	ROLES & RESPONSIBILITIES	9
6	PROCESS	11
6.1	CHANGE CONTROL	11
6.2	PREDEFINED CHANGE CONTROL	24
6.3	LIKE-FOR-LIKE CHANGE CONTROL	25
7	ASSOCIATED DOCUMENTS	25
8	REFERENCES	26
9	DOCUMENT HISTORY	27

1 PURPOSE

This SOP



defines the change control process which is implemented in GOTrack within Boehringer Ingelheim (excluding GOTrack eCC – electronic Change Control).

2 APPLICABILITY

This SOP is applicable:



Employees who perform change control, impact assessments for change control, action items for change control as well as employees in Quality who approve change or particular steps and any other employee who approves changes or particular process steps as stake holder or SME



All areas where changes are processed under GxP or equivalent regulations affecting

- Computerized systems which includes computer systems, spreadsheets, equipment, utilities, facilities
- Processes
- Products
- The manufacturing, quality control and distribution* of medical devices, drug device combinations, drug products, vaccines and drug substances as well as any components thereof including but not limited to cell banks, starting materials, raw materials, packaging materials, excipients.
- Products which are either manufactured by a contract manufacturing organization for Boehringer Ingelheim or which are manufactured by Boehringer Ingelheim for a third party license holder.

* Changes to labels, artwork and regulatory product information will be implemented without a change according to this procedure if the change does not include any additional impact according to the defined scope above.



World wide

This procedure is not applicable for



- Boehringer Ingelheim internal regulations (SOPs) and associated documents falling under BI-VQD-09805 (028-BIP-00001) and BI-VQD-10095 (028-BIS-00002)
- Pharmaceutical Changes within Human Pharma Development falling under BI-VQD-10742 (029-DCS-012)
- Animal Health Research and Development changes falling under functional or site SOPs
- SAP Computer Systems which are managed with SolMan falling under BI-VQD-167125-S (028-OCS-00434)
- IT Infrastructure changes falling under BI-VQD-24080-S (027-ICS-00084)

3 DEFINITIONS & ABBREVIATIONS

Term	Definition / Explanation
Amendment	An amendment to a change control is a controlled modification to the description, scope, justification or risk assessment of the change with repetition of the impact assessments and approval resulting in a modification of the required actions.
Change	A planned permanent modification of a specified relevant item in scope of this procedure.
Change Control	Formal process in order to ensure that a change to an item in scope of this procedure is described, justified, assessed, authorized, implemented and documented under the control of the relevant Quality unit.
Change Plan	A complete description of the proposed change, including the change scope/description, impact assessment, and action item plan.
Date Due (of change)	The target date for the Final Approval of the change control. The date due must be extended before its expiration; if a due date extension is needed.
Effectiveness Check	The effectiveness check is intended to confirm that the quality objectives of a change are achieved by the completion of the actions. Document the effectiveness either in the conclusions in step change summary or with a

	separate effectiveness check after final approval and closure. A separate effectiveness check is required if further actions are required after implementation and closure of the change for the conclusive confirmation of the quality objectives e.g. IPC or batch release data of additional batches or further stability data. If the quality objectives cannot be finally confirmed further measures (e.g. further actions or new change controls) must be defined and carried out for either undo the change or finally ensure the effectiveness of the change.
Implementation Date	The date when the change is set up in production (e.g. new master batch record or new control variant of the testing specifications is approved and released, the changed application is installed in the production system and all tests are completed). The old set-up before the change was implemented cannot be used anymore.
Like-for-Like Change	A like-for-like change on equipment is documented in the corresponding logbook or equivalent accompanying record only. A regular change control process is not started provided that it affects an equivalent component with: • No changed or applied additional functions or specified technical procedure. • Equivalent limits, forms, design and specifications • Same product-contacting material No additional alteration of the component are required for its use
Major change Minor change	Changes can be classified depending on the nature, extent and potential impact. The following criteria for classification can be applied if not otherwise described in local procedures. Major change • Changes with major impact on the quality of the process or product

	• Changes with major impact on the existing validated status of the affected item • Changes with an impact on the regulatory compliance, except for administrative changes • Changes that require a GMP inspection by authorities Minor change • Changes with minor impact on the process or product quality • Changes with minor impact on the validated status of the affected item • Changes without or only administrative impact on the regulatory compliance (e.g. name changes of suppliers) The classification from a regulatory point of view follows different criteria and is not described in this document.
Master Change	A Master Change Control record is used in order to bundle single, interlinked change control records for the purpose of project management of changes and/or the unfeasibility to process a complex change in one change control.
Predefined Change	A predefined change should be limited to minor changes and must not affect the regulatory compliance of submitted dossiers. The type of change must be defined in a Boehringer Ingelheim internal controlled document/record (e.g. SOP or AAP) together with its impact and the required actions. The approval is pre-achieved with the implementation of the controlled document/record. The change plan must be verified that it is in conformity to its reference. The performed actions and implementation are documented. For example, routine replacement actions could be defined in a local SOP, with documentation and testing reference included. The user may execute the preapproved "change plan" and document the results in a Pre-defined Change Control in GOTrack

Boehringer Ingelheim

Page 7 of 27

Document Name: BI-VQD-09748-S

Document Number: BI-VQD-09748

Version 5.0

Product Change	Change that affects the manufacturing, packaging, quality control or distribution of a drug product, immunological, active pharmaceutical ingredient, excipient, intermediate, medical/administration device, drug device combination products or any component thereof including but not limited to solvents, raw materials, starting materials, packaging materials.
Release / Partial Release	The release is intended to document and confirm that the change can be implemented without any remaining major nor critical risk. Document the release either with the final approval of the change or with a separate process step before change summary. The release can be granted for the entire change (complete) or for particular segments (partial release) according to the types below. It is approved by the Change Owner and Accountable Body with additional relevant stakeholder(s) as required. 1. Release for start of implementation The new set-up is prepared and tested in an environment, which is not in operational use. After the release for start of implementation is granted the new set-up is implemented into operational use, e.g., the changed application is installed in the productive environment or the changed master batch record is released. 2. Release for use in production The new set-up is directly prepared in the environment for operational use (but not used before the release), e.g., for equipment changes. The release date is when the Quality Approval for the release is obtained.
Technical Change	Change includes the modification to any aspects of GxP equipment, facilities, utilities, computer systems, and/or spreadsheets. A technical change can be product- independent and as well be part of a product change that might be submission relevant.
Template (for Change)	Templates can be used to provide standardized information for changes, which can be imported into an actual change control. The management of the change control

	templates must be described in the relevant global/divisional/local SOP, if utilized.
Temporary Change	A temporary change control must neither be utilized for the immediate temporary remediation of an unforeseen event nor for the circumvention of defined quality processes nor for regulatory submission relevant product changes. A temporary change control is processed if a different set-up is planned to be used for a defined period before the following state is arranged. For the arrangement of the following state, either the change control for the temporary change is used by the inclusion of corresponding actions or an additional change control must be initiated accordingly.
Termination	The termination of a change control (cancellation of a change after change plan approval) is a controlled termination by approval including the controlled termination of the actions.
Unplanned and/or Emergency Occurrence (including Unplanned Change for Computer Systems)	In general a change control is defined as a process for deliberately chosen changes which are planned to be implemented in the future. Any unplanned and/or emergency occurrence is initially managed under the applicable global/divisional/local discrepancy process (events / deviations) including a root cause investigation and impact assessment for deviations. For Computer Systems only an unplanned/emergency change is always initiated as part of the incident process. It prevents the system from data loss or data integrity issues or returns the systems to an operating state by performing the required actions. In addition it ensures that the system will be returned into a validated state. For any other items in scope other than Computer Systems a regular change control might be initiated as part of the correction process, if required.

Abbreviation	Description
AAP	Application Administration Plan
BOPU	Business Operational Unit

eCC	electronic Change Control (GOTrack change control module for pharmaceutical changes in human pharma development)
GxP	Good clinical, distribution, laboratory or manufacturing practice
MDG	Master Data Governance
MDM	Master Data Management
SME	Subject Matter Expert
ROPU	Regional Operational Unit
TAP	Technical Administration Plan

Infographics	Description
	Executive Summary/Introduction – short description of what you can expect from the following chapter.
	Explanation – additional information to the topic
	Attention – notice taken of something interesting or important

4 IMPLEMENTATION AND/OR PRE-REQUISITES

- This SOP version has to be followed at the date of effectiveness and new changes in scope must be initiated in Boehringer Ingelheim GOTrack Change Control accordingly.
- This SOP including its reference documents might be amended with global, divisional or local SOPs if required.

5 ROLES & RESPONSIBILITIES

Role	Responsibility
Change Owner 	A person who is knowledgeable in this matter and takes the responsibility to manage the change. • Initiate the change • Describe and justify the change • Define the Classification • Request impact assessments • Summarize the impact • Complete the action plan • Propose effectiveness check or provide a justification if not required • Follow up for completion of actions • Follow up on effectiveness check, if applicable

Life forward

Role	Responsibility
	- Sign for correctness and completeness of Change Plan If utilized - Initiate / perform the Extension Request for the date due - Initiate / perform Release - Document Amendments - Initiate / perform Termination
Assessor(s) 	Representative(s) of the identified area(s) from which the assessment(s) are required - Perform the impact assessment(s) for the area of responsibility including: - Assess the feasibility and consequences of the change - Identify risks and/or conditions associated with the change - Support the definition of actions to support the implementation - Sign for correctness and completeness
Subject Matter Experts, Area or Department Management 	Representative(s) of the affected areas - Review and approve as required - Change plan - Amendment - Termination - Action Item - Post closure activity - Release
Quality 	A representative from the responsible QA unit or a representative from a dedicated unit with delegated responsibility or a committee which is led by the responsible QA unit or dedicated unit with delegated responsibility - Before change plan approval: - Evaluate the quality risk - Perform Quality Check - Approve: - Change plan - Final approval - Closure or cancellation of change - Approve, if utilized: - Extension request - Release - Definition of Additional Actions Items - Amendments - Termination of the change - Effectiveness check - Post closure activities

Role	Responsibility
	- Initiate Amendments - Update Action Item due dates, as necessary - Enter batch recommendation of affected batch, if applicable - Verify the predefined change
Action Owner(s) 	Representative(s) of the identified area(s) assigned to the action including Action Items, Post Closure Activities and Effectiveness Check - Complete and document the required action in alignment with the due date of the change. - Sign for correctness and completeness
Template Owner	Manage change control templates for the relevant area or function.

6 PROCESS



- Start a Change Control process according to this SOP when the decision that a change control is required has been taken i.e. the processes on change prioritizations are not covered by this SOP.
- Three different processes are defined in the following chapters:
 - Change Control
 - Predefined Change Control
 - Like-for-Like Change
- All types of changes (regular, unplanned computer system, temporary, minor, major, with exception of predefined, like-for-like and master changes) follow the process for Change Control.
- Use English language for all changes involving global stakeholders.

6.1 CHANGE CONTROL



This section describes the regular Change Control process. Use this process also for unplanned computer system changes, temporary changes, as well as for minor and major changes



Note and follow the relevant particular complementary/additional area-specific and/or change type-specific requirements that are defined in the relevant associated documents to this SOP.

Roles:



Change Owner (CO)



Quality (Q)

Boehringer Ingelheim

Page 12 of 27

Document Name: BI-VQD-09748-S



Document Number: BI-VQD-09748

Version 5.0



Impact Assessors (IA)

Action Owners
(AO)SMEs, Area/Department Management,
as required and as appropriate (SM)

Change Control Process			
Step	Role	Process Step	Process Outcome
			Start a change control if the intended change falls into the scope of this procedure
# 1: Create Change Control	 CO		- Describe and justify the change - Identify impacted items - Define the scope / source - Define the responsibilities
# 2: Impact Assessment	 CO		Request the Impact Assessments from the relevant units/functions/areas/sites
	 IA		- Identify any potential hazard or significant issue associated with the change as well as conditions for its feasibility or future implementation - Propose the required actions for the implementation or for the mitigation of any identified risk



Life forward



Property of Boehringer Ingelheim Group of Companies – Use current version only and according to confidentiality principles



Retrieved by Vicki Bendell on 30 Mar 2026 @ 15:57 GMT+01:00


Verify the current version in the system before use

Page 12 of 28

Change Control Process			
Step	Role	Process Step	Process Outcome
# 3: Completion of Change Plan	 CO		- Summarize the impact - Classify the change - Define the required actions, including their execution conditions - completion before release - completion after release, but before final approval - independent of release - Define the Effectiveness Check, or justify if not needed - Define reviewers/approvers for change plan approval - As a minimum double-check principle: Change Owner and Quality - As required: Any relevant stakeholder, SME, management representative, further Quality See also the corresponding Associated Document(s)
# 4: Quality Check	 Q		- Review change plan for consistency and completeness - Evaluate and complete the Quality Risk Assessment summary including the risk of not implementing or of delaying the change - If needed, request a formal risk assessment according to BI-VQD-26309. - Approve the risk assessment before the change is progressed to change plan approval. - If a formal risk assessment was performed according to BI-VQD-26309, define an action item (change control) for the check that the risk review of the risk assessment is performed before Release and/or Implementation. - Confirm the reviewers/approvers for the change plan approval
# 5: Global Impact Assessment	 CO  Q		The Global Impact Assessment is mandatory only if the change requires impact assessments from global functions e.g. Global CMC Regulatory Affairs, Divisional Quality on the basis of a preliminary completed change plan. Request the relevant impact assessments

Change Control Process			
Step	Role	Process Step	Process Outcome
	 IA		• Perform the requested global impact assessments • Identify any risk or significant issue associated with the change as well as conditions for its feasibility or future implementation • Define the required actions for the implementation or for the mitigation of any identified risk
	 CO  Q		As required: • Define further action items • Re-classify the change • Re-define the Effectiveness Check • Amend the Quality Risk Assessment summary – If needed, request a formal risk assessment according to BI-VQD-26309. – Approve the risk assessment before the change is progressed to change plan approval. – Define an action item (change control) for the check that the risk review of the risk assessment is performed before Release and/or Implementation. • Add reviewers/approvers for the change plan approval
# 6: Change Plan Approval	 CO  SM  Q		• Confirm the completeness and correctness of the description, justification, impact assessments, risk assessment and identified required actions as well as the commitment to the change. • Change Owner: Sign for completeness and correctness • Any relevant stakeholder, SME, management representative: Sign for completeness and correctness of the information provided related to their subject matter area. • Quality: Sign for approval
# 7: Completion of Action(s)	 AO		• Complete the defined actions according to their schedule and execution condition • Document the work and sign for correctness and completeness • If required, a department approver signs additionally for correctness and completeness Note: As defined in the execution condition an action might also be completed after the release for implementation

Change Control Process			
Step	Role	Process Step	Process Outcome
# 8: Release	 CO  SM  Q		The change must be released before implementation in order to ensure that there is no remaining major nor critical risk for its implementation. The release is regularly performed with the final approval, refer to step #10. If required, carry out a release at this step e.g. if there are actions defined which have to be completed after release or if only parts of the change are released at that point in time. If applicable, complete the risk review of the formal risk assessment according to BI-VQD-26309 before release and/or implementation. • Change Owner: – Describe the scope and purpose of the release – Justify the release • Confirm the completeness, correctness and approval of the release
	 CO		• Document final conclusions. • Document the implementation date if related to a release child record. • Define Post-closure activities and effectiveness check, if required. • Define the Final Approver • Capture the information on affected batches of production, if applicable. • Sign for completeness and correctness of the performed/completed change plan.
# 10: Final Approval & Closure	 Q		• Verify or capture the implementation date. • Confirm proposed Post-closure activities and effectiveness check, if required • Assign batch disposition, if applicable • Sign for final approval of the change This step also includes the release for operational use and implementation if not controlled by separate release(s) earlier in the process, refer to step #8. If applicable, complete the risk review of the formal risk assessment according to BI-VQD-26309 before release and/or implementation..
	 CO  Q		The Pending Closure step is mandatory, only if the information on the first batch of production must be captured. • Change Owner: Capture the information on the first batch of production, if required. • Quality: Assign batch disposition, if required

Change Control Process			
Step	Role	Process Step	Process Outcome
		Closure	
Effectiveness Check	 AO  Q		A separate effectiveness check after final approval and closure of the change is required if further actions are necessary after implementation and closure of the change for the conclusive confirmation of the quality objectives e.g. IPC or batch release data of additional batches or further stability data. If the quality objectives cannot be finally confirmed further measures (e.g. further CAPAs or new change controls) must be defined and carried out for either undo the change or finally ensure the effectiveness of the change.. • Perform and complete the required actions and analyses • Document the assessment on the effectiveness • Initiate further actions (e.g. change control), if required • Item Owner: Sign for completeness and correctness • Quality: Sign for approval
Post Closure Activity	 AO  SM  Q		Post Closure Activities might be required in order to control actions that are not a prerequisite for the final approval and closure of the change e.g. the manufacturing of additional validation batches, generation of additional stability data. • Perform, complete and document the required actions • Item Owner: Sign for completion and correctness • As required, a management representative: Sign for review and approval • Quality: Sign for approval

Impact Assessment(s) and Action(s)



It is crucial that all relevant impact assessments are requested in order to determine all required actions and risks to ensure appropriate implementation and maintain/improve the quality, safety and efficacy of any product.

Special attention is required in case the change requires modification of MDGx master data (e.g. formulation change, new packaging material...) as this affects immediately all processes within Boehringer Ingelheim which rely on these data.

Life forward

Property of Boehringer Ingelheim Group of Companies – Use current version only and according to confidentiality principles

Retrieved by Vicki Bendell on 30 Mar 2026 @ 15:57 GMT+01:00

Verify the current version in the system before use

Page 16 of 28

- If MDGx data must be updated due to the change, create an action item for the update of MDGx master data and document the completed update accordingly.

Quality Risk Assessment

Perform a formal Quality Risk Assessment according to BI-VQD-26309 if



1. A potential significant hazard was identified in any impact assessment and
 2. The defined actions of the change control are not considered adequate to mitigate the risk to an acceptable level.
- A potential hazard is considered significant if it would have a negative impact on the quality, safety or efficacy of any product.
 - The Change Owner is responsible to identify the Risk Leader as defined in BI-VQD-26309.



If a formal Quality Risk Assessment according to BI-VQD-26309 is performed, ensure that:

- The risk is approved **before** the change control change plan is approved
- The risk review is performed **before** the change control is released and/or implemented

Release

The release is intended to document and confirm that the change can be implemented without any remaining major nor critical risk. Document the release either with the final approval of the change or with a separate process step before change summary (see step #8 and #10).






1. Carry out a release for start of implementation (either for the complete change or for particular segments) in case action items are defined in the change plan to control the relevant implementation activities. The release to start implementation allows these activities to be performed. After completion of the implementation activities, the changed item(s) can be used immediately in operational use.
2. Carry out a release for operational use in case particular segments should be used before the remaining segments of the change. The changed item(s) can be used immediately in production. (If the complete change should be released for operational use in one-step, a separate release is not required. In this case the release is carried out together with the final approval, step #10)

Extension Request

In case the due date for the Change Control, Post Closure Activity, or Effectiveness Check cannot be met, the due date has to be extended prior to its expiring. The impact must be assessed and the extension justified.

Additional Action(s)

Additional Action(s) can be created without an Amendment. The Action must not alter neither the change itself, the scope of the change, the impact assessments nor the risk assessment.

Change Control Process - Definition of Additional Action(s)			
Step	Role	Process Step	Process Outcome
# 7 Completion of Action(s)	 CO		- The change control is in step # 7 Completion of Action(s) - Additional action items are required. These action items must not modify neither the change itself, the scope nor the impact.
# AA1: Define Additional Action(s)	 CO		- Define the required actions, including their execution conditions – completion before release – completion after release, but before final approval – independent of release - Sign for completeness and correctness
# AA2: Approval of Additional Action(s)	 Q		Sign for approval
			New action(s), modified action(s) are defined

Amendment


Start an Amendment to a change control in order to modify the description, the scope, the justification or the risk assessment of the change



Repeat the impact assessments and perform the approval of the amendment which results from the modified required actions.





Take note and consider the following aspects **before** the amendment process is started:

- The amendment process in GOTrack cannot be cancelled after its initiation i.e. if the amended change plan was rejected, the alterations to the change must be undone before re-approval of the change plan in order to continue the change control process.
- Carefully evaluate whether the already-approved releases are consistent with the planned amendment.

Change Control Process - Amendment			
Step	Role	Process Step	Process Outcome
# 7 Completion of Action(s)	 Q		• The change control is in step # 7 Completion of Action(s) • The change itself or the scope need to be modified Check existing/approved releases whether they are consistent with the planned amendment.
# AM1: Amendment Definition	 CO		• Capture the required modified information including: – Change description – Impacted items – Justification – Source – Scope - Site/area responsibility
# AM2: Impact Assessment	 CO		• Identify the impacted areas (including global functions) where new or revision of existing impact assessments are required. • Request from the relevant units/functions/areas new impact assessments or revisions of existing impact assessments.

Change Control Process - Amendment			
Step	Role	Process Step	Process Outcome
	 IA		- Identify any risk or significant issue associated with the amended change as well as conditions for its feasibility or future implementation - Define/modify the required actions for the implementation or for the mitigation of any identified risk
# AM3: Completion of Amended Change Plan	 CO		- Summarize the impact - Re-classify the change, if required - Define the required/modified actions, including their execution conditions - completion before release - completion after release, but before final approval - independent of release - Re-define the Post-Closure Activities and the Effectiveness Check, if required - Amend the Quality Risk Assessment summary, if required (by Quality) - If needed, request a formal risk assessment according to BI-VQD-26309. - Approve the risk assessment before the change is progressed to amendment approval. - If a formal risk assessment was performed according to BI-VQD-26309, define an action item (change control) for the check that the risk review of the risk assessment is performed before Release and/or Implementation. - Define reviewers/approvers for the amendment approval - As a minimum double check principle: Change Owner and Quality As required: Any relevant stakeholder, SME, management representative, further Quality See also the corresponding Associated Document(s)



Change Control Process - Amendment			
Step	Role	Process Step	Process Outcome
# AM4: Approval of Amended Change Plan	 CO  SM  Q		- Confirm the completeness and correctness of the description, justification, impact assessments, risk assessment and identified required actions as well as the commitment to the amended change. - Change Owner: Sign for completeness and correctness - Quality: Sign for approval Any relevant stakeholder, SME, management representative: Sign for completeness, correctness, agreement (for the relevant part) and commitment to the change
			New and/or modified action(s) are defined

Termination of Change

	Perform the termination of a change control after change plan approval in order to terminate the change in a controlled way by approval including the controlled termination of the actions.
---	--

	The change must neither be released nor implemented. Ensure that already approved releases and implementations are completely undone.
---	---

Change Control Process – Termination of Change			
Step	Role	Process Step	Process Outcome
# 7: Completion of Action(s)	 CO		- The change control is in step # 7 Completion of Action(s) - The decision to terminate the change was taken The change must neither be released nor implemented. Ensure that already approved releases and implementations are completely undone.

Change Control Process – Termination of Change			
Step	Role	Process Step	Process Outcome
# TM1: Approval of Termination	 CO  SM  Q		Representatives from the same unit/function/areas for review and approval of the original change plan (including amendments) should be considered. Additional signees might be required. • Change Owner: Sign for correctness and approval • Quality: Sign for approval • Any relevant stakeholder, SME, management representative: Sign for approval
# TM2: Termination of Action(s)	 AO		• Undo the already achieved work for each action • The Action Item Owner ensures that the associated actions are either undone or terminated, as appropriate, and that the action is documented accordingly • Sign for correctness and completeness As required, a department approver signs additionally for review and approval for termination.
#TM3: Final Termination of Change	 Q		Sign for final Termination of the change
			

Change Control Template

GOTrack provides the possibility to use Template records for providing standardized information for changes, which can be imported into an actual change control record. The management of the change control templates must be organized by each individual area/function and must be described in the relevant global/divisional/local SOP, if utilized. The Template Owner is responsible for maintenance of the GOTrack templates in the relevant area/function.

Boehringer Ingelheim

Page 23 of 27

Document Name: BI-VQD-09748-S

Document Number: BI-VQD-09748

Version 5.0

Master Change Control

GOTrack provides the possibility to use the Master Change Control record for bundling of single, interlinked change control records for the purpose of project management of changes and/or the unfeasibility to process complex changes in one change control process.

Working Copy

6.2 PREDEFINED CHANGE CONTROL



This section describes the Predefined Change Control process. Use this process for minor routine changes.



The type of change must be defined in a Boehringer Ingelheim internal controlled record together with its impact and the required actions.



The approval is pre-achieved with the implementation of the Boehringer Ingelheim internal controlled record.

A Predefined Change Control must not affect the regulatory compliance of submitted dossiers.



For computer systems, the execution of all Predefined Changes (or Routine changes or Catalogue changes or Standard changes) managed by Boehringer Ingelheim have to be documented in GTrack or in the IT Service Management tool. The corresponding AAP, TAP or SOP needs to define which tool (GTrack or IT Service Management) is used. The process below describes the predefined change control process in GTrack. The process in IT Service Management is governed by the corresponding SOP.

Change Control Process Definition of Predefined Change Control			
Step	Role	Process Step	Process Outcome
			Start a predefined change control if the planned change falls into the scope of this procedure and meets the conditions of a predefined change control in the relevant controlled document or electronic system.
# PDC1: Create Predefined Change Control	 CO		- Describe the change - Make the reference to the relevant controlled document or electronic system which defines the applicable predefined change. - Define the responsibilities
# PDC2: Verification	 Q		- Verify that the proposed predefined change meets the conditions for a predefined change control in the referenced controlled document or electronic system - Sign for verification

Change Control Process Definition of Predefined Change Control			
Step	Role	Process Step	Process Outcome
# PDC3: Completion of Predefined Change	 CO		• Perform and document the required actions • Sign for completeness and correctness
			

6.3 LIKE-FOR-LIKE CHANGE CONTROL



Like-for-like changes (see definition) have no perceptible risk and may be documented without any formal approval in the logbook or accompanying record, only. It is usually not documented in GOTrack Change Control.

7 ASSOCIATED DOCUMENTS

No.	Name	Title
1	028-BIS-00484-RD01	Computerized Systems Changes
2	028-BIS-00484-RD02	Animal Health Change Control
3	BI-VQD-09748-S-AD03	Additional Requirements for Change Control for Biopharmaceuticals
4	BI-VQD-09748-S-AD04	Product changes in HP – divisional responsibilities
5	BI-VQD-09748-S-AD05	Product Changes Affecting Regulatory Compliance
6	BI-VQD-09748-S-AD06	Cross-Divisional Change Control process between HP and DEV
7	BI-VQD-09748-S-AD08-028-BIS-00484	Medical Device Software Changes

Boehringer Ingelheim

Page 26 of 27

Document Name: BI-VQD-09748-S

Document Number: BI-VQD-09748

Version 5.0

8 REFERENCES

General

No.	Name	Title
1	BI-VQD-23625-S	Operating the Go Track System
2	028-OCS-00245	Global Master Data Governance
3	BI-VQD-26309-S	Quality Risk Management

Change Control in Commercial Quality

No.	Name	Title
1	BI-VQD-170343-WI	Change Control for Commercial Quality

Cross-Divisional Change Control process between HP and DEV and BOPUs & ROPUs

No.	Name	Title
1	029-DCS-012	Managing Pharmaceutical Change Control in Development
2	104-TR-AA94151	HPS divisional CC – list of products

Boehringer Ingelheim

Page 27 of 27

Document Name: BI-VQD-09748-S

Document Number: BI-VQD-09748

Version 5.0

9 DOCUMENT HISTORY

Version	Description of Changes	Author	Expert team
5.0	Requirement for classification of the change is moved from the step Creation of Change Control to step Completion of Change Plan. Clarification of descriptions and requirements for the effectiveness check and release, no process change. CAPA PR1939982	Juergen Doennecke, Corporate Quality Assurance	David Cayot, Quality Animal Health Katrín Ersing, Corporate Division Development Manuela Hornberger, Corporate Division Medicine Matthias Huebner, Corporate Department Global Regulatory Affairs Petra Kloiber, Corporate Division Development Toni Barton, Quality Human Pharma Romeo Schneider, Corporate Division IT

Life forward

Property of Boehringer Ingelheim Group of Companies – Use current version only and according to confidentiality principles

Retrieved by Vicki Bendell on 30 Mar 2026 @ 15:57 GMT+01:00

Verify the current version in the system before use

Page 27 of 28

Document Approvals
Approved Date: 29 Jul 2024

Author Verdict: Approve	Juergen Doennecke, Dr. (juergen.doennecke@bi-docs.com) Author 18-Jun-2024 06:54:44 GMT+0000
Reviewer Verdict: Approve	David Cayot, AH DMSO for CC, Discrepancy, Investigation & CAPA (David.CAYOT@bi-docs.com) Reviewer 25-Jun-2024 07:59:35 GMT+0000
QA and Management Verdict: Approve	Monika Bach, (monika_1.bach@bi-docs.com) QA and Management 27-Jun-2024 15:10:02 GMT+0000