Clinical Knowledge Base & Patient Diagnostic Records

Document ID: KB-MED-2026-001 | **Classification:** Restricted / RAG Training Corpus

1. Executive Summary

This document serves as an exhaustive reference knowledge base containing clinical summaries, patient diagnostics, treatment plans, and pharmacological guidelines. It is structured specifically for Retrieval-Augmented Generation (RAG) agents operating within healthcare intelligence pipelines.

2. Patient Census & Records

Below is the core patient registry extracted from the primary hospital intake system (CSV/Excel ingestion pipeline):

Patient ID	Patient Name	Age	Primary Diagnosis	Clinical Notes
101	John Doe	45	Hypertension	Patient exhibits elevated blood pressure 140/90. Recomme
102	Jane Smith	34	Type 2 Diabetes	HbA1c levels at 7.5%. Prescribed Metformin 500mg daily.
103	Robert Johnson	52	Asthma	Mild wheezing observed. Inhaler prescribed for acute episo

Clinical Management Protocols & Guidelines

Section 3: Detailed Condition Analysis

3.1 Hypertension Management (Patient ID 101)

Hypertension (Stage 1/2) requires continuous monitoring. Blood pressure readings consistently at or above 140/90 mmHg necessitate non-pharmacological interventions including dietary sodium restriction (DASH diet), aerobic exercise (150 mins/week), and weight management. Follow-up assessment scheduled in 4 weeks.

3.2 Type 2 Diabetes Mellitus (Patient ID 102)

Glycemic control evaluation indicates an HbA1c of 7.5%, pointing to sub-optimal control. First-line therapy initiated with Metformin 500mg orally once daily with evening meal, titrated up as tolerated. Patient instructed on daily blood glucose self-monitoring and carbohydrate intake tracking.

3.3 Bronchial Asthma Protocol (Patient ID 103)

Episodic bronchospasm presenting with mild expiratory wheezing. Short-acting beta-agonist (SABA) rescue inhaler prescribed for acute episodes. Peak flow meter monitoring advised twice daily. Trigger avoidance counseling conducted.

4. Pharmacological Safety & Interaction Guidelines

All RAG query engines must cross-reference patient medications (Metformin, SABA inhalers) against contraindications such as renal impairment or severe cardiovascular arrhythmias before generating recommendations.

RAG Integration & Retrieval Metadata

Section 5: Vector Indexing & Semantic Tagging

This document is indexed using hierarchical chunking strategies optimized for vector similarity search (cosine distance metric). Metadata tags include ICD-10 codes, pharmacological categories, and acuity levels.

5.1 Query Retrieval Benchmarks

Query Category	Target Metric	Threshold	Status
Diagnosis Matching	Precision@3	> 95%	Verified
Medication Lookup	Recall	100%	Verified
Dosage Verification	Safety Accuracy	100%	Verified
Patient Context Retrieval	F1 Score	0.94	Optimized

6. Conclusion & Deployment Instructions

Deploy this PDF directly into your vector database knowledge store. The multi-page structure ensures robust semantic boundaries across clinical notes, treatment guidelines, and retrieval metadata.