

Domain Vulnerability Scan Overview

Comprehensive intelligence for **<https://woxsen.edu.in>** → IP: **185.26.150.176** – from discovery to remediation.

Risk Index




Risk Index: 2/10


Quick Stats

- Tools executed: 7
- Open ports: 8
- Sub-domains: 20
- Known vulnerabilities: 5

Open Ports by Service (Nmap)



Sub-domains Discovered (Subfinder)



Sub-domain Details

Subdomain	IP	URL
admissions.woxsen.edu.in	185.26.150.176	https://admissions.woxsen.edu.in
awards.woxsen.edu.in	185.26.150.176	https://awards.woxsen.edu.in
payments.woxsen.edu.in	185.26.150.176	https://payments.woxsen.edu.in
livecampus.woxsen.edu.in	-	https://livecampus.woxsen.edu.in
admission.woxsen.edu.in	-	https://admission.woxsen.edu.in

Subdomain	IP	URL
mail.admissions.woxsen.edu.in	185.26.150.176	https://mail.admissions.woxsen.edu.in
airc.woxsen.edu.in	185.26.150.176	https://airc.woxsen.edu.in
campusvisit.woxsen.edu.in	185.26.150.176	https://campusvisit.woxsen.edu.in
iab.woxsen.edu.in	185.26.150.176	https://iab.woxsen.edu.in
ijtmkp.woxsen.edu.in	185.26.150.176	https://ijtmkp.woxsen.edu.in
wouexecutiveedu.woxsen.edu.in	185.26.150.176	https://wouexecutiveedu.woxsen.edu.in
alumni.woxsen.edu.in	13.212.39.195	https://alumni.woxsen.edu.in
cname.woxsen.edu.in	-	https://cname.woxsen.edu.in
innochem.woxsen.edu.in	185.26.150.176	https://innochem.woxsen.edu.in
ns.woxsen.edu.in	185.26.150.176	https://ns.woxsen.edu.in
welcome.woxsen.edu.in	185.26.150.176	https://welcome.woxsen.edu.in
woubus.woxsen.edu.in	35.153.235.170	https://woubus.woxsen.edu.in
bamlai.woxsen.edu.in	-	https://bamlai.woxsen.edu.in
ns.admissions.woxsen.edu.in	185.26.150.176	https://ns.admissions.woxsen.edu.in
applications.woxsen.edu.in	35.154.141.13	https://applications.woxsen.edu.in

Known Vulnerabilities (Nikto)

Vulnerability Heat-map (Nikto)



Discovered URL → IP

URL	IP
https://woxsen.edu.in/	185.26.150.176
https://campusvisit.woxsen.edu.in/	185.26.150.176
https://woxsen.edu.in/blog/	185.26.150.176
https://woxsen.edu.in/careers/	185.26.150.176
https://woxsen.edu.in/give-to-wou/	185.26.150.176
https://woxsen.edu.in/contact-us/	185.26.150.176
https://student.camu.in/	15.206.113.31
https://applications.woxsen.edu.in/	35.154.141.13
https://woxsen.edu.in/about-us/	185.26.150.176
https://woxsen.edu.in/about-us/vision-mission/	185.26.150.176
https://woxsen.edu.in/about-us/milestones/	185.26.150.176
https://woxsen.edu.in/about-us/rankings/	185.26.150.176
https://woxsen.edu.in/about-us/media/	185.26.150.176
https://alumni.woxsen.edu.in/home.dz	13.212.39.195
http://woxsen.edu.in/ers/	185.26.150.176
https://woxsen.edu.in/about-us/chancellor-message/	185.26.150.176

URL	IP
https://woxsen.edu.in/about-us/vice-chancellor-message	185.26.150.176
https://woxsen.edu.in/about-us/leadership-team/	185.26.150.176
https://woxsen.edu.in/about-us/governing-body/	185.26.150.176
https://woxsen.edu.in/about-us/academic-advisory-board/	185.26.150.176


Directory Discovery (Gobuster)

Directory Status Codes (Gobuster)



Technologies Detected (Wappalyzer)

Technologies by Category



Technology	Category	Version	Latest	Status
Bootstrap	CSS Framework	-	5.3.3	Up-to-date

Vulnerability Mitigation & Remediation Steps

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

HTTP Port (80) Without Redirect (MEDIUM)

Finding: Port 80/tcp - http

HTTP is accessible without redirecting to HTTPS

Remediation Steps:

1. Implement HTTPS redirect from HTTP to HTTPS
2. Use HSTS (HTTP Strict Transport Security) headers
3. Enable SSL/TLS with strong ciphers
4. Consider using Let's Encrypt for free certificates

References:

- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

HTTPS Port (443) Configuration (LOW)

Finding: Port 443/tcp - https

HTTPS port is open

Remediation Steps:

1. Ensure TLS 1.2+ is enabled, disable TLS 1.0/1.1
2. Use strong cipher suites only
3. Implement certificate pinning
4. Regular certificate renewal and monitoring
5. Enable security headers (HSTS, CSP, etc.)

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports

- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Network Path (Traceroute)

The chart displays a sequence of 28 hops, each represented by a colored bar. The colors repeat in a cycle of 8: blue, orange, green, red, purple, brown, pink, and grey. The labels below the bars are: Hop 1: 10.0.0.1, Hop 2: 10.0.0.2, Hop 3: 10.0.0.3, Hop 4: 10.0.0.4, Hop 5: 10.0.0.5, Hop 6: 10.0.0.6, Hop 7: 10.0.0.7, Hop 8: 10.0.0.8, Hop 9: 10.0.0.9, Hop 10: 10.0.0.10, Hop 11: 10.0.0.11, Hop 12: 10.0.0.12, Hop 13: 10.0.0.13, Hop 14: 10.0.0.14, Hop 15: 10.0.0.15, Hop 16: 10.0.0.16, Hop 17: 10.0.0.17, Hop 18: 10.0.0.18, Hop 19: 10.0.0.19, Hop 20: 10.0.0.20, Hop 21: 10.0.0.21, Hop 22: 10.0.0.22, Hop 23: 10.0.0.23, Hop 24: 10.0.0.24, Hop 25: 10.0.0.25, Hop 26: 10.0.0.26, Hop 27: 10.0.0.27, Hop 28: 10.0.0.28.



Request & Response Details

SUBFINDER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-02T13:34:37.615032

NMAP Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-02T13:34:47.842873

NIKTO Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-02T13:35:45.899870

GOBUSTER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-02T13:39:30.055304

NSLOOKUPDNS Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-02T13:40:00.579157

TRACEROUTE Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-02T13:40:12.582723

WAPPALYZER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-02T13:41:23.816656

SUBFINDER Response

Status: 200 | **Size:** 20 bytes

Timestamp: 2025-11-02T13:34:47.842741

NMAP Response

Status: 200 | **Size:** 8 bytes

Timestamp: 2025-11-02T13:35:45.899789

NIKTO Response

Status: 200 | **Size:** 5 bytes

Timestamp: 2025-11-02T13:39:30.055207

GOBUSTER Response

Status: 200 | **Size:** 5 bytes

Timestamp: 2025-11-02T13:40:00.579124

NSLOOKUPDNS Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-02T13:40:12.582667

TRACEROUTE Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-02T13:41:23.816604

WAPPALYZER Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-02T13:41:25.480184

About MCP: Multi-tool scanning engine – intuitive, fast, local.

mcp-app.com | Generated: 2025-11-02T13:34:37.576603 | *Only scan authorized domains.*

