

Domain Vulnerability Scan Overview

Comprehensive intelligence for **<https://woxsen.edu.in>** → IP: **185.26.150.176** – from discovery to remediation.

Risk Index




Risk Index: 2/10


Quick Stats

- Tools executed: 7
- Open ports: 9
- Sub-domains: 21
- Known vulnerabilities: 5

Open Ports by Service (Nmap)



Sub-domains Discovered (Subfinder)



Sub-domain Details

Subdomain	IP	URL
mail.admissions.woxsen.edu.in	185.26.150.176	https://mail.admissions.woxsen.edu.in
awards.woxsen.edu.in	185.26.150.176	https://awards.woxsen.edu.in
ijtmkp.woxsen.edu.in	185.26.150.176	https://ijtmkp.woxsen.edu.in
studentcouncil.woxsen.edu.in	89.116.134.78	https://studentcouncil.woxsen.edu.in
woubus.woxsen.edu.in	35.153.235.170	https://woubus.woxsen.edu.in

Subdomain	IP	URL
iab.woxsen.edu.in	185.26.150.176	https://iab.woxsen.edu.in
innocchem.woxsen.edu.in	185.26.150.176	https://innocchem.woxsen.edu.in
ns.woxsen.edu.in	185.26.150.176	https://ns.woxsen.edu.in
alumni.woxsen.edu.in	13.212.39.195	https://alumni.woxsen.edu.in
bamlai.woxsen.edu.in	-	https://bamlai.woxsen.edu.in
admissions.woxsen.edu.in	185.26.150.176	https://admissions.woxsen.edu.in
ns.admissions.woxsen.edu.in	185.26.150.176	https://ns.admissions.woxsen.edu.in
welcome.woxsen.edu.in	185.26.150.176	https://welcome.woxsen.edu.in
wouexecutiveedu.woxsen.edu.in	185.26.150.176	https://wouexecutiveedu.woxsen.edu.in
applications.woxsen.edu.in	35.154.248.213	https://applications.woxsen.edu.in
livecampus.woxsen.edu.in	-	https://livecampus.woxsen.edu.in
admission.woxsen.edu.in	-	https://admission.woxsen.edu.in
airc.woxsen.edu.in	185.26.150.176	https://airc.woxsen.edu.in
campusvisit.woxsen.edu.in	185.26.150.176	https://campusvisit.woxsen.edu.in
payments.woxsen.edu.in	185.26.150.176	https://payments.woxsen.edu.in

Known Vulnerabilities (Nikto)

Vulnerability Heat-map (Nikto)




Discovered URL → IP


URL	IP
https://woxsen.edu.in/	185.26.150.176
https://campusvisit.woxsen.edu.in/	185.26.150.176
https://woxsen.edu.in/blog/	185.26.150.176
https://woxsen.edu.in/careers/	185.26.150.176
https://woxsen.edu.in/give-to-wou/	185.26.150.176
https://woxsen.edu.in/contact-us/	185.26.150.176
https://student.camu.in/	13.126.16.219
https://applications.woxsen.edu.in/	3.108.204.223
https://woxsen.edu.in/about-us/	185.26.150.176
https://woxsen.edu.in/about-us/vision-mission/	185.26.150.176
https://woxsen.edu.in/about-us/milestones/	185.26.150.176
https://woxsen.edu.in/about-us/rankings/	185.26.150.176
https://woxsen.edu.in/about-us/media/	185.26.150.176
https://alumni.woxsen.edu.in/home.dz	13.212.39.195
http://woxsen.edu.in/ers/	185.26.150.176
https://woxsen.edu.in/about-us/chancellor-message/	185.26.150.176

URL	IP
https://woxsen.edu.in/about-us/vice-chancellor-message	185.26.150.176
https://woxsen.edu.in/about-us/leadership-team/	185.26.150.176
https://woxsen.edu.in/about-us/governing-body/	185.26.150.176
https://woxsen.edu.in/about-us/academic-advisory-board/	185.26.150.176

Directory Discovery (Gobuster)



Technologies Detected (Wappalyzer)



Technology	Category	Version	Latest	Status
Bootstrap	CSS Framework	-	5.3.3	Up-to-date
ASP.NET	Framework	-	-	Up-to-date

Technology	Category	Version	Latest	Status
Google Analytics	Analytics	-	-	Up-to-date

Vulnerability Mitigation & Remediation Steps

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - MailEnable POP3 Server

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - MailEnable POP3 Server

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

HTTP Port (80) Without Redirect (MEDIUM)

Finding: Port 80/tcp - Microsoft IIS httpd 10.0

HTTP is accessible without redirecting to HTTPS

Remediation Steps:

1. Implement HTTPS redirect from HTTP to HTTPS
2. Use HSTS (HTTP Strict Transport Security) headers
3. Enable SSL/TLS with strong ciphers
4. Consider using Let's Encrypt for free certificates

References:

- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - MailEnable POP3 Server

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - MailEnable POP3 Server

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

HTTPS Port (443) Configuration (LOW)

Finding: Port 443/tcp - https

HTTPS port is open

Remediation Steps:

1. Ensure TLS 1.2+ is enabled, disable TLS 1.0/1.1
2. Use strong cipher suites only
3. Implement certificate pinning
4. Regular certificate renewal and monitoring
5. Enable security headers (HSTS, CSP, etc.)

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - MailEnable POP3 Server

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - MailEnable POP3 Server

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports

- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - MailEnable POP3 Server

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Missing Security Headers (MEDIUM)

Finding: <https://woxsen.edu.in> - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: <https://woxsen.edu.in> - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: <https://woxsen.edu.in> - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: <https://woxsen.edu.in> - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>

- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Scan Architecture & Request Flow

Scan Process Flow

Step	Tool	Type	Timestamp
1	N/A	REQUEST	2025-11-04T17:46:51.872717
2	N/A	RESPONSE	2025-11-04T17:46:55.640172
3	N/A	REQUEST	2025-11-04T17:46:55.640194
4	N/A	RESPONSE	2025-11-04T17:47:47.212931
5	N/A	REQUEST	2025-11-04T17:47:47.212968
6	N/A	RESPONSE	2025-11-04T17:51:10.371091
7	N/A	REQUEST	2025-11-04T17:51:10.371120
8	N/A	RESPONSE	2025-11-04T17:51:44.124547
9	N/A	REQUEST	2025-11-04T17:51:44.124613
10	N/A	RESPONSE	2025-11-04T17:51:45.913713
11	N/A	REQUEST	2025-11-04T17:51:45.913743
12	N/A	RESPONSE	2025-11-04T17:52:55.298871
13	N/A	REQUEST	2025-11-04T17:52:55.298914
14	N/A	RESPONSE	2025-11-04T17:52:56.979311

Request/Response Summary

- **Total Requests:** 7
- **Total Responses:** 7
- **Tools Used:** subfinder, nmap, nikto, gobuster, nslookupdns, traceroute, wappalyzer
- **Start Time:** 2025-11-04T17:46:51.860908
- **End Time:** 2025-11-04T17:52:56.979341

Network Path (Traceroute)

Hop	IP	RTT #1	RTT #2	RTT #3
1	192.168.0.1	1	ms	<1
2	10.111.0.1	2	ms	3
3	10.101.0.2	2	ms	1
4	[182.156.3.85]	6	ms	4

Hop	IP	RTT #1	RTT #2	RTT #3
5	out.	timeout	timeout	timeout
6	172.28.118.237	19	ms	19
7	[180.87.38.5]	24	ms	18
8	[180.87.38.29]	132	ms	timeout
9	[216.6.13.193]	timeout	134	ms
10	[80.231.154.32]	timeout	132	ms
11	out.	timeout	timeout	timeout
12	[64.125.26.35]	132	ms	131
13	out.	timeout	timeout	timeout
14	[130.180.202.81]	133	ms	133
15	[130.180.203.73]	133	ms	134
16	[185.26.150.176]	134	ms	133

Server Locations (nslookup)

IP	Country	Region	City	ISP
185.26.150.176	United Kingdom	England	Cassington	Iomart Cloud Services Limited

Request & Response Details

SUBFINDER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-04T17:46:51.872708

NMAP Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-04T17:46:55.640190

NIKTO Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-04T17:47:47.212962

GOBUSTER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-04T17:51:10.371115

NSLOOKUPDNS Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-04T17:51:44.124600

TRACEROUTE Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-04T17:51:45.913738

WAPPALYZER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-04T17:52:55.298905

SUBFINDER Response

Status: 200 | **Size:** 21 bytes

Timestamp: 2025-11-04T17:46:55.640159

NMAP Response

Status: 200 | **Size:** 9 bytes

Timestamp: 2025-11-04T17:47:47.212911

NIKTO Response

Status: 200 | **Size:** 5 bytes

Timestamp: 2025-11-04T17:51:10.371074

GOBUSTER Response

Status: 200 | **Size:** 5 bytes

Timestamp: 2025-11-04T17:51:44.124512

NSLOOKUPDNS Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-04T17:51:45.913697

TRACEROUTE Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-04T17:52:55.298842

WAPPALYZER Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-04T17:52:56.979291

About MCP: Multi-tool scanning engine – intuitive, fast, local.

mcp-app.com | Generated: 2025-11-04T17:46:51.847041 | *Only scan authorized domains.*

