

Domain Vulnerability Scan Overview

Comprehensive intelligence for **<https://woxsen.edu.in>** → IP: **185.26.150.176** – from discovery to remediation.

Risk Index




Risk Index: 2/10


Quick Stats

- Tools executed: 7
- Open ports: 8
- Sub-domains: 20
- Known vulnerabilities: 5

Open Ports by Service (Nmap)



Sub-domains Discovered (Subfinder)



Sub-domain Details

Subdomain	IP	URL
payments.woxsen.edu.in	185.26.150.176	https://payments.woxsen.edu.in
welcome.woxsen.edu.in	185.26.150.176	https://welcome.woxsen.edu.in
admissions.woxsen.edu.in	185.26.150.176	https://admissions.woxsen.edu.in
ns.admissions.woxsen.edu.in	185.26.150.176	https://ns.admissions.woxsen.edu.in
airc.woxsen.edu.in	185.26.150.176	https://airc.woxsen.edu.in

Subdomain	IP	URL
awards.woxsen.edu.in	185.26.150.176	https://awards.woxsen.edu.in
campusvisit.woxsen.edu.in	185.26.150.176	https://campusvisit.woxsen.edu.in
ns.woxsen.edu.in	185.26.150.176	https://ns.woxsen.edu.in
cname.woxsen.edu.in	-	https://cname.woxsen.edu.in
mail.admissions.woxsen.edu.in	185.26.150.176	https://mail.admissions.woxsen.edu.in
applications.woxsen.edu.in	35.154.141.13	https://applications.woxsen.edu.in
woubus.woxsen.edu.in	35.153.235.170	https://woubus.woxsen.edu.in
bamlai.woxsen.edu.in	-	https://bamlai.woxsen.edu.in
alumni.woxsen.edu.in	13.212.39.195	https://alumni.woxsen.edu.in
ijtmkp.woxsen.edu.in	185.26.150.176	https://ijtmkp.woxsen.edu.in
wouexecutiveedu.woxsen.edu.in	185.26.150.176	https://wouexecutiveedu.woxsen.edu.in
livecampus.woxsen.edu.in	-	https://livecampus.woxsen.edu.in
admission.woxsen.edu.in	-	https://admission.woxsen.edu.in
iab.woxsen.edu.in	185.26.150.176	https://iab.woxsen.edu.in
innochem.woxsen.edu.in	185.26.150.176	https://innochem.woxsen.edu.in

Known Vulnerabilities (Nikto)

Vulnerability Heat-map (Nikto)



Discovered URL → IP

URL	IP
https://woxsen.edu.in/	185.26.150.176
https://campusvisit.woxsen.edu.in/	185.26.150.176
https://woxsen.edu.in/blog/	185.26.150.176
https://woxsen.edu.in/careers/	185.26.150.176
https://woxsen.edu.in/give-to-wou/	185.26.150.176
https://woxsen.edu.in/contact-us/	185.26.150.176
https://student.camu.in/	13.232.204.132
https://applications.woxsen.edu.in/	35.154.141.13
https://woxsen.edu.in/about-us/	185.26.150.176
https://woxsen.edu.in/about-us/vision-mission/	185.26.150.176
https://woxsen.edu.in/about-us/milestones/	185.26.150.176
https://woxsen.edu.in/about-us/rankings/	185.26.150.176
https://woxsen.edu.in/about-us/media/	185.26.150.176
https://alumni.woxsen.edu.in/home.dz	13.212.39.195
http://woxsen.edu.in/ers/	185.26.150.176
https://woxsen.edu.in/about-us/chancellor-message/	185.26.150.176

URL	IP
https://woxsen.edu.in/about-us/vice-chancellor-message	185.26.150.176
https://woxsen.edu.in/about-us/leadership-team/	185.26.150.176
https://woxsen.edu.in/about-us/governing-body/	185.26.150.176
https://woxsen.edu.in/about-us/academic-advisory-board/	185.26.150.176


Directory Discovery (Gobuster)

Directory Status Codes (Gobuster)



Technologies Detected (Wappalyzer)

Technologies by Category



Technology	Category	Version	Latest	Status
Bootstrap	CSS Framework	-	5.3.3	Up-to-date
ASP.NET	Framework	-	-	Up-to-date

Technology	Category	Version	Latest	Status
Google Analytics	Analytics	-	-	Up-to-date

Vulnerability Mitigation & Remediation Steps

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

HTTP Port (80) Without Redirect (MEDIUM)

Finding: Port 80/tcp - http

HTTP is accessible without redirecting to HTTPS

Remediation Steps:

1. Implement HTTPS redirect from HTTP to HTTPS
2. Use HSTS (HTTP Strict Transport Security) headers
3. Enable SSL/TLS with strong ciphers
4. Consider using Let's Encrypt for free certificates

References:

- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

HTTPS Port (443) Configuration (LOW)

Finding: Port 443/tcp - https

HTTPS port is open

Remediation Steps:

1. Ensure TLS 1.2+ is enabled, disable TLS 1.0/1.1
2. Use strong cipher suites only
3. Implement certificate pinning
4. Regular certificate renewal and monitoring
5. Enable security headers (HSTS, CSP, etc.)

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Open Port Exposed (MEDIUM)

Finding: Port 995/tcp - pop3s

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation
5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports

- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Missing Security Headers (MEDIUM)

Finding: <https://woxsen.edu.in> - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: <https://woxsen.edu.in> - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: <https://woxsen.edu.in> - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://woxsen.edu.in - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Scan Architecture & Request Flow

Scan Process Flow

Step	Tool	Type	Timestamp
1	N/A	REQUEST	2025-11-03T05:15:13.537842
2	N/A	RESPONSE	2025-11-03T05:15:27.867755
3	N/A	REQUEST	2025-11-03T05:15:27.867820
4	N/A	RESPONSE	2025-11-03T05:16:30.668261
5	N/A	REQUEST	2025-11-03T05:16:30.668293
6	N/A	RESPONSE	2025-11-03T05:20:43.717781
7	N/A	REQUEST	2025-11-03T05:20:43.717832
8	N/A	RESPONSE	2025-11-03T05:21:18.460182
9	N/A	REQUEST	2025-11-03T05:21:18.460220
10	N/A	RESPONSE	2025-11-03T05:21:20.086015
11	N/A	REQUEST	2025-11-03T05:21:20.086093
12	N/A	RESPONSE	2025-11-03T05:22:37.071563
13	N/A	REQUEST	2025-11-03T05:22:37.071642
14	N/A	RESPONSE	2025-11-03T05:22:39.311298

Request/Response Summary

- **Total Requests:** 7
- **Total Responses:** 7
- **Tools Used:** subfinder, nmap, nikto, gobuster, nslookupdns, traceroute, wappalyzer
- **Start Time:** 2025-11-03T05:15:13.514411
- **End Time:** 2025-11-03T05:22:39.311331

Network Path (Traceroute)

Hop	IP	RTT #1	RTT #2	RTT #3
1	10.107.0.1	6	ms	4
2	10.101.0.2	3	ms	3
3	[182.156.3.85]	5	ms	4
4	[121.244.3.189]	timeout	58	ms

Hop	IP	RTT #1	RTT #2	RTT #3
5	172.28.118.237	22	ms	22
6	out.	timeout	timeout	timeout
7	out.	timeout	timeout	timeout
8	out.	timeout	timeout	timeout
9	[80.231.154.32]	timeout	131	ms
10	out.	timeout	timeout	timeout
11	[64.125.26.35]	132	ms	131
12	out.	timeout	timeout	timeout
13	[130.180.202.81]	187	ms	188
14	[130.180.203.73]	133	ms	133
15	[185.26.150.176]	191	ms	183

Server Locations (nslookup)

IP	Country	Region	City	ISP
185.26.150.176	United Kingdom	England	Cassington	Iomart Cloud Services Limited

Request & Response Details

SUBFINDER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-03T05:15:13.537834

NMAP Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-03T05:15:27.867807

NIKTO Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-03T05:16:30.668288

GOBUSTER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-03T05:20:43.717821

NSLOOKUPDNS Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-03T05:21:18.460213

TRACEROUTE Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-03T05:21:20.086076

WAPPALYZER Request

Method: SCAN | **URL:** woxsen.edu.in

Timestamp: 2025-11-03T05:22:37.071625

SUBFINDER Response

Status: 200 | **Size:** 20 bytes

Timestamp: 2025-11-03T05:15:27.867724

NMAP Response

Status: 200 | **Size:** 8 bytes

Timestamp: 2025-11-03T05:16:30.668241

NIKTO Response

Status: 200 | **Size:** 5 bytes

Timestamp: 2025-11-03T05:20:43.717750

GOBUSTER Response

Status: 200 | **Size:** 5 bytes

Timestamp: 2025-11-03T05:21:18.460158

NSLOOKUPDNS Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-03T05:21:20.085970

TRACEROUTE Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-03T05:22:37.071522

WAPPALYZER Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-03T05:22:39.311274

About MCP: Multi-tool scanning engine – intuitive, fast, local.

mcp-app.com | Generated: 2025-11-03T05:15:13.500214 | *Only scan authorized domains.*

