

Domain Vulnerability Scan Overview

Comprehensive intelligence for **<http://altoro.testfire.net>** → IP: **65.61.137.117** – from discovery to remediation.

Risk Index




Risk Index: 4/10


Quick Stats

- Tools executed: 6
- Open ports: 3
- Sub-domains: 0
- Known vulnerabilities: 6


Open Ports by Service (Nmap)



Sub-domains Discovered (Subfinder)



Known Vulnerabilities (Nikto)




Discovered URL → IP

URL	IP
https://altoro.testfire.net/index.jsp	65.61.137.117
https://altoro.testfire.net/login.jsp	65.61.137.117
https://altoro.testfire.net/feedback.jsp	65.61.137.117
https://altoro.testfire.net/cgi.exe	65.61.137.117
https://altoro.testfire.net/subscribe.jsp	65.61.137.117
https://altoro.testfire.net/default.jsp	65.61.137.117
https://altoro.testfire.net/survey_questions.jsp	65.61.137.117
https://altoro.testfire.net/status_check.jsp	65.61.137.117
https://altoro.testfire.net/swagger/index.html	65.61.137.117
https://github.com/AppSecDev/Altoro/	20.207.73.82
https://www.hcl-software.com/appscan/	13.248.186.113

Directory Discovery (Gobuster)

Directory Status Codes (Gobuster)





Vulnerability Mitigation & Remediation Steps

HTTP Port (80) Without Redirect (MEDIUM)

Finding: Port 80/tcp - http

HTTP is accessible without redirecting to HTTPS

Remediation Steps:

1. Implement HTTPS redirect from HTTP to HTTPS
2. Use HSTS (HTTP Strict Transport Security) headers
3. Enable SSL/TLS with strong ciphers
4. Consider using Let's Encrypt for free certificates

References:

- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>

HTTPS Port (443) Configuration (LOW)

Finding: Port 443/tcp - https

HTTPS port is open

Remediation Steps:

1. Ensure TLS 1.2+ is enabled, disable TLS 1.0/1.1
2. Use strong cipher suites only
3. Implement certificate pinning
4. Regular certificate renewal and monitoring
5. Enable security headers (HSTS, CSP, etc.)

Open Port Exposed (MEDIUM)

Finding: Port 8080/tcp - http-proxy

An unnecessary port is open, increasing attack surface

Remediation Steps:

1. Review all open ports and close unnecessary services
2. Use firewall rules to restrict access to required IPs only
3. Enable port knocking for sensitive services
4. Implement network segmentation

5. Regularly audit open ports with automated scanning

References:

- https://owasp.org/www-community/vulnerabilities/Unnecessary_network_ports
- <https://www.cisa.gov/uscert/ncas/tips/ST04-012>

Missing Security Headers (MEDIUM)

Finding: https://altoro.testfire.net - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://altoro.testfire.net - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://altoro.testfire.net - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://altoro.testfire.net - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header
5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Missing Security Headers (MEDIUM)

Finding: https://altoro.testfire.net - Missing HSTS header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header

5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Admin Panel Discovered (HIGH)

Finding: https://altoro.testfire.net/admin/ - admin_panel found at /admin/

Administrative interface is accessible

Remediation Steps:

1. Restrict admin panel access to specific IP addresses
2. Use VPN for admin access
3. Enable strong authentication (2FA/MFA)
4. Change default admin paths if possible
5. Monitor admin access logs
6. Implement rate limiting and account lockout

Scan Architecture & Request Flow

Scan Process Flow


Step	Tool	Type	Timestamp
1	N/A	REQUEST	2025-11-02T12:35:04.343695
2	N/A	RESPONSE	2025-11-02T12:35:06.726436
3	N/A	REQUEST	2025-11-02T12:35:06.726523
4	N/A	RESPONSE	2025-11-02T12:35:51.487523
5	N/A	REQUEST	2025-11-02T12:35:51.487596
6	N/A	RESPONSE	2025-11-02T12:39:50.839044
7	N/A	REQUEST	2025-11-02T12:39:50.839105
8	N/A	RESPONSE	2025-11-02T12:40:33.130907
9	N/A	REQUEST	2025-11-02T12:40:33.131113
10	N/A	RESPONSE	2025-11-02T12:40:34.725470
11	N/A	REQUEST	2025-11-02T12:40:34.725501
12	N/A	RESPONSE	2025-11-02T12:42:18.905429

Request/Response Summary

- **Total Requests:** 6
- **Total Responses:** 6
- **Tools Used:** subfinder, nmap, nikto, gobuster, nslookupdns, traceroute
- **Start Time:** 2025-11-02T12:35:04.333880
- **End Time:** 2025-11-02T12:42:18.905465

Network Path (Traceroute)

Network Path (Traceroute)



Server Locations (nslookup)

IP	Country	Region	City	ISP
65.61.137.117	United States	Texas	Dallas	Rackspace Hosting

Request & Response Details

SUBFINDER Request

Method: SCAN | **URL:** altoro.testfire.net

Timestamp: 2025-11-02T12:35:04.343685

NMAP Request

Method: SCAN | **URL:** altoro.testfire.net

Timestamp: 2025-11-02T12:35:06.726505

NIKTO Request

Method: SCAN | **URL:** altoro.testfire.net

Timestamp: 2025-11-02T12:35:51.487581

GOBUSTER Request

Method: SCAN | **URL:** altoro.testfire.net

Timestamp: 2025-11-02T12:39:50.839094

NSLOOKUPDNS Request

Method: SCAN | **URL:** altoro.testfire.net

Timestamp: 2025-11-02T12:40:33.131007

TRACEROUTE Request

Method: SCAN | **URL:** altoro.testfire.net

Timestamp: 2025-11-02T12:40:34.725494

SUBFINDER Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-02T12:35:06.726391

NMAP Response

Status: 200 | **Size:** 3 bytes

Timestamp: 2025-11-02T12:35:51.487469

NIKTO Response

Status: 200 | **Size:** 6 bytes

Timestamp: 2025-11-02T12:39:50.839011

GOBUSTER Response

Status: 200 | **Size:** 2 bytes

Timestamp: 2025-11-02T12:40:33.130856

NSLOOKUPDNS Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-02T12:40:34.725453

TRACEROUTE Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-02T12:42:18.905406

About MCP: Multi-tool scanning engine – intuitive, fast, local.

mcp-app.com | Generated: 2025-11-02T12:35:04.313132 | *Only scan authorized domains.*

