

Domain Vulnerability Scan Overview

Comprehensive intelligence for **<https://www.nba.com>** → IP: **23.9.115.246** – from discovery to remediation.

Risk Index




Risk Index: 4/10


Quick Stats

- Tools executed: 7
- Open ports: 2
- Sub-domains: 919
- Known vulnerabilities: 3

Open Ports by Service (Nmap)



Sub-domains Discovered (Subfinder)




Sub-domain Details

Subdomain	IP	URL
lrmedia4.nba.com	66.6.224.30	https://lrmedia4.nba.com
vdesk.nba.com	66.6.224.140	https://vdesk.nba.com
wolves.nba.com	54.84.45.2	https://wolves.nba.com
cms-api-dev.nba.com	23.65.124.98	https://cms-api-dev.nba.com
mx.nba.com	23.65.124.105	https://mx.nba.com

Subdomain	IP	URL
arabic.nba.com	52.52.34.204	https://arabic.nba.com
photostorebeta.nba.com	207.211.90.82	https://photostorebeta.nba.com
botcdn.nba.com	-	https://botcdn.nba.com
www.oxygen.nba.com	-	https://www.oxygen.nba.com
download.nba.com	54.84.45.2	https://download.nba.com
teamnet.nba.com	-	https://teamnet.nba.com
storefront-admin.stage.nba.com	-	https://storefront-admin.stage.nba.com
allstar2013.nba.com	10.100.201.29	https://allstar2013.nba.com
crossovermilan.nba.com	52.52.34.204	https://crossovermilan.nba.com
ca-dev-prev.glob.nba.com	10.100.201.29	https://ca-dev-prev.glob.nba.com
nbadraft2007.nba.com	66.6.224.33	https://nbadraft2007.nba.com
origin-vttp.nba.com	66.6.224.108	https://origin-vttp.nba.com
siouxfalls.gleague-qa.nba.com	-	https://siouxfalls.gleague-qa.nba.com
www.searchapp2.nba.com	-	https://www.searchapp2.nba.com
hoop.nba.com	23.9.115.246	https://hoop.nba.com

Known Vulnerabilities (Nikto)



Discovered URL → IP

URL	IP
https://www.nba.com/	23.9.115.246
https://www.nba.com/games	23.9.115.246
https://nbatickets.nba.com/	23.9.115.246
https://www.nba.com/schedule	23.9.115.246
https://www.nba.com/news/key-dates	23.9.115.246
https://www.nba.com/nba-cup/2025/schedule	23.9.115.246
https://www.nba.com/nba-cup/2025	23.9.115.246
https://www.nba.com/nba-cup/2025/standings	23.9.115.246
https://www.nba.com/news/nba-cup-101	23.9.115.246
https://www.nba.com/news/nba-cup-frequently-asked-questions	23.9.115.246
https://www.nba.com/news/2025-nba-cup-group-draw-results	23.9.115.246
https://www.nba.com/news/emirates-nba-cup-key-dates-schedule	23.9.115.246
https://www.nba.com/watch/featured	23.9.115.246
https://www.nba.com/watch/nba-tv	23.9.115.246
https://www.nba.com/news	23.9.115.246
https://www.nba.com/news/category/top-stories	23.9.115.246

URL	IP
https://www.nba.com/players/transactions	23.9.115.246
https://www.nba.com/future-starts-now	23.9.115.246
https://www.nba.com/history	23.9.115.246
https://www.nba.com/news/writers-archive	23.9.115.246


Directory Discovery (Gobuster)

Directory Status Codes (Gobuster)



Technologies Detected (Wappalyzer)

Technologies by Category



Technology	Category	Version	Latest	Status
Akamai	CDN	-	-	Up-to-date

Vulnerability Mitigation & Remediation Steps

HTTP Port (80) Without Redirect (MEDIUM)

Finding: Port 80/tcp - AkamaiGHost

HTTP is accessible without redirecting to HTTPS

Remediation Steps:

1. Implement HTTPS redirect from HTTP to HTTPS
2. Use HSTS (HTTP Strict Transport Security) headers
3. Enable SSL/TLS with strong ciphers
4. Consider using Let's Encrypt for free certificates

References:

- <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>

HTTPS Port (443) Configuration (LOW)

Finding: Port 443/tcp - AkamaiGHost

HTTPS port is open

Remediation Steps:

1. Ensure TLS 1.2+ is enabled, disable TLS 1.0/1.1
2. Use strong cipher suites only
3. Implement certificate pinning
4. Regular certificate renewal and monitoring
5. Enable security headers (HSTS, CSP, etc.)

Missing Security Headers (MEDIUM)

Finding: <https://www.nba.com> - Missing CSP header

Security headers are not properly configured

Remediation Steps:

1. Implement Content-Security-Policy (CSP) header
2. Enable X-Frame-Options: DENY or SAMEORIGIN
3. Set X-Content-Type-Options: nosniff
4. Configure X-XSS-Protection header

5. Add Referrer-Policy header
6. Use securityheaders.com to test configuration

References:

- <https://owasp.org/www-project-secure-headers/>
- <https://securityheaders.com/>

Information Disclosure Vulnerability (MEDIUM)

Finding: https://www.nba.com/.env - information_disclosure found at /.env

Sensitive information is exposed

Remediation Steps:

1. Remove or secure exposed files and directories
2. Implement proper access controls
3. Review and sanitize error messages
4. Ensure no sensitive data in comments or source code
5. Use robots.txt to prevent indexing of sensitive areas
6. Implement proper logging without exposing sensitive data

References:

- https://owasp.org/www-community/vulnerabilities/Information_exposure

Configuration File Exposed (CRITICAL)

Finding: https://www.nba.com/.htaccess - config_file found at /.htaccess

Configuration files are accessible

Remediation Steps:

1. Immediately restrict access to configuration files
2. Move config files outside web root
3. Use environment variables for sensitive data
4. Implement proper file permissions (644 for configs)
5. Use .htaccess or server config to deny access
6. Review and remove exposed credentials immediately

References:

- https://owasp.org/www-community/vulnerabilities/Information_exposure_through_query_strings_in_url

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production

5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Test/Staging Environment Exposed (MEDIUM)

Finding: Test/staging subdomain: bakersfield.dleague-dev.nba.com

Test or staging subdomain is publicly accessible

Remediation Steps:

1. Restrict test environments to internal network only
2. Use VPN or IP whitelisting for access
3. Remove test data and credentials
4. Implement same security controls as production
5. Use separate authentication for test environments

Scan Architecture & Request Flow

Scan Process Flow

Step	Tool	Type	Timestamp
1	N/A	REQUEST	2025-11-05T02:30:32.175649
2	N/A	RESPONSE	2025-11-05T02:30:57.719528
3	N/A	REQUEST	2025-11-05T02:30:57.719606
4	N/A	RESPONSE	2025-11-05T02:31:19.398802
5	N/A	REQUEST	2025-11-05T02:31:19.398816
6	N/A	RESPONSE	2025-11-05T02:33:22.758958
7	N/A	REQUEST	2025-11-05T02:33:22.759109
8	N/A	RESPONSE	2025-11-05T02:33:42.639250
9	N/A	REQUEST	2025-11-05T02:33:42.639267
10	N/A	RESPONSE	2025-11-05T02:33:44.236787
11	N/A	REQUEST	2025-11-05T02:33:44.236824
12	N/A	RESPONSE	2025-11-05T02:34:09.369465
13	N/A	REQUEST	2025-11-05T02:34:09.369488
14	N/A	RESPONSE	2025-11-05T02:34:13.622009

Request/Response Summary

- **Total Requests:** 7
- **Total Responses:** 7
- **Tools Used:** subfinder, nmap, nikto, gobuster, nslookupdns, traceroute, wappalyzer
- **Start Time:** 2025-11-05T02:30:32.161486
- **End Time:** 2025-11-05T02:34:13.622024

Network Path (Traceroute)

Hop	IP	RTT #1	RTT #2	RTT #3
1	192.168.0.1	<1	ms	<1
2	10.111.0.1	6	ms	2
3	10.101.0.2	2	ms	1
4	[182.156.3.85]	3	ms	4

Hop	IP	RTT #1	RTT #2	RTT #3
5	[121.244.3.189]	timeout	5	ms
6	[121.244.3.222]	8	ms	7
7	[23.9.115.246]	3	ms	3

Server Locations (nslookup)

IP	Country	Region	City	ISP
23.9.115.246	India	Telangana	Hyderabad	Akamai Technologies, Inc.

Request & Response Details

SUBFINDER Request

Method: SCAN | **URL:** www.nba.com

Timestamp: 2025-11-05T02:30:32.175630

NMAP Request

Method: SCAN | **URL:** www.nba.com

Timestamp: 2025-11-05T02:30:57.719587

NIKTO Request

Method: SCAN | **URL:** www.nba.com

Timestamp: 2025-11-05T02:31:19.398814

GOBUSTER Request

Method: SCAN | **URL:** www.nba.com

Timestamp: 2025-11-05T02:33:22.759103

NSLOOKUPDNS Request

Method: SCAN | **URL:** www.nba.com

Timestamp: 2025-11-05T02:33:42.639263

TRACEROUTE Request

Method: SCAN | **URL:** www.nba.com

Timestamp: 2025-11-05T02:33:44.236816

WAPPALYZER Request

Method: SCAN | **URL:** www.nba.com

Timestamp: 2025-11-05T02:34:09.369484

SUBFINDER Response

Status: 200 | **Size:** 919 bytes

Timestamp: 2025-11-05T02:30:57.719489

NMAP Response

Status: 200 | **Size:** 2 bytes

Timestamp: 2025-11-05T02:31:19.398793

NIKTO Response

Status: 200 | **Size:** 3 bytes

Timestamp: 2025-11-05T02:33:22.758938

GOBUSTER Response

Status: 200 | **Size:** 2 bytes

Timestamp: 2025-11-05T02:33:42.639240

NSLOOKUPDNS Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-05T02:33:44.236764

TRACEROUTE Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-05T02:34:09.369451

WAPPALYZER Response

Status: 200 | **Size:** 0 bytes

Timestamp: 2025-11-05T02:34:13.622000

About MCP: Multi-tool scanning engine – intuitive, fast, local.

mcp-app.com | Generated: 2025-11-05T02:30:32.134653 | *Only scan authorized domains.*

