LEAP Demo Preparation Guide

Your Business Requirements review is a live walk-through, not a slide deck. The reviewer will ask you to show each requirement working, then try to break it. This guide lists what you need ready, so that nothing has to be built while the reviewer waits.

1. The ground rules

- Everything is shown live, from your from your laptop and not from screenshots. A working deployment environment is to required for this evaluation.
- The reviewer chooses some of the tests (for example which trade to trace). Do not rely on a rehearsed path.
- Expect to be asked "where does that data live?" for anything that persists.
- The requirements say what the platform must do, not which tools to use. Be ready to explain why your approach meets each one in business terms.

2. Environment

Item	Ready before the review starts
Deployed stack	The running version, best to have it running on two laptops. If not, can use two different tabs. No setup should occur during the review.
Browser	Two separate sessions so two clients can be signed in at once (a normal window and a private window, or two browser profiles).
Logs	Be prepared to show any logging or live reporting as you walk the reviewer thru the various business requirements.
Network	Stable connection. Reviewer will have a hotspot available if needed.

3. Test data

Data	What to prepare
Client A	A registered user with a funded cash balance and at least two existing holdings. Created through the UI before the review.
Client B	A second registered user with different holdings and cash, so isolation tests can be seen. Leave holdings visibly different from A.
A brand-new user	Do NOT pre-create this one. The reviewer will watch you register it live (BR-01). Have a username and password in mind.
Order history	At least ten past orders for client A: filled buys and sells, plus at least one rejected and one still pending.
Instruments	One of each class that you support: a UK or US equity, an Indian equity, an FX pair, and a crypto asset. Know the symbols you will type.
Reporting data	Enough history that a report by instrument and by period shows something meaningful, for at least a few dozen trades across several instruments.

4. Prepared Scenarios

Have these ready to show as part of the review process.

- Holdings and cash for a client, and the trade records that explain them (BR-10).
- The full lifecycle of one trade by order ID: placed, accepted, priced (with the quote used), filled, and the resulting cash and holdings change (BR-15).
- Current holdings unchanged during a failure test.
- Total trades and total cash for a client, to prove nothing was lost or doubled after a failure (BR-09, 9.1).
- A reporting query by instrument and by period, run against your reporting store (BR-16). (Dependent on your supported reporting cycle)

5. Failure tests you must be able to run

The reviewer will ask for these. Practice each one and know how to undo it. Write down the exact commands or console steps.

Test	How you will trigger it	How you will recover
Execution step down (BR-06)	Stop or scale to zero the component that executes orders.	Start it again and show pending orders complete.
Failure midway through a fill (BR-09)	A way to make the process fail between the steps, such as a stopped service or a database error. Can be as simple as shutting down the browser or killing the application.	Show holdings, cash, and trade record are all unchanged.
Service restart (BR-14, 9.1)	Restart or redeploy the service / application.	Show balances and trade counts are the same.
Failed deployment (BR-14)	A deliberately broken build or task definition that fails to start.	Roll back and show data intact.
Quote source unavailable (BR-12)	Block or break the price lookup for one instrument.	Show the order is rejected or held with a clear reason.
Tampered or expired token (BR-02, BR-03)	Edit one character of a token, and use an expired one.	Nothing to recover. Show a clear rejection.

Rehearse these at least twice before the review. Do them on a copy of the data if you are unsure that a failure test is safe, and have a way to restore the demo data afterwards.

6. Evidence to have open in tabs

- Where the token expiry and signing secret are configured, and where the secret is stored (BR-03, 9.3).
- The database showing orders, trades, and audit data, and where the database is hosted (BR-14).
- Proof that the reporting data is separate from the live trading data (BR-16).
- The security group or network rules showing the database is not open to the internet (9.3).

7. Roles on the day

Role	Responsibility
Driver	Operates the screen and runs the tests.
Narrator	Explains what the reviewer is seeing and why it meets the requirement.
Architect	Answers "why this design" and "where does it live" questions.
Scribe	Notes the reviewer's requests and any requirement that was not fully shown.

8. Readiness checklist

Complete this the day before, and again one hour before the review.

☐ Stack is deployed, healthy, and reachable.

☐ Client A and Client B exist with different cash and holdings.

☐ Client A has ten or more orders, including rejected and pending ones.

☐ A supported instrument from each class is tested and prices correctly.

☐ Two browser sessions are ready to sign in as two clients.

☐ Saved queries run and return the expected results.

☐ Each failure test has been rehearsed and can be undone.

☐ Reporting runs without slowing order placement.

☐ Secrets are in a secret store and not in the code.

☐ Any associated/accessbile logs are open and signed in from the application

☐ Roles are agreed, and the team has done a full practice run in the time allowed.

A requirement you cannot show live will be marked as not met, even if you built it. If something is incomplete, let the reviewer know beforehand and explain what you would do next.