SESSION-3

Question1: Create an HTML form for a Flipkart-style product review, including input fields for username, rating (as a dropdown from 1 to 5), and a textarea for the review message. Use appropriate labels for each field.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Product Review Form</title>
</head>
<body>

  <h2>Flipkart Product Review</h2>


  <form>
    <label for="username">Username:</label><br>
    <input type="text" id="username" name="username"
        placeholder="Enter your username" required>
    <br><br>

    <label for="rating">Rating:</label><br>
    <select id="rating" name="rating" required>
      <option value="">Select Rating</option>
      <option value="1">1 - Poor</option>
      <option value="2">2 - Fair</option>
      <option value="3">3 - Good</option>
```

```
        <option value="4">4 - Very Good</option>
        <option value="5">5 - Excellent</option>
    </select>
    <br><br>

    <label for="review">Review Message:</label><br>
    <textarea id="review" name="review"
        rows="5" cols="35"
        placeholder="Write your product review..."
        required></textarea>
    <br><br>

    <button type="submit">Submit Review</button>
  </form>
</body>
</html>
```



Question2: Add HTML5 validation attributes to your review form so that username is required, rating must be selected, and the review message must be at least 20 characters long.

Hint: Use required, minlength, and a default unselectable option for the dropdown.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flipkart Product Review</title>
```

```
</head>
<body>
  <h2>Flipkart Product Review</h2>

  <form>
    <label for="username">Username:</label><br>
    <input type="text" id="username" name="username"
        required>
    <br><br>


    <label for="rating">Rating:</label><br>
    <select id="rating" name="rating" required>
      <option value="" selected disabled>
        Select Rating
      </option>
      <option value="1">1 - Poor</option>
      <option value="2">2 - Fair</option>
      <option value="3">3 - Good</option>
      <option value="4">4 - Very Good</option>
      <option value="5">5 - Excellent</option>
    </select>
    <br><br>

    <label for="review">Review Message:</label><br>
    <textarea id="review" name="review"
        rows="5" cols="35"
        minlength="20"
        placeholder="Write at least 20 characters..."
```

```
            required></textarea>
        <br><br>


        <button type="submit">Submit Review</button>
    </form>


</body>
</html>
```



Question3: Modify your form to use the POST method and, after submitting a test review, open the DevTools Network tab to preview the POST request data sent by your form.

Hint: Look for the form submission request and expand the payload/details to see your input values.

SESSION-3

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Product Review Form</title>
</head>
<body>

  <h2>Flipkart Product Review</h2>


    <form method="POST" action="https://httpbin.org/post">
    <label for="username">Username:</label><br>
    <input type="text" id="username" name="username" required>
    <br><br>

    <label for="rating">Rating:</label><br>
    <select id="rating" name="rating" required>
      <option value="" disabled selected>Select Rating</option>
      <option value="1">1 Star</option>
      <option value="2">2 Stars</option>
      <option value="3">3 Stars</option>
      <option value="4">4 Stars</option>
      <option value="5">5 Stars</option>
    </select>
    <br><br>
```

```
    <label for="review">Review Message:</label><br>
    <textarea id="review" name="review"
          minlength="20" required></textarea>
    <br><br>

    <button type="submit">Submit Review</button>

</form>
</body>
</html>
```



Question4: Build a Zomato-style food order form with inputs for user name, a select dropdown for food item (at least 3 options), quantity (number input), and a textarea for delivery instructions. Ensure all fields are labeled and use required validation.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zomato Food Order Form</title>
</head>
<body>

  <h2>Zomato Food Order Form</h2>

  <form action="#" method="get">

    <label for="username">User Name:</label><br>
    <input type="text" id="username" name="username" required>
    <br><br>

    <label for="food">Select Food Item:</label><br>
    <select id="food" name="food" required>
      <option value="" disabled selected>Select Food</option>
      <option value="pizza">Pizza</option>
      <option value="burger">Burger</option>
      <option value="biryani">Biryani</option>
      <option value="sandwich">Sandwich</option>
    </select>
    <br><br>
```

```
    <label for="quantity">Quantity:</label><br>
    <input type="number" id="quantity" name="quantity"
        min="1" required>
    <br><br>


    <label for="instructions">Delivery Instructions:</label><br>
    <textarea id="instructions" name="instructions"
          rows="4" cols="30" required></textarea>
    <br><br>

    <button type="submit">Place Order</button>
    <button type="reset">Reset</button>

  </form>

</body>
</html>
```

SESSION-3



Question5: Add a disabled input field to your food order form that displays a fixed order ID (e.g., ORD12345) and explain in a comment why this field should be disabled for users.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zomato Food Order Form</title>
</head>
<body>
```

```
<h2>Zomato Food Order Form</h2>

<form action="#" method="get">

  <!-- Disabled because users should not be able to change the fixed Order ID. -->
  <label for="orderid">Order ID:</label><br>
  <input type="text" id="orderid" name="orderid"
      value="ORD12345" disabled>
  <br><br>

  <label for="username">User Name:</label><br>
  <input type="text" id="username" name="username" required>
  <br><br>

  <label for="food">Select Food Item:</label><br>
  <select id="food" name="food" required>
    <option value="" disabled selected>Select Food</option>
    <option value="pizza">Pizza</option>
    <option value="burger">Burger</option>
    <option value="biryani">Biryani</option>
    <option value="sandwich">Sandwich</option>
  </select>
  <br><br>

  <label for="quantity">Quantity:</label><br>
  <input type="number" id="quantity" name="quantity"
      min="1" required>
```

```
    <br><br>


    <label for="instructions">Delivery Instructions:</label><br>
    <textarea id="instructions" name="instructions"
        rows="4" cols="30" required></textarea>
    <br><br>

    <button type="submit">Place Order</button>
    <button type="reset">Reset</button>

  </form>

</body>
</html>
```

SESSION-3


Product Review Form
127.0.0.1:5500/htmlcss/Zomato%20Fo
Zomato Food Order Form
Order ID:
ORD12345
User Name:
Select Food Item:
Select Food
Quantity:
Delivery Instructions:
Place Order
Reset