SESSION-6

Question1: Create an HTML file that displays a Zomato-style restaurant card with a restaurant name, cuisine type, and rating. Use CSS to add margin, padding, and a visible border to the card so that each section is clearly separated.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Zomato Restaurant Card</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f8f8f8;
    }

    .restaurant-card {
      width: 300px;
      margin: 50px auto;
      padding: 20px;
      border: 2px solid #e23744;
      border-radius: 10px;
      background-color: white;
    }
```

```
      .restaurant-name {
         padding: 10px;
         border-bottom: 1px solid #cccccc;
         color: #e23744;
      }

      .cuisine {
         padding: 10px;
         border-bottom: 1px solid #cccccc;
         color: #555555;
      }

      .rating {
         padding: 10px;
         margin-top: 5px;
         color: #267d3b;
         font-weight: bold;
      }
   </style>
</head>
<body>

   <div class="restaurant-card">

      <h2 class="restaurant-name">Spice Garden</h2>

      <p class="cuisine">Cuisine: Indian, Punjabi, Chinese</p>
```

```
    <p class="rating">Rating: 4.5 ★</p>


  </div>


</body>

</html>
```



Question2: Design a Flipkart-style product tile with an image, product name, and price. Use different display properties (block, inline-block, none) to control the layout of the product name and price, and hide the price when a specific CSS class is added.

Hint: Try toggling the class in your HTML to see the effect.

Ans:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">
```

SESSION-6

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Flipkart Product Tile</title>

<style>
  body {
    font-family: Arial, sans-serif;
    background-color: #f1f3f6;
  }

  .product-card {
    width: 250px;
    margin: 50px auto;
    padding: 20px;
    background-color: white;
    border: 1px solid #ddd;
    border-radius: 8px;
    text-align: center;
  }

  /* Block display */
  .product-name {
    display: block;
    font-size: 18px;
    margin: 10px 0;
  }

  /* Inline-block display */
  .product-price {
```

```
        display: inline-block;
        color: #388e3c;
        font-size: 20px;
        font-weight: bold;
        margin: 10px;
      }

      /* Hide price when class is added */
      .hide-price .product-price {
        display: none;
      }

      .buy-button {
        display: block;
        width: 100%;
        padding: 10px;
        background-color: #2874f0;
        color: white;
        border: none;
        cursor: pointer;
      }
    </style>
</head>
<body>

    <!-- Add or remove hide-price to test -->
    <div class="product-card">
```

```
    <img src="https://www.boat-lifestyle.com/cdn/shop/files/Artboard2_b4d30e02-
00f0-4b78-82c0-07440c4cc5f0_1800x.png?v=1752731162"
        alt="Wireless Headphones" width="200">

    <h2 class="product-name">Wireless Headphones</h2>

    <p class="product-price">₹999</p>

    <button class="buy-button">Buy Now</button>
  </div>

  <!-- Hidden price example -->
  <div class="product-card hide-price">
    <img src="https://m.media-amazon.com/images/I/81NZ84gIxZL._AC_SL3840_.jpg"
        alt="Smartwatch" width="200">


    <h2 class="product-name">Smartwatch</h2>

    <p class="product-price">₹1,499</p>

    <button class="buy-button">Buy Now</button>
  </div>

</body>
</html>
```

SESSION-6


Flipkart Product Tile
Wireless Headphones
₹999
Buy Now
12.5
16000
1200
24
MON
09:30
086
AM PM
80%
24°C
Smartwatch

Question3: Build a fixed-position WhatsApp chat notification badge at the bottom right corner of the screen. Use position: fixed and appropriate margin and padding to ensure it stays visible even when scrolling.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>WhatsApp Chat Badge</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f1f3f6;
      margin: 0;
      padding: 20px;
    }

    h1 {
      text-align: center;
    }

    /* Fixed WhatsApp notification badge */
    .whatsapp-badge {
      position: fixed;
      bottom: 20px;
```

```
        right: 20px;
        background-color: #25D366;
        color: white;
        padding: 15px 20px;
        margin: 10px;
        border-radius: 30px;
        font-size: 16px;
        font-weight: bold;
        box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
        cursor: pointer;
        z-index: 1000;
      }


      .notification {
        background-color: red;
        color: white;
        padding: 3px 7px;
        border-radius: 50%;
        font-size: 12px;
        margin-left: 5px;
      }
    </style>
</head>
<body>

    <h1>My Web Page</h1>
    <p>Scroll down to test the fixed WhatsApp badge.</p>
```

```
  <div style="height: 1500px;">
    <p>Sample page content...</p>
    <p>Keep scrolling. The badge stays in the same position.</p>
  </div>

  <div class="whatsapp-badge">
    WhatsApp Chat
    <span class="notification">2</span>
  </div>

</body>
</html>
```



Question4: Create a BookMyShow movie poster grid where each poster uses position: relative. Add a 'New' badge to the top-left corner of one poster using position: absolute, so it overlays the image correctly.

Hint: Use top and left properties with position: absolute inside a relatively positioned parent.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>BookMyShow Movie Posters</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f5f5f5;
      margin: 0;
      padding: 20px;
    }

    h1 {
      text-align: center;
      color: #333;
    }

    .movie-grid {
      display: flex;
      justify-content: center;
      flex-wrap: wrap;
      gap: 20px;
```

```
}

.movie-poster {
  position: relative;
  width: 200px;
  background-color: white;
  border-radius: 8px;
  overflow: hidden;
  box-shadow: 0 2px 8px #cccccc;
}

.movie-poster img {
  display: block;
  width: 100%;
  height: 280px;
  object-fit: cover;
}

.movie-name {
  padding: 12px;
  margin: 0;
  font-size: 18px;
}

/* New badge overlay */
.new-badge {
  position: absolute;
  top: 10px;
```

```
        left: 10px;
        background-color: #e31837;
        color: white;
        padding: 6px 10px;
        border-radius: 4px;
        font-size: 12px;
        font-weight: bold;
      }
    </style>
</head>
<body>

    <h1>BookMyShow - Now Showing</h1>

    <div class="movie-grid">


      <div class="movie-poster">
        <img src="https://placehold.co/200x280/333333/ffffff?text=Movie+1"
            alt="Movie One Poster">
        <span class="new-badge">NEW</span>
        <h2 class="movie-name">Movie One</h2>
      </div>

      <div class="movie-poster">
        <img src="https://placehold.co/200x280/542c52/ffffff?text=Movie+2"
            alt="Movie Two Poster">
        <h2 class="movie-name">Movie Two</h2>
      </div>
```

```
    <div class="movie-poster">
      <img src="https://placehold.co/200x280/174a5b/ffffff?text=Movie+3"
        alt="Movie Three Poster">
      <h2 class="movie-name">Movie Three</h2>
    </div>

  </div>

</body>
</html>
```



Question5: Refactor your CSS for any one of the above tasks to reduce repeated margin and padding values by using a reusable CSS class. Explain in a comment how this improves maintainability.

Ans:

```
<!DOCTYPE html>
<html>
```

```
<head>
  <title>Reusable CSS Class</title>
  <style>
    /* Reusable class reduces repeated margin and padding values,
      making the CSS easier to maintain and update. */
    .spacing {
      margin: 10px;
      padding: 15px;
    }

    .box1 {
      background-color: lightblue;
    }

    .box2 {
      background-color: lightgreen;
    }
  </style>
</head>
<body>

  <div class="spacing box1">
    <h2>Product 1</h2>
    <p>This is the first product.</p>
  </div>

  <div class="spacing box2">
    <h2>Product 2</h2>
```

```
    <p>This is the second product.</p>
  </div>


</body>
</html>
```

