


Session-4

Question1: Create a table called Playlist with columns: id, song_name, artist, genre, and play_count. Insert at least 5 sample records representing your favorite songs from Spotify.

Ans:

```
CREATE TABLE Playlist (  
    id INT PRIMARY KEY AUTO_INCREMENT,  
    song_name VARCHAR(100),  
    artist VARCHAR(100),  
    genre VARCHAR(50),  
    play_count INT  
);  
  
INSERT INTO Playlist (song_name, artist, genre, play_count)  
VALUES  
('Kesariya', 'Arijit Singh', 'Bollywood', 120),  
('Tum Hi Ho', 'Arijit Singh', 'Romantic', 150),  
('Apna Bana Le', 'Arijit Singh', 'Bollywood', 100),  
('Heeriye', 'Jasleen Royal', 'Pop', 90),  
('Chaleya', 'Arijit Singh', 'Romantic', 110);  
  
SELECT * FROM Playlist;
```

Output:-



	id	song_name	artist	genre	play_count
▶	1	Kesariya	Arijit Singh	Bollywood	120
	2	Tum Hi Ho	Arijit Singh	Romantic	150
	3	Apna Bana Le	Arijit Singh	Bollywood	100
	4	Heeriye	Jasleen Royal	Pop	90
	5	Chaleya	Arijit Singh	Romantic	110

Playlist 1 x


Question2: Write a SELECT query to display only the song_name and artist from the Playlist table, but show the artist column as 'Singer' using an alias.

Ans:

```
SELECT song_name, artist AS Singer
```

```
FROM Playlist;
```

Output:



The screenshot shows a 'Result Grid' with a 'Filter Rows' input field. The grid displays two columns: 'song_name' and 'Singer'. The data rows are as follows:

song_name	Singer
Kesariya	Arijit Singh
Tum Hi Ho	Arijit Singh
Apna Bana Le	Arijit Singh
Heeriye	Jasleen Royal
Chaleya	Arijit Singh

At the bottom, there is a tab labeled 'Playlist 2' with a close button (x).

Question3: Write a SELECT query to find all songs in the Playlist table where the genre is 'Pop' and play_count is greater than 100. Sort the results by play_count in descending order.

Ans:


```
SELECT * FROM Playlist
```

```
WHERE genre = 'Pop'
```

```
AND play_count > 100
```

```
ORDER BY play_count DESC;
```

Output:




The screenshot shows a 'Result Grid' with a 'Filter Rows' input field and an 'Edit' button. The grid displays five columns: 'id', 'song_name', 'artist', 'genre', and 'play_count'. The first row shows all columns with 'NULL' values. A second row is partially visible, starting with an asterisk (*) in the 'id' column.

id	song_name	artist	genre	play_count
NULL	NULL	NULL	NULL	NULL
*				

Question4: Use the COUNT aggregate function to find out how many songs in your Playlist table belong to the genre 'Hip-Hop'.

Ans:

```
SELECT COUNT(*) AS Hip_Hop_Songs  
FROM Playlist  
WHERE genre = 'Hip-Hop';
```



The screenshot shows a 'Result Grid' with a single row. The column header is 'Hip_Hop_Songs' and the value in the row is '0'. There are icons for 'Filter Rows' and a 'Result Grid' toggle at the top.

	Hip_Hop_Songs
▶	0


Question5: Write a SELECT query that shows the total number of plays (SUM of play_count) for each genre in your Playlist table, grouped by genre.

Hint: Use GROUP BY with the SUM function to aggregate play counts by genre.

Ans:

```
SELECT genre, SUM(play_count) AS total_plays FROM Playlist  
GROUP BY genre;
```

Output:



The screenshot shows a 'Result Grid' with three rows. The columns are 'genre' and 'total_plays'. The rows are 'Bollywood' with 220 plays, 'Romantic' with 260 plays, and 'Pop' with 90 plays. The 'Romantic' row is highlighted. There are icons for 'Filter Rows' and a 'Result Grid' toggle at the top.

	genre	total_plays
▶	Bollywood	220
	Romantic	260
	Pop	90