Question1: Create a static landing page for a music artist using HTML and CSS, featuring their profile image, a short bio, and three social media buttons styled with Bootstrap icons.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Music Artist Landing Page</title>

  <!-- Bootstrap Icons -->
  <link rel="stylesheet"
  href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css">

  <link rel="stylesheet" href="style.css">
</head>
<body>

  <div class="artist-card">
    <img
      src="https://images.unsplash.com/photo-1516280440614-37939bbacd81?w=500"
      alt="Music Artist"
      class="profile-img">
```

```
    <h1>Alex Morgan</h1>
    <h3>Singer | Songwriter</h3>

    <p>
      Hi! I'm Alex Morgan, a passionate music artist who loves
      creating soulful melodies and sharing emotions through music.
      Follow me to discover my latest songs and performances.
    </p>


    <div class="social-buttons">
      <a href="https://www.instagram.com/"
        target="_blank" class="social instagram">
         <i class="bi bi-instagram"></i> Instagram
      </a>

      <a href="https://www.youtube.com/"
        target="_blank" class="social youtube">
         <i class="bi bi-youtube"></i> YouTube
      </a>

      <a href="https://open.spotify.com/"
        target="_blank" class="social spotify">
         <i class="bi bi-spotify"></i> Spotify
      </a>
    </div>
  </div>

</body>
```

```
</html>
```



Question2: Use Bootstrap's grid system to arrange three featured playlists (like Spotify) in a responsive row, each with a cover image, playlist name, and a 'Listen Now' button.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Featured Playlists</title>

  <!-- Bootstrap CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
      rel="stylesheet">

  <style>
    body {
```

```
    background-color: #121212;
    color: white;
}

.playlist-card {
    background-color: #222;
    border-radius: 12px;
    padding: 15px;
    transition: 0.3s;
}

.playlist-card:hover {
    background-color: #333;
    transform: translateY(-5px);
}

.playlist-card img {
    width: 100%;
    height: 220px;
    object-fit: cover;
    border-radius: 8px;
}

.btn-listen {
    background-color: #1db954;
    color: black;
    font-weight: bold;
    border-radius: 25px;
```

```
    }

    .btn-listen:hover {
      background-color: #1ed760;
      color: black;
    }
  </style>
</head>
<body>

  <div class="container py-5">
    <h1 class="text-center mb-4">Featured Playlists 🎵</h1>

    <div class="row g-4">

      <!-- Playlist 1 -->
      <div class="col-12 col-sm-6 col-lg-4">
        <div class="playlist-card h-100">
          <img src="https://images.unsplash.com/photo-1516280440614-
37939bbacd81?w=500"
            alt="Chill Vibes">
          <h4 class="mt-3">Chill Vibes</h4>
          <p class="text-secondary">Relax and enjoy your favorite songs.</p>
          <button class="btn btn-listen">Listen Now</button>
        </div>
      </div>

      <!-- Playlist 2 -->
```


```
        <div class="col-12 col-sm-6 col-lg-4">
          <div class="playlist-card h-100">
            <img src="https://images.unsplash.com/photo-1470225620780-
dba8ba36b745?w=500"
              alt="Party Hits">
            <h4 class="mt-3">Party Hits</h4>
            <p class="text-secondary">Feel the beat and enjoy the party.</p>
            <button class="btn btn-listen">Listen Now</button>
          </div>
        </div>

        <!-- Playlist 3 -->
        <div class="col-12 col-sm-6 col-lg-4">
          <div class="playlist-card h-100">
            <img src="https://images.unsplash.com/photo-1511379938547-
c1f69419868d?w=500"
              alt="Acoustic Dreams">
            <h4 class="mt-3">Acoustic Dreams</h4>
            <p class="text-secondary">Beautiful acoustic music for you.</p>
            <button class="btn btn-listen">Listen Now</button>
          </div>
        </div>

      </div>
    </div>

</body>
</html>
```

SESSION-12



Question3: Design a Flipkart-style product showcase section with four product cards in a row using Bootstrap card components, ensuring the layout collapses to two cards per row on mobile screens.

Hint: Use Bootstrap's col-md-3 and col-6 classes for responsiveness.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flipkart Product Showcase</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
    rel="stylesheet">

  <style>
    body {
      background-color: #f1f3f6;
    }
```

```
      .product-card {
        height: 100%;
        transition: 0.3s;
      }

      .product-card:hover {
        transform: translateY(-5px);
        box-shadow: 0 4px 12px #cccccc;
      }

      .product-img {
        height: 160px;
        object-fit: contain;
        padding: 15px;
      }

      .price {
        color: green;
        font-weight: bold;
      }
    </style>
</head>
<body>

<div class="container my-4">
    <h2 class="text-center mb-4">Flipkart Product Showcase</h2>
```

```
  <div class="row g-3">


    <!-- Product 1 -->
    <div class="col-6 col-md-3">
      <div class="card product-card">
        <img src="https://encrypted-
tbn0.gstatic.com/images?q=tbn:ANd9GcT2s3TvLU8RqXaujt6LEDKZEfic-
t_YJHATRbnIWRl-6A&s=10"
             class="card-img-top product-img" alt="Headphones">
        <div class="card-body text-center">
          <h5 class="card-title">Headphones</h5>
          <p class="price">₹999</p>
          <button class="btn btn-primary btn-sm">Buy Now</button>
        </div>
      </div>
    </div>


    <!-- Product 2 -->
    <div class="col-6 col-md-3">
      <div class="card product-card">
        <img src="https://encrypted-
tbn0.gstatic.com/images?q=tbn:ANd9GcT5MbfECVp752UCZzVSXW-7LlA-
ileUGgnEAKelVyPRSA&s"
             class="card-img-top product-img" alt="Smartphone">
        <div class="card-body text-center">
          <h5 class="card-title">Smartphone</h5>
          <p class="price">₹12,999</p>
          <button class="btn btn-primary btn-sm">Buy Now</button>
        </div>
```

```
    </div>
  </div>


  <!-- Product 3 -->
  <div class="col-6 col-md-3">
    <div class="card product-card">
      <img src="https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcR-FZSlPPEWUrS9aHMJhKpKtr8AzIxELyR-37vp9d5sjA&s=10 "
           class="card-img-top product-img" alt="Smartwatch">
      <div class="card-body text-center">
        <h5 class="card-title">Smartwatch</h5>
        <p class="price">₹1,499</p>
        <button class="btn btn-primary btn-sm">Buy Now</button>
      </div>
    </div>
  </div>

  <!-- Product 4 -->
  <div class="col-6 col-md-3">
    <div class="card product-card">
      <img src="https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcSw8DM1uFksYZS1j3g3jAFTjrOfhy3vWjenvda1GGIuMA&s"
           class="card-img-top product-img" alt="Shoes">
      <div class="card-body text-center">
        <h5 class="card-title">Shoes</h5>
        <p class="price">₹1,199</p>
        <button class="btn btn-primary btn-sm">Buy Now</button>
      </div>
```

```
        </div>
      </div>


  </div>
</div>


</body>
</html>
```



Question4: Refactor your landing page to include a sticky navigation bar at the top using Bootstrap's navbar component, with links to Home, About, and Contact sections.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Landing Page</title>


  <!-- Bootstrap CSS -->
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
      rel="stylesheet">

  <style>
    html {
      scroll-behavior: smooth;
      scroll-padding-top: 70px;
    }

    section {
      min-height: 100vh;
      padding: 100px 20px;
    }

    #home {
      background-color: #e3f2fd;
    }

    #about {
      background-color: #f8f9fa;
    }

    #contact {
      background-color: #d1e7dd;
    }
  </style>
</head>
<body>
```

```
<!-- Sticky Navbar -->
<nav class="navbar navbar-expand-lg navbar-dark bg-dark sticky-top">
  <div class="container">
    <a class="navbar-brand" href="#home">My Website</a>

    <button class="navbar-toggler" type="button"
        data-bs-toggle="collapse"
        data-bs-target="#navbarMenu"
        aria-controls="navbarMenu"
        aria-expanded="false"
        aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarMenu">
      <ul class="navbar-nav ms-auto">
        <li class="nav-item">
          <a class="nav-link" href="#home">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#about">About</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#contact">Contact</a>
        </li>
      </ul>
    </div>
```

```
    </div>
  </nav>

  <!-- Home Section -->
  <section id="home" class="text-center">
    <h1>Welcome to My Website</h1>
    <p class="lead">This is my landing page.</p>
    <a href="#about" class="btn btn-primary">Learn More</a>
  </section>


  <!-- About Section -->
  <section id="about" class="text-center">
    <h1>About Us</h1>
    <p>This section contains information about our website.</p>
  </section>

  <!-- Contact Section -->
  <section id="contact" class="text-center">
    <h1>Contact Us</h1>
    <p>Email: example@gmail.com</p>
  </section>

  <!-- Bootstrap JavaScript -->
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></
script>

</body>
```

```
</html>
```



Question5: Add a footer to your page with Instagram-style social icons and ensure the entire layout remains visually cohesive by applying a consistent color scheme using Bootstrap utility classes.

Ans:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Instagram Style Footer</title>

  <!-- Bootstrap CSS -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
      rel="stylesheet">

  <!-- Bootstrap Icons -->
  <link rel="stylesheet"
      href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css">
</head>
<body class="bg-light">
```

```
<!-- Main Content -->
<div class="container text-center py-5">
  <h1 class="text-dark fw-bold">Welcome to My Page</h1>
  <p class="text-secondary">Connect with us on social media!</p>
</div>

<!-- Footer -->
<footer class="bg-dark text-white text-center py-4 mt-5">
  <h4 class="fw-bold mb-3">Follow Us</h4>

  <div class="d-flex justify-content-center gap-4 mb-3">
    <a href="https://www.instagram.com/"
      target="_blank" class="text-white fs-3">
       <i class="bi bi-instagram"></i>
    </a>

    <a href="https://www.facebook.com/"
      target="_blank" class="text-white fs-3">
       <i class="bi bi-facebook"></i>
    </a>

    <a href="https://www.twitter.com/"
      target="_blank" class="text-white fs-3">
       <i class="bi bi-twitter-x"></i>
    </a>
  </div>
```

```
      <p class="text-white-50 mb-0">
        © 2026 My Page | All Rights Reserved
      </p>
    </footer>


</body>
</html>
```

