Mini Project

Quetion1: Create a MySQL table called playlists to store Spotify-style music playlists, with columns: playlist_id (primary key), user_id (foreign key), name (varchar), and created_at (datetime). Write the CREATE TABLE statement.

Ans:

```
USE mydb;
CREATE TABLE Users (
  user_id INT PRIMARY KEY
);
CREATE TABLE playlists (
  playlist_id INT PRIMARY KEY,
  user_id INT,
  name VARCHAR(100),
  created_at DATETIME,
  FOREIGN KEY (user_id) REFERENCES Users(user_id)
);
```

Quetion2: Insert three sample records into the playlists table: one for a user with a 'Workout Mix', one with a 'Chill Vibes', and one with a 'Top Hits' playlist. Use realistic data for each field.

Ans:


```
INSERT INTO Users (user_id)
VALUES
(1),(2),(3);
INSERT INTO playlists (playlist_id, user_id, name, created_at)
VALUES
```

(1, 1, 'Workout Mix', '2026-10-07 08:00:00'),

(2, 2, 'Chill Vibes', '2026-10-06 19:30:00'),

(3, 3, 'Top Hits', '2026-10-05 21:00:00');

select * from playlists;



Result Grid | Filter Rows: | Edit:

playlist_id	user_id	name	created_at
1	1	Workout Mix	2026-10-07 08:00:00
2	2	Chill Vibes	2026-10-06 19:30:00
3	3	Top Hits	2026-10-05 21:00:00
NULL	NULL	NULL	NULL

Question3: Write an SQL UPDATE statement to rename the 'Chill Vibes' playlist to 'Evening Chill' for a specific user_id.

Ans:

UPDATE playlists


SET name = 'Evening Chill'

WHERE name = 'Chill Vibes'

AND user_id = 2;

SELECT * FROM playlists

WHERE user_id = 2;



Result Grid | Filter Rows: | Edit:

playlist_id	user_id	name	created_at
2	2	Evening Chill	2026-10-06 19:30:00
NULL	NULL	NULL	NULL


Question4: Write a DELETE statement to remove a playlist named 'Workout Mix' for a given user_id from the playlists table.

Hint: Make sure your WHERE clause targets only the intended row.

Ans:

DELETE FROM playlists

```
WHERE name = 'Workout Mix'
 AND user_id = 1;
 SELECT * FROM playlists;
```



Result Grid | Filter Rows: | Edit:

playlist_id	user_id	name	created_at
2	2	Evening Chill	2026-10-06 19:30:00
3	3	Top Hits	2026-10-05 21:00:00
NULL	NULL	NULL	NULL

Question5: Create a stored procedure named GetMonthlyPlaylistCount that takes a user_id and a month (as an integer) as input, and returns the total number of playlists the user created in that month.


Hint: Use the MONTH() function in your WHERE clause.

Ans:

```
DELIMITER //

CREATE PROCEDURE GetMonthlyPlaylistCount(
   IN p_user_id INT,
   IN p_month INT
)
BEGIN
   SELECT COUNT(*) AS total_playlists
   FROM playlists
   WHERE user_id = p_user_id
    AND MONTH(created_at) = p_month;
END //

DELIMITER ;
CALL GetMonthlyPlaylistCount(2, 10);
```


Result Grid
Filter Ro
total_playlists
1