

Project: Heat Wave Response, Recovery, Future Challenges, And The Role Of Technology: A Ground Level Assessment And Preparedness Study



INDIA SPACE LAB

Project Report

17th June to 31th July 2026

Student Name: Bhosale Pranali Pravin

Institute Name: DKTE Society's Textile & Engineering Institute

Institute Roll no.: 24UET320

Enrollment no.: ISL-578965

CHAPTER 1: INTRODUCTION TO HEAT WAVES

1.1 Overview

Heat waves are rapidly emerging as one of the most severe climate-driven disasters across India. Driven by global climate change, rapid urbanization, industrial expansion, deforestation, and changing land-use patterns, extreme temperature events have grown in frequency, duration, and geographic spread. A heat wave is characterized by prolonged periods of abnormally high temperatures that exceed historical seasonal thresholds, triggering compound risks across ecological, social, and economic systems.

1.2 Key Affected Domains

Extreme heat events adversely impact multiple vital sectors:

- **Human Health:** Causes acute heat-related illnesses including heat cramps, heat exhaustion, and fatal heatstrokes, alongside severe dehydration and cardiovascular complications.
- **Water Resources:** Accelerates evaporation rates in reservoirs, depletes groundwater tables, and induces localized water crises.
- **Agriculture & Livestock:** Causes thermal crop burn, lowers yield quality, and reduces milk/livestock productivity due to severe physiological heat stress.
- **Livelihoods & Labor:** Disrupts daily-wage outdoor employment, leading to significant loss of income and reduced working hours.
- **Urban & Power Infrastructure:** Triggers power grid overloading due to peak air-conditioning/cooling demand, alongside thermal stress on roads and transport networks.

1.3 Vulnerable Demographics

While extreme heat impacts entire regions, specific socio-economic groups face disproportionate exposure:

1. Outdoor manual workers (construction laborers, agricultural workers, sanitation workers, traffic police).
2. Informal daily-wage vendors and transport operators (street vendors, auto-rickshaw drivers).
3. High-risk demographic groups (elderly populations, infants, pregnant women, and chronically ill individuals).
4. Urban informal settlement residents living in uninsulated, overcrowded housing with limited shade and poor ventilation.

CHAPTER 2: LITERATURE REVIEW

2.1 Regulatory Frameworks & Guidelines

The assessment of heat wave management in India is anchored in guidelines established by key national and international agencies:

- **India Meteorological Department (IMD):** Defines a heat wave when maximum temperatures reach $\geq 40^{\circ}\text{C}$ in plains or $\geq 30^{\circ}\text{C}$ in hilly regions, or when departure from normal temperature ranges between $+4.5^{\circ}\text{C}$ and $+6.4^{\circ}\text{C}$.
- **National Disaster Management Authority (NDMA):** Outlines national frameworks encouraging states and municipal corporations to formulate customized Heat Action Plans (HAPs).
- **State Action Plans (e.g., Telangana, Maharashtra HAPs):** Mandate inter-departmental coordination, color-coded early warnings, public cooling shelter setups, and adjusted working hours.

2.2 Global Climate & Urban Studies

- **IPCC & WHO Reports:** Highlight that global surface warming will amplify compound heat stress events, increasing thermal risk indices in tropical developing nations.
- **Urban Heat Island (UHI) Effect:** Studies demonstrate that dense built environments with high concrete density, asphalt surfaces, and low vegetation retain radiation, elevating urban core temperatures by 2°C to 6°C relative to adjacent rural areas.

CHAPTER 3: STUDY AREA PROFILE

3.1 Geographic & Climate Context

- **Target Region:** Heat-Prone Urban & Rural Zones of Maharashtra (Western & Central Belts).
- **Climatic Characteristics:** Experiences hot, dry summer periods between April and June, where ambient daily maximum temperatures routinely cross 38°C to 43°C.

3.2 Environmental & Socio-Economic Vulnerability

- **Built Environment:** Rapid urban sprawl, high concrete coverage, and shrinking tree canopy amplify localized surface heat.
- **Socio-Economic Landscape:** High concentration of informal outdoor labor, informal settlements, high urban energy demand, and seasonal water shortages increase overall vulnerability.

CHAPTER 4: RESEARCH METHODOLOGY

4.1 Data Collection Strategy

A comprehensive multi-source data methodology was deployed:

- **Primary Data Integration:** Observational temperature monitoring at key public transit points, high-density concrete corridors, and residential zones.
- **Secondary Data Synthesis:** Analysis of IMD weather records, NDMA Heat Action Plan guidelines, municipal water distribution logs, and public health advisory statistics.

4.2 Analytical & Technological Framework

- **Tools Utilized:** GPS-tagged temperature logging concepts, GIS spatial hotspot mapping (Landsat/Google Earth thermal surface concepts), and risk vulnerability matrices.
- **Assessment Framework:** Evaluating heat wave performance across three stages: Immediate Response, Post-Event Recovery, and Long-Term Resilience.

CHAPTER 5: HEAT WAVE RESPONSE ANALYSIS

5.1 Early Warning & Alert Dissemination

- **Color-Coded Alert System:** Utilization of IMD warnings (Yellow, Orange, Red Alerts) broadcast via SMS notifications, local media, and municipal display boards.
- **Community Engagement:** Public health advisories outlining hydration requirements, symptom identification, and thermal exposure limits.

5.2 Emergency Support Services

Response Component	Action / Infrastructure Deployed
Cooling Shelters	Temporary shaded shelters (<i>Pandals</i>) placed near transit hubs.
Hydration Networks	Public drinking water kiosks (<i>Pyaaos</i>) activated in commercial zones.
Healthcare Readiness	Designated heat-stroke beds in hospitals and mobile ORS distribution units.
Labor Regulations	Recommended mandatory work pauses for outdoor labor between 12:00 PM and 3:00 PM.

CHAPTER 6: RECOVERY MEASURES

6.1 Public Health & Economic Restoration

- **Post-Exposure Medical Care:** Rapid patient stabilization, hydration therapy, and follow-up care for high-risk workers.
- **Livelihood & Income Stabilization:** Social support programs to offset lost daily wages for informal outdoor laborers during extended Red Alert periods.

6.2 Agricultural & Water Resource Management

- **Water Table Restoration:** Municipal emergency water tanker routing to urban informal settlements and drought-stressed villages.
- **Agri-Livestock Protection:** Provision of shaded animal shelters, cattle pond replenishment, and night-irrigation advisories.

CHAPTER 7: FUTURE CHALLENGES

7.1 Key Systemic Risks

1. **Accelerated Climate Change:** Rising mean temperatures leading to longer, earlier, and more intense summer heat waves.
2. **Amplified Urban Heat Islands:** Continuous expansion of non-porous concrete surfaces leading to night-time thermal retention.
3. **Power Grid & Water Stress:** Surge in cooling energy demand causing localized power outages and rapid reservoir depletion.
4. **Economic & Labor Productivity Decline:** Severe reduction in outdoor working hours impacting construction, agriculture, and informal commerce.

CHAPTER 8: ROLE OF TECHNOLOGY

8.1 Technology Support Framework

Advanced technology serves as an essential force multiplier across all heat action phases:

- **Early Warning Systems:** AI-driven predictive weather modeling for precise micro-climate forecasting.
- **GIS & Remote Sensing:** Satellite thermal band imaging for micro-level urban heat hotspot identification and canopy planning.
- **Internet of Things (IoT):** Automated hyper-local weather stations and smart environmental sensors.
- **Smart Infrastructure:** Cool roof retrofits (solar-reflective paint), green building ventilation, reflective pavements, and automated irrigation.
- **Drones & Mobile Apps:** Thermal drone surveys for overcrowded outdoor events and emergency citizen alert apps.

CHAPTER 9: FINDINGS AND RECOMMENDATIONS

9.1 Key Findings

- Daily-wage outdoor laborers and informal settlement residents face the highest thermal vulnerability due to lack of structural shade and cooling infrastructure.
- Public alert systems are effective but require higher hyper-local reach at public transit centers.

9.2 Recommendations

1. **Mandatory Cool Roof Program:** Policy mandating high-albedo reflective coatings on low-income and municipal roofs.
2. **Urban Forestry Corridors:** Strategic planting of urban green belts to mitigate concrete radiation.
3. **IoT Sensor Deployment:** Installation of real-time micro-climate sensors in high-density commercial hubs.
4. **Enforced Outdoor Work Regulations:** Mandatory break periods and hydration kiosks during extreme temperature alerts.

CHAPTER 10: CONCLUSION

Heat waves represent a critical public health and disaster management challenge in India. Transitioning from reactive emergency management to proactive climate resilience requires integrating scientific field assessments, inter-departmental policy coordination, and modern technologies. Implementing GIS thermal mapping, AI risk forecasting, cool infrastructure, and hyper-local IoT alerts will safeguard vulnerable communities, protect economic productivity, and build sustainable, smart disaster-resilient urban systems.