



NAME : SRISTI BHOWMICK , COLLEGE ROLL : BTECH/CSE/23/095 , EXAM ROLL : 11600223120

ASSIGNMENT NO: 10

Deploy a project from GitHub to EC2 by creating a new security group and user data.

STEP1: Create and launch an instance-> delete all previous security groups except default one



Delete security groups

Are you sure that you want to delete these security groups?


- sg-04d1f18e70adcee16 - launch-wizard-9
- sg-0016d9776db27d899 - launch-wizard-2
- sg-0bcaa82c45b3b0a23 - launch-wizard-1
- sg-065b69e86e0ab95cf - SristiSecurity
- sg-093c95d343fa67102 - launch-wizard-10

To confirm deletion, enter *delete* below.

delete

Cancel

Delete



Add security groups and security groups are created.

CreateSecurityGroup | EC2 | ap-

Ask Gemini

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateSecurityGroup:

aws

Search

[Alt+S]

Asia Pacific (Mumbai)Sristi Bhowmick (0217-5467-6955)Sristi Bhowmick

EC2 > Security Groups > Create security group

Create security group Info

A security group acts as a virtual firewall for your instance to control inbound and outbound traffic. To create a new security group, complete the fields below.

Basic details

Security group name Info

SristiSecurity

Name cannot be edited after creation.

Description Info

SristiSecurity

VPC Info

vpc-0a874208a064ece04

Inbound rules Info

Type Info	Protocol Info	Port range Info	Source Info	Description - optional Info	
HTTP	TCP	80	Anywh...		Delete
HTTPS	TCP	443	Anywh...		Delete
SSH	TCP	22	Anywh...		Delete
Custom TCP	TCP	4000	Anywh...		Delete

Add rule

Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Outbound rules Info

Type Info	Protocol Info	Port range Info	Destination Info	Description - optional Info	
All traffic	All	All	Custom		Delete

Add rule

Rules with destination of 0.0.0.0/0 or ::/0 allow your instances to send traffic to any IPv4 or IPv6 address. We recommend setting security group rules to be more restrictive and to only allow traffic to specific known IP addresses.

Tags - optional

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

No tags associated with the resource.

Add new tag

You can add up to 50 more tags

CancelCreate security group

SecurityGroup | EC2 | ap-south-

Ask Gemini

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#SecurityGroup:groupId=sg-0629a8fa4d7c72b46

aws

Search

[Alt+S]

Asia Pacific (Mumbai)Sristi Bhowmick (0217-5467-6955)Sristi Bhowmick

EC2 > Security Groups > sg-0629a8fa4d7c72b46 - SristiSecurity

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Security group (sg-0629a8fa4d7c72b46 | SristiSecurity) was created successfully

Details

sg-0629a8fa4d7c72b46 - SristiSecurity

Actions

Details

Security group name	Security group ID	Description	VPC ID
SristiSecurity	sg-0629a8fa4d7c72b46	SristiSecurity	vpc-0a874208a064ece04
Owner	Inbound rules count	Outbound rules count	
021754676955	4 Permission entries	1 Permission entry	

Inbound rules

Outbound rules

Sharing

VPC associations

Related resources - new

Tags

Inbound rules (4)

Manage tags

Edit inbound rules

	Name	Security group rule ID	IP version	Type	Protocol	Port range	Source
	--	sgr-0a924399a1b2b11cf	IPv4	HTTPS	TCP	443	0.0.0.0/0
	--	sgr-0da648eaa2a2e9870	IPv4	Custom TCP	TCP	4000	0.0.0.0/0
	--	sgr-0cfc0b103104e1dbd	IPv4	SSH	TCP	22	0.0.0.0/0
	--	sgr-0548e03bf0f3b1ca	IPv4	HTTP	TCP	80	0.0.0.0/0

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Sristi Bhowmick (0217-5467-6955)

Sristi Bhowmick

EC2

Dashboard

AWS Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Resources

You are using the following Amazon EC2 resources in the Asia Pacific (Mumbai) Region:

Instances (running)	0	Auto Scaling Groups	0	Capacity Reservations	0
Dedicated Hosts	0	Elastic IPs	0	Instances	0
Key pairs	1	Load balancers	0	Placement groups	0
Security groups	2	Snapshots	0	Volumes	0

EC2 cost

Date range: Past 6 months

Region: Global

Costs in your free plan account are covered by credits.

Credits remaining

\$138.6 USD

Days remaining

100 (July 16, 2026)

Cost (\$)

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#CreateKeyPair

aws

Search

[Alt+S]

Asia Pacific

Sristi Bhowmick (0217-5467-6955)

Sristi Bhowmick

EC2 > Key pairs > Create key pair

Create key pair Info

Key pair

A key pair, consisting of a private key and a public key, is a set of security credentials that you use to prove your identity when connecting to an instance.

Name

key2

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type Info

☒ RSA

☐ ED25519

Private key file format

☒ .pem

For use with OpenSSH

☐ .ppk

For use with PuTTY

Tags - optional

No tags associated with the resource.

Add new tag

You can add up to 50 more tags.

Cancel

Create key pair

Key pairs | EC2 | ap-south-1

Ask Gemini

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#KeyPairs:

aws

Search

[Alt+S]

Asia Pacific

Sristi Bhowmick (0217-5467-6955)

Sristi Bhowmick

EC2 > Key pairs

EC2

Dashboard

AWS Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Successfully created key pair

Key pairs (2) Info

Find Key Pair by attribute or tag

1

	Name	Type	Created	Fingerprint
☐	key2	rsa	2026/04/07 20:44 GM...	94:81:c4:b7:2e:9d:8:
☐	key1	rsa	2026/02/11 15:20 GM...	ce:18:75:94:70:6e:2:

Instances | EC2 | ap-south-1

Ask Gemini

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:

aws

Search [Alt+S]

Asia Pacific

Sristi Bhowmick (0217-5467-6955)

Sristi Bhowmick

EC2

Instances

Dashboard

AWS Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Instances Info

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Find Instance by attribute or tag (case-sensitive)

< 1 >

Name

Instance ID

Instance state

Instance type

No instances

You do not have any instances in this region

Launch instances

Launch an instance | EC2 | ap-south-1

Ask Gemini

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Search [Alt+S]

Asia Pacific

Sristi Bhowmick (0217-5467-6955)

Sristi Bhowmick

EC2

Instances

Launch an instance

It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices

Take a walkthrough

Do not show me this message again.

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

Sristi10

Add additional tags

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs**.

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

key2

 [Create new key pair](#)

Network [Info](#)

vpc-0a874208a064ece04

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☐ Create security group

☒ Select existing security group

Common security groups [Info](#)

Select security groups

 [Compare security group rules](#)

SristiSecurity sg-0629a8fa4d7c72b46 
VPC: vpc-0a874208a064ece04

Security groups that you add or remove here will be added to or removed from all your network interfaces.

▼ Configure storage [Info](#)

[Advanced](#)

1x GiB Root volume, 3000 IOPS, Not encrypted

[Add new volume](#)

The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance

 Click refresh to view backup information



Metadata response hop limit [Info](#)

2

Allow tags in metadata [Info](#)

Select

User data - optional [Info](#)

Upload a file with your user data or enter it in the field.

 [Choose file](#)

```
#!/bin/bash
apt-get update
apt-get install -y nginx
systemctl start nginx
systemctl enable nginx
apt-get install -y git
curl -SL https://deb.nodesource.com/setup_16.x | sudo -E bash -
apt-get install -y nodejs
git clone https://github.com/bhowmicksristi29-beep/Repository2.git
cd Repository2
npm install
node index.js
```

☐ User data has already been base64 encoded

Number of instances [Info](#)

1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd64...[read more](#)
ami-05d2d839d4f73aafb

Virtual server type (instance type)

t3.micro

Firewall (security group)

SristiSecurity

Storage (volumes)

1 volume(s) - 8 GiB

[Cancel](#)

[Launch instance](#)

 [Preview code](#)

aws

Asia Pacific (M ▾)

Sristi Bhowmick (0217-5467-6955) ▾

Sristi Bhowmick

☰

EC2 > Instances > Launch an instance

ⓘ

🗨

✓ Success

Successfully initiated launch of instance (i-0e8237ea5307ef08a)

▶ Launch log

← → ↻

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#InstanceDetails:instanceId=i-0e8237ea5307ef08a

☆

🗨

📄

🌐

🔍 Search

[Alt+S]

📧

🔔

⚙

Asia Pacific (Mumbai) ▾

Sristi Bhowmick (0217-5467-6955) ▾

Sristi Bhowmick

☰

EC2 > Instances > i-0e8237ea5307ef08a

🗨

EC2

Dashboard

AWS Global View 🗨

Events

▼ Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

▼ Images

AMIs

AMI Catalog

▼ Elastic Block Store

Volumes

Snapshots

Instance summary for i-0e8237ea5307ef08a (Sristi10) ⓘ

Updated less than a minute ago

Instance ID

🔗 i-0e8237ea5307ef08a

IPv6 address

—

Hostname type

IP name: ip-172-31-37-130.ap-south-1.compute.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

🔗 13.232.92.252 [Public IP]

IAM role

—

IMDSv2

Required

Public IPv4 address

🔗 13.232.92.252 | open address 🗨

Instance state

🟢 Running

Private IP DNS name (IPv4 only)

🔗 ip-172-31-37-130.ap-south-1.compute.internal

Instance type

t3.micro

VPC ID

🔗 vpc-0a874208a064ece04 🗨

Subnet ID

🔗 subnet-0e71abe105a1ac286 🗨

Instance ARN

🔗 arn:aws:ec2:ap-south-1:021754676955:instance/i-0e8237ea5307ef08a

Private IPv4 addresses

🔗 172.31.37.130

Public DNS

🔗 ec2-13-232-92-252.ap-south-1.compute.amazonaws.com | open address 🗨

Elastic IP addresses

—

AWS Compute Optimizer finding

🔗 Opt-in to AWS Compute Optimizer for recommendations. | Learn more 🗨

Auto Scaling Group name

—

Managed

false

🔄 Connect

Instance state ▾

Actions ▾

Launch an instance | EC2 | ap-south-1

Instance details | EC2 | ap-south-1

Welcome to nginx!

bhowmicksristi29-beep/Repository

← → ↻

⚠ Not secure

13.232.92.252

Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

Launch an instance | EC2 | ap-south-1

Instance details | EC2 | ap-south-1

🌐 13.232.92.252:4000

← → ↻

⚠ Not secure

13.232.92.252:4000

Hello World