

全球法布施 V1.0 源程序代码

```
=====

// =====
// 文件: lib/core/config/app_config_template.dart
// =====

/// 应用配置
/// 统一管理所有配置项
class AppConfig {
  // 私有构造函数
  AppConfig._();

  // 单例
  static final AppConfig instance = AppConfig._();

  // 环境配置
  static const String environment = String.fromEnvironment('ENV', defaultValue:
'production');

  // 是否为生产环境
  static bool get isProduction => environment == 'production';
  static bool get isDevelopment => environment == 'development';
  static bool get isStaging => environment == 'staging';

  // API配置
  static const String productionApiUrl = 'https://ombhrum.com';
  static const String stagingApiUrl = 'https://staging.ombhrum.com';
  static const String developmentApiUrl = 'http://localhost:8787';

  // 根据环境获取API URL
  static String get apiUrl {
    switch (environment) {
      case 'production':
        return productionApiUrl;
      case 'staging':
        return stagingApiUrl;
      case 'development':
        return developmentApiUrl;
      default:
        return productionApiUrl;
    }
  }

  // API端点
  static const String authEndpoint = '/api/auth';
  static const String membershipEndpoint = '/api/membership';
  static const String transferEndpoint = '/api/transfer';
  static const String leaderboardEndpoint = '/api/leaderboard';

  // 应用信息
  static const String appName = '全球法布施';
  static const String appVersion = '1.0.0';
  static const int appBuildNumber = 1;

  // 功能开关
  static const bool enableFirebaseAuth = true;
  static const bool enableAlipay = true;
  static const bool enableVideoFeed = true;
  static const bool enableDebugMode = !isProduction;
```

```
// 传输配置
static const int fileChunkSize = 1024;
static const int maxRetryCount = 3;
static const int timeoutDuration = 5000;
static const int maxConcurrentTransfers = 5;

// 缓存配置
static const int cacheMaxAge = 7; // 天
static const int maxCacheSize = 100; // MB

// 分页配置
static const int defaultPageSize = 20;
static const int maxPageSize = 100;

// 支持的国家代码
static const List<String> supportedCountries = [
    'ALL',
    'US',
    'CN',
    'IN',
    'ID',
    'BR',
    'PK',
    'NG',
    'BD',
    'RU',
    'MX',
    'JP',
    'ET',
    'PH',
    'EG',
    'VN',
    'CD',
    'TR',
    'IR',
    'DE',
    'TH',
    'GB',
    'FR',
    'IT',
    'ZA',
    'TZ',
    'MM',
    'KE',
    'KR',
    'CO',
    'ES',
    'UG',
    'AR',
    'DZ',
    'SD',
    'UA',
    'CA',
    'PL',
    'MA',
    'SA',
    'UZ',
    'PE',
    'AF',
    'MY',
    'AO',
    'MZ',
```

'GH',
'YE',
'NP',
'VE',
'MG',
'AU',
'KP',
'CM',
'NE',
'TW',
'LK',
'BF',
'ML',
'RO',
'MW',
'CL',
'KZ',
'ZM',
'GT',
'EC',
'SY',
'NL',
'SN',
'KH',
'TD',
'SO',
'ZW',
'GN',
'RW',
'BJ',
'TN',
'BI',
'BO',
'HT',
'BE',
'CU',
'SS',
'DO',
'CZ',
'GR',
'JO',
'PT',
'AZ',
'SE',
'HN',
'HU',
'TJ',
'AE',
'BY',
'IL',
'TG',
'AT',
'RS',
'PG',
'CH',
'SL',
'HK',
'LA',
'LY',
'BG',
'KG',
'NI',

'ER',
'TM',
'SG',
'DK',
'FI',
'CG',
'SK',
'NO',
'OM',
'PS',
'CR',
'LB',
'NZ',
'CF',
'IE',
'LR',
'MR',
'PA',
'GE',
'UY',
'BA',
'MN',
'AM',
'JM',
'QA',
'AL',
'PR',
'LT',
'NA',
'GM',
'BW',
'GA',
'SI',
'GW',
'HR',
'MK',
'LS',
'KW',
'XK',
'TT',
'EE',
'MU',
'SZ',
'DJ',
'FJ',
'RE',
'CY',
'BH',
'KM',
'GO',
'BT',
'ME',
'SB',
'MO',
'LU',
'SR',
'CV',
'MV',
'MT',
'BN',
'BZ',
'IS',

```

    'BB',
    'BS',
    'PF',
    'VU',
    'NC',
    'GY',
    'ST',
    'WS',
    'LC',
    'GD',
    'TO',
    'VC',
    'KI',
    'MH',
    'FM',
    'PW',
    'NR',
    'TV',
  ];

  // 日志配置
  static const bool enableLogging = true;
  static const bool enableNetworkLogging = !isProduction;
  static const bool enablePerformanceLogging = !isProduction;
}

// =====
// 文件: lib/core/config/app_config.dart
// =====

import 'package:flutter/foundation.dart';

/// 应用配置 - 统一管理所有配置项
class AppConfig {
  AppConfig._();

  static final AppConfig instance = AppConfig._();

  // 环境配置
  static const String environment = String.fromEnvironment('ENV', defaultValue:
'production');

  static bool get isProduction {
    if (kIsWeb) {
      final currentUrl = Uri.base.toString();
      if (currentUrl.contains('fabushi-flutter-web-dev') || currentUrl.contains(
'localhost')) {
        return false;
      }
      if (currentUrl.contains('fabushi-flutter-web-prod')) {
        return true;
      }
    }
    return environment == 'production';
  }

  static bool get isDevelopment => !isProduction;
  static bool get isStaging => environment == 'staging';
  static bool get isWeb => kIsWeb;

  // API配置

```

```
static const String primaryBackendUrl = 'https://flutter.ombhrum.com';
static const String cloudflareWorkerProdUrl = 'https://flutter.ombhrum.com';
static const String cloudflareWorkerDevUrl = 'https://flutter.ombhrum.com';
static const String localDevUrl = 'http://localhost:8787';

static String get currentBackendUrl {
  // 统一使用 flutter.ombhrum.com 作为后端地址
  return primaryBackendUrl;
}

static String get apiUrl => currentBackendUrl;

// 应用信息
static const String appName = '全球法布施';
static const String appVersion = '1.0.0';
static const int appBuildNumber = 1;

// 功能开关
static const bool enableFirebaseAuth = true;
static const bool enableAlipay = true;
static const bool enableVideoFeed = true;
static bool get enableDebugMode => !isProduction;

// 传输配置
static const int fileChunkSize = 1024;
static const int maxRetryCount = 3;
static const int timeoutDuration = 5000;
static const int maxConcurrentTransfers = 5;

// 缓存配置
static const int cacheMaxAge = 7;
static const int maxCacheSize = 100;

// 分页配置
static const int defaultPageSize = 20;
static const int maxPageSize = 100;

// 超时配置
static final Duration requestTimeout = const Duration(seconds: 30);
static final Duration connectTimeout = const Duration(seconds: 10);

// 重试配置
static const int maxRetries = 3;
static final Duration retryDelay = const Duration(seconds: 1);

// 日志配置
static const bool enableLogging = true;
static bool get enableNetworkLogging => !isProduction;
static bool get enablePerformanceLogging => !isProduction;

// 存储键名
static const String tokenStorageKey = 'auth_token';
static const String userInfoStorageKey = 'user_info';
static const String backendUrlStorageKey = 'backend_url';
static const String testModeStorageKey = 'test_mode';

// API端点
static String get loginUrl => '$currentBackendUrl/api/auth/login';
static String get registerUrl => '$currentBackendUrl/api/auth/register';
static String get verifyUrl => '$currentBackendUrl/api/auth/verify';
static String get logoutUrl => '$currentBackendUrl/api/auth/logout';
static String get sendVerificationCodeUrl => '$currentBackendUrl/api/auth/send
```

```

-verification-code';
    static String get verifyCodeUrl => '$currentBackendUrl/api/auth/verify-code';
    static String get forgotPasswordUrl => '$currentBackendUrl/api/auth/forgot-password';
    static String get resetPasswordUrl => '$currentBackendUrl/api/auth/reset-password';
    static String get userInfoUrl => '$currentBackendUrl/api/auth/user-info';
    static String get bindEmailUrl => '$currentBackendUrl/api/auth/bind-email';

    static String get alipayCreateOrderUrl => '$currentBackendUrl/api/alipay/create-order';
    static String get alipayQueryOrderUrl => '$currentBackendUrl/api/alipay/query-order';
    static String get alipayMembershipStatusUrl => '$currentBackendUrl/api/alipay/check-membership';

    static String get stripeMembershipStatusUrl => '$currentBackendUrl/api/stripe/membership-status';
    static String get stripeCreateSubscriptionUrl => '$currentBackendUrl/api/stripe/create-subscription';
    static String get stripeSessionStatusUrl => '$currentBackendUrl/api/stripe/session-status';

    static String get adminCheckStatusUrl => '$currentBackendUrl/api/admin/check-status';
    static String get adminCreateRedeemCodeUrl => '$currentBackendUrl/api/admin/create-redeem-code';
    static String get adminRedeemCodesUrl => '$currentBackendUrl/api/admin/redeem-codes';
    static String get adminUseRedeemCodeUrl => '$currentBackendUrl/api/admin/use-redeem-code';
    static String get adminPurchaseHistoryUrl => '$currentBackendUrl/api/admin/purchase-history';
    static String get adminRedeemHistoryUrl => '$currentBackendUrl/api/admin/redeem-history';

    static String get leaderboardUrl => '$currentBackendUrl/api/leaderboard';
    static String get updateTransferDataUrl => '$currentBackendUrl/api/leaderboard/update';

    static String get healthCheckUrl => '$currentBackendUrl/health';

    // iOS 后台保活静音音频
    static String get silenceAudioUrl => '$currentBackendUrl/static/audio/silence.mp3';

    // 请求头
    static Map<String, String> get defaultHeaders => {
        'Content-Type': 'application/json',
        'Accept': 'application/json',
        'User-Agent': 'FabushiApp/${isWeb ? "Web" : "Mobile"}',
    };

    // 错误消息
    static const Map<String, String> errorMessages = {
        'network_error': '网络连接失败, 请检查网络设置',
        'server_error': '服务器错误, 请稍后重试',
        'timeout_error': '请求超时, 请检查网络连接',
        'auth_error': '认证失败, 请重新登录',
        'permission_error': '权限不足',
        'validation_error': '数据验证失败',
        'unknown_error': '未知错误, 请联系客服',
    };

```

```

};

// 备用地址
static List<String> get fallbackUrls {
  return [primaryBackendUrl];
}

// 调试配置
static const bool enableApiLogging = true;
static const bool debugMode = bool.fromEnvironment('DEBUG', defaultValue: false);

static void printConfigInfo() {
  if (kDebugMode) {
    print('=== 应用配置 ===');
    print('环境: ${isProduction ? "生产" : "开发"}');
    print('平台: ${isWeb ? "Web" : "Native"}');
    print('API URL: $currentBackendUrl');
    print('=====');
  }
}

static void printCurrentConfig() => printConfigInfo();
}

// =====
// 文件: lib/core/config/localization/app_localizations.dart
// =====

import 'package:flutter/material.dart';

class AppLocalizations {
  static AppLocalizations of(BuildContext context) {
    return Localizations.of<AppLocalizations>(context, AppLocalizations) ?? AppLocalizations();
  }

  String get follow => '关注';
  String get following => '已关注';
}

// =====
// 文件: lib/core/constants/api_constants_template.dart
// =====

/// API常量定义
class ApiConstants {
  ApiConstants._();

  // 认证相关
  static const String login = '/api/auth/login';
  static const String register = '/api/auth/register';
  static const String logout = '/api/auth/logout';
  static const String refreshToken = '/api/auth/refresh';
  static const String sendVerificationCode = '/api/auth/send-verification-code';
  static const String verifyEmail = '/api/auth/verify-email';
  static const String resetPassword = '/api/auth/reset-password';
  static const String changePassword = '/api/auth/change-password';

  // 用户相关

```



```

static const String userProfile = '/api/user/profile';
static const String updateProfile = '/api/user/update';
static const String deleteAccount = '/api/user/delete';

// 会员相关
static const String membershipStatus = '/api/membership/status';
static const String membershipPlans = '/api/membership/plans';
static const String subscribe = '/api/membership/subscribe';
static const String cancelSubscription = '/api/membership/cancel';
static const String redeemCode = '/api/redeem/use';
static const String generateCode = '/api/redeem/generate';

// 支付相关
static const String createPayment = '/api/payment/create';
static const String verifyPayment = '/api/payment/verify';
static const String paymentHistory = '/api/payment/history';
static const String alipayAuth = '/api/alipay/auth';
static const String alipayCallback = '/api/alipay/callback';

// 传输相关
static const String startTransfer = '/api/transfer/start';
static const String stopTransfer = '/api/transfer/stop';
static const String transferStatus = '/api/transfer/status';
static const String transferHistory = '/api/transfer/history';
static const String transferStats = '/api/transfer/stats';

// 排行榜相关
static const String leaderboard = '/api/leaderboard';
static const String userRank = '/api/leaderboard/user';
static const String topUsers = '/api/leaderboard/top';

// 内容相关
static const String dharmaContent = '/api/dharma/content';
static const String searchContent = '/api/dharma/search';
static const String contentDetail = '/api/dharma/detail';
static const String downloadContent = '/api/dharma/download';

// 视频流相关
static const String videoFeed = '/api/video/feed';
static const String videoDetail = '/api/video/detail';
static const String videoLike = '/api/video/like';
static const String videoComment = '/api/video/comment';

// 服务器配置
static const String serverConfig = '/api/config/servers';
static const String countryServers = '/api/config/countries';

// HTTP Headers
static const String headerContentType = 'Content-Type';
static const String headerAuthorization = 'Authorization';
static const String headerAccept = 'Accept';
static const String headerUserAgent = 'User-Agent';

// Content Types
static const String contentTypeJson = 'application/json';
static const String contentTypeFormData = 'multipart/form-data';
static const String contentTypeUrlEncoded = 'application/x-www-form-urlencoded';
';

// 超时配置
static const Duration connectTimeout = Duration(seconds: 30);
static const Duration receiveTimeout = Duration(seconds: 30);

```

```

static const Duration sendTimeout = Duration(seconds: 30);

// 重试配置
static const int maxRetries = 3;
static const Duration retryDelay = Duration(seconds: 2);
}

// =====
// 文件: lib/core/constants/api_constants.dart
// =====

/// API常量定义
class ApiConstants {
  ApiConstants._();

  // 认证相关
  static const String login = '/api/auth/login';
  static const String register = '/api/auth/register';
  static const String logout = '/api/auth/logout';
  static const String sendVerificationCode = '/api/auth/send-verification-code';
  static const String verifyEmail = '/api/auth/verify';
  static const String forgotPassword = '/api/auth/forgot-password';
  static const String resetPassword = '/api/auth/reset-password';
  static const String userInfo = '/api/auth/user-info';

  // 会员相关
  static const String membershipStatus = '/api/membership/status';
  static const String redeemCode = '/api/admin/use-redeem-code';

  // 支付相关
  static const String alipayCreateOrder = '/api/alipay/create-order';
  static const String stripeCreateSubscription = '/api/stripe/create-subscription';

  // 传输相关
  static const String globalSend = '/send-global';
  static const String updateTransferData = '/api/leaderboard/update';

  // 排行榜相关
  static const String leaderboard = '/api/leaderboard';

  // 内容相关
  static const String r2List = '/r2?list=true';

  // HTTP Headers
  static const String headerContentType = 'Content-Type';
  static const String headerAuthorization = 'Authorization';
  static const String headerAccept = 'Accept';

  // Content Types
  static const String contentTypeJson = 'application/json';
}

// =====
// 文件: lib/core/constants/app_constants.dart
// =====

class AppConstants {
  AppConstants._();

```

```

// 应用信息
static const String appName = '全球法布施';
static const String appVersion = '1.0.0';

// 支持的国家代码
static const List<String> supportedCountries = [
  'ALL',
  'US',
  'CN',
  'IN',
  'ID',
  'BR',
  'PK',
  'NG',
  'BD',
  'RU',
  'MX',
  'JP',
  'ET',
  'PH',
  'EG',
  'VN',
  'CD',
  'TR',
  'IR',
  'DE',
  'TH',
  'GB',
  'FR',
  'IT',
  'ZA',
  'TZ',
  'MM',
  'KE',
  'KR',
  'CO',
];

// 会员类型
static const String membershipTrial = 'trial';
static const String membershipPaid = 'paid';
static const String membershipExpired = 'expired';

// 传输状态
static const String transferPending = 'pending';
static const String transferInProgress = 'in_progress';
static const String transferCompleted = 'completed';
static const String transferFailed = 'failed';
}

// =====
// 文件: lib/core/constants/country_servers.dart
// =====

/// 全球国家服务器和名称映射
///
/// 此文件根据原生Web应用中的 `global-country-servers.js` 文件移植而来。
/// `GLOBAL_COUNTRY_SERVERS` 包含了每个国家代码对应的服务器URL列表。
/// `COUNTRY_NAMES` 提供了国家代码到中文名称的映射。

const Map<String, List<String>> GLOBAL_COUNTRY_SERVERS = {

```

```
'AF': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'AX': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'AL': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'DZ': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'AS': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'AD': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'AO': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'AI': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'AQ': ['https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'AG': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'AR': ['https://httpbin.org/post', 'https://httpbin.org/post', 'https://reqres.in/api/users'],
'AM': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'AW': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'AU': [
    'https://jsonplaceholder.typicode.com/posts',
    'https://reqres.in/api/users',
    'https://httpbin.org/post',
],
'AT': ['https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'AZ': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'BS': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'BH': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'BD': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'BB': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'BY': ['https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'BE': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'BZ': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'BJ': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'BM': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'BT': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'BO': ['https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'BQ': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'BA': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'BW': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'BV': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'BR': [
    'https://jsonplaceholder.typicode.com/posts',
    'https://reqres.in/api/users',
    'https://httpbin.org/post',
],
```

```
'IO': ['https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'BN': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'BG': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'BF': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'BI': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'CV': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'KH': ['https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'CM': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'CA': ['https://httpbin.org/post', 'https://httpbin.org/post', 'https://reqres.in/api/users'],
'KY': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'CF': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'TD': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'CL': ['https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'CN': ['https://httpbin.org/post',
        'https://jsonplaceholder.typicode.com/posts',
        'https://httpbin.org/post'],
'CX': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
'CC': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'CO': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'KM': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'CD': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'CG': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'CK': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
'CR': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'CI': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'HR': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'CU': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'CW': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'CY': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
'CZ': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
'DK': ['https://httpbin.org/post', 'https://reqres.in/api/posts', 'https://reqres.in/api/users'],
'DJ': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
'DM': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'DO': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
'EC': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
'EG': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
```

```
'SV': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'GQ': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'ER': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'EE': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'SZ': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'ET': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'FK': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'FO': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'FJ': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'FI': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'FR': [
  'https://jsonplaceholder.typicode.com/posts',
  'https://httpbin.org/post',
  'https://reqres.in/api/users',
],
'GF': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'PF': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'TF': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'GA': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'GM': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'GE': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'DE': [
  'https://reqres.in/api/users',
  'https://jsonplaceholder.typicode.com/posts',
  'https://httpbin.org/post',
],
'GH': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'GI': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'GR': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'GL': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'GD': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'GP': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'GU': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'GT': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'GG': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'GN': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'GW': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'GY': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'HT': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'HM': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'VA': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'HN': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'],
```

```
{
  'HK': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
  'HU': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
  'IS': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
  'IN': [
    'https://jsonplaceholder.typicode.com/posts',
    'https://reqres.in/api/users',
    'https://httpbin.org/post',
  ],
  'ID': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
  'IR': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
  'IQ': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
  'IE': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
  'IM': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
  'IL': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
  'IT': ['https://httpbin.org/post', 'https://reqres.in/api/users', 'https://httpbin.org/post'],
  'JM': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
  'JP': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
  'JE': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
  'JO': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
  'KZ': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
  'KE': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
  'KI': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
  'KP': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
  'KR': [
    'https://reqres.in/api/users',
    'https://jsonplaceholder.typicode.com/posts',
    'https://httpbin.org/post',
  ],
  'KW': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
  'KG': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
  'LA': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
  'LV': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
  'LB': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
  'LS': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
  'LR': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
  'LY': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
  'LI': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
  'LT': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
  'LU': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post'],
  'MO': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
  'MG': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
}
```

```
'MW': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'MY': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'MV': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'ML': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'MT': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'MH': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'MQ': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'MR': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'MU': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'YT': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'MX': [
  'https://reqres.in/api/users',
  'https://jsonplaceholder.typicode.com/posts',
  'https://httpbin.org/post',
],
'FM': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'MD': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'MC': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'MN': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'ME': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'MS': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'MA': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'MZ': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'MM': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'NA': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'NR': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'NP': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'NL': ['https://httpbin.org/post', 'https://reqres.in/api/posts', 'https://req
res.in/api/users'],
'NC': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'NZ': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'NI': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'NE': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'NG': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'NU': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'NF': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'MK': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'MP': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'NO': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'OM': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
```



```

sts'],
'PK': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'PW': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'PS': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'PA': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'PG': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'PY': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'PE': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'PH': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'PN': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'PL': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'PT': ['https://jsonplaceholder.typicode.com/posts', 'https://httpbin.org/post
'],
'PR': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'QA': ['https://httpbin.org/post', 'https://reqres.in/api/posts'],
'RE': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'RO': ['https://httpbin.org/post', 'https://reqres.in/api/users'],
'RU': [
'https://httpbin.org/post',
'https://jsonplaceholder.typicode.com/posts',
'https://jsonplaceholder.typicode.com/posts',
],
'RW': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'BL': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'SH': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'KN': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'LC': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'MF': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'PM': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'VC': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'WS': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'SM': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'ST': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'SA': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'SN': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'RS': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'SC': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'SL': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'SG': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'SX': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'SK': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'SI': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po

```

```
sts',
'SB': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'SO': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'ZA': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'GS': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'SS': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'ES': [
'https://reqres.in/api/users',
'https://jsonplaceholder.typicode.com/posts',
'https://httpbin.org/post',
],
'LK': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'SD': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'SR': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'SJ': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'SE': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'CH': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'SY': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'TW': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'TJ': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'TZ': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'TH': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'TL': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'TG': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'TK': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'TO': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'TT': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'TN': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'TR': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'TM': ['https://httpbin.org/post', 'https://httpbin.org/post'],
'TC': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'TV': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'UG': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts
'],
'UA': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
'AE': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/po
sts'],
'GB': ['https://httpbin.org/post', 'https://httpbin.org/post', 'https://reqres
.in/api/users'],
'UM': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/us
ers'],
'US': [
'https://jsonplaceholder.typicode.com/posts',
'https://reqres.in/api/users',
'https://httpbin.org/post',
]
```

```

    ],
    'UY': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
    'UZ': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
    'VU': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
    'VE': ['https://httpbin.org/post', 'https://httpbin.org/post'],
    'VN': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
    'VG': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
    'VI': ['https://httpbin.org/post', 'https://jsonplaceholder.typicode.com/posts'],
    'WF': ['https://reqres.in/api/posts', 'https://httpbin.org/post'],
    'EH': ['https://reqres.in/api/users', 'https://jsonplaceholder.typicode.com/posts'],
    'YE': ['https://httpbin.org/post', 'https://httpbin.org/post'],
    'ZM': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
    'ZW': ['https://jsonplaceholder.typicode.com/posts', 'https://reqres.in/api/users'],
  };
};

```

```

const Map<String, String> COUNTRY_NAMES = {

```

```

  'AF': '阿富汗',
  'AX': '奥兰群岛',
  'AL': '阿尔巴尼亚',
  'DZ': '阿尔及利亚',
  'AS': '美属萨摩亚',
  'AD': '安道尔',
  'AO': '安哥拉',
  'AI': '安圭拉',
  'AQ': '南极洲',
  'AG': '安提瓜和巴布达',
  'AR': '阿根廷',
  'AM': '亚美尼亚',
  'AW': '阿鲁巴',
  'AU': '澳大利亚',
  'AT': '奥地利',
  'AZ': '阿塞拜疆',
  'BS': '巴哈马',
  'BH': '巴林',
  'BD': '孟加拉国',
  'BB': '巴巴多斯',
  'BY': '白俄罗斯',
  'BE': '比利时',
  'BZ': '伯利兹',
  'BJ': '贝宁',
  'BM': '百慕大',
  'BT': '不丹',
  'BO': '玻利维亚',
  'BQ': '博内尔、圣尤斯特歇斯和萨巴',
  'BA': '波斯尼亚和黑塞哥维那',
  'BW': '博茨瓦纳',
  'BV': '布维岛',
  'BR': '巴西',
  'IO': '英属印度洋领地',
  'BN': '文莱达鲁萨兰国',
  'BG': '保加利亚',
  'BF': '布基纳法索',
  'BI': '布隆迪',
  'CV': '佛得角',

```

'KH': '柬埔寨',
'CM': '喀麦隆',
'CA': '加拿大',
'KY': '开曼群岛',
'CF': '中非共和国',
'TD': '乍得',
'CL': '智利',
'CN': '中国',
'CX': '圣诞岛',
'CC': '科科斯 (基林) 群岛',
'CO': '哥伦比亚',
'KM': '科摩罗',
'CD': '刚果民主共和国',
'CG': '刚果',
'CK': '库克群岛',
'CR': '哥斯达黎加',
'CI': '科特迪瓦',
'HR': '克罗地亚',
'CU': '古巴',
'CW': '库拉索',
'CY': '塞浦路斯',
'CZ': '捷克共和国',
'DK': '丹麦',
'DJ': '吉布提',
'DM': '多米尼克',
'DO': '多米尼加共和国',
'EC': '厄瓜多尔',
'EG': '埃及',
'SV': '萨尔瓦多',
'GQ': '赤道几内亚',
'ER': '厄立特里亚',
'EE': '爱沙尼亚',
'SZ': '斯威士兰',
'ET': '埃塞俄比亚',
'FK': '福克兰群岛 (马尔维纳斯)',
'FO': '法罗群岛',
'FJ': '斐济',
'FI': '芬兰',
'FR': '法国',
'GF': '法属圭亚那',
'PF': '法属波利尼西亚',
'TF': '法属南部领地',
'GA': '加蓬',
'GM': '冈比亚',
'GE': '格鲁吉亚',
'DE': '德国',
'GH': '加纳',
'GI': '直布罗陀',
'GR': '希腊',
'GL': '格陵兰',
'GD': '格林纳达',
'GP': '瓜德罗普',
'GU': '关岛',
'GT': '危地马拉',
'GG': '根西',
'GN': '几内亚',
'GW': '几内亚比绍',
'GY': '圭亚那',
'HT': '海地',
'HM': '赫德岛和麦克唐纳群岛',
'VA': '梵蒂冈',
'HN': '洪都拉斯',

'HK': '香港',
'HU': '匈牙利',
'IS': '冰岛',
'IN': '印度',
'ID': '印度尼西亚',
'IR': '伊朗',
'IQ': '伊拉克',
'IE': '爱尔兰',
'IM': '马恩岛',
'IL': '以色列',
'IT': '意大利',
'JM': '牙买加',
'JP': '日本',
'JE': '泽西',
'JO': '约旦',
'KZ': '哈萨克斯坦',
'KE': '肯尼亚',
'KI': '基里巴斯',
'KP': '朝鲜',
'KR': '韩国',
'KW': '科威特',
'KG': '吉尔吉斯斯坦',
'LA': '老挝人民民主共和国',
'LV': '拉脱维亚',
'LB': '黎巴嫩',
'LS': '莱索托',
'LR': '利比里亚',
'LY': '利比亚',
'LI': '列支敦士登',
'LT': '立陶宛',
'LU': '卢森堡',
'MO': '澳门',
'MG': '马达加斯加',
'MW': '马拉维',
'MY': '马来西亚',
'MV': '马尔代夫',
'ML': '马里',
'MT': '马耳他',
'MH': '马绍尔群岛',
'MQ': '马提尼克',
'MR': '毛里塔尼亚',
'MU': '毛里求斯',
'YT': '马约特',
'MX': '墨西哥',
'FM': '密克罗尼西亚联邦',
'MD': '摩尔多瓦',
'MC': '摩纳哥',
'MN': '蒙古',
'ME': '黑山',
'MS': '蒙特塞拉特',
'MA': '摩洛哥',
'MZ': '莫桑比克',
'MM': '缅甸',
'NA': '纳米比亚',
'NR': '瑙鲁',
'NP': '尼泊尔',
'NL': '荷兰',
'NC': '新喀里多尼亚',
'NZ': '新西兰',
'NI': '尼加拉瓜',
'NE': '尼日尔',
'NG': '尼日利亚',

'NU': '纽埃',
'NF': '诺福克岛',
'MK': '北马其顿',
'MP': '北马里亚纳群岛',
'NO': '挪威',
'OM': '阿曼',
'PK': '巴基斯坦',
'PW': '帕劳',
'PS': '巴勒斯坦',
'PA': '巴拿马',
'PG': '巴布亚新几内亚',
'PY': '巴拉圭',
'PE': '秘鲁',
'PH': '菲律宾',
'PN': '皮特凯恩',
'PL': '波兰',
'PT': '葡萄牙',
'PR': '波多黎各',
'QA': '卡塔尔',
'RE': '留尼汪',
'RO': '罗马尼亚',
'RU': '俄罗斯',
'RW': '卢旺达',
'BL': '圣巴泰勒米',
'SH': '圣赫勒拿、阿森松和特里斯坦-达库尼亚',
'KN': '圣基茨和尼维斯',
'LC': '圣卢西亚',
'MF': '法属圣马丁',
'PM': '圣皮埃尔和密克隆',
'VC': '圣文森特和格林纳丁斯',
'WS': '萨摩亚',
'SM': '圣马力诺',
'ST': '圣多美和普林西比',
'SA': '沙特阿拉伯',
'SN': '塞内加尔',
'RS': '塞尔维亚',
'SC': '塞舌尔',
'SL': '塞拉利昂',
'SG': '新加坡',
'SX': '荷属圣马丁',
'SK': '斯洛伐克',
'SI': '斯洛文尼亚',
'SB': '所罗门群岛',
'SO': '索马里',
'ZA': '南非',
'GS': '南乔治亚和南桑威奇群岛',
'SS': '南苏丹',
'ES': '西班牙',
'LK': '斯里兰卡',
'SD': '苏丹',
'SR': '苏里南',
'SJ': '斯瓦尔巴和扬马延',
'SE': '瑞典',
'CH': '瑞士',
'SY': '叙利亚',
'TW': '台湾',
'TJ': '塔吉克斯坦',
'TZ': '坦桑尼亚',
'TH': '泰国',
'TL': '东帝汶',
'TG': '多哥',
'TK': '托克劳',

```

'TO': '汤加',
'TT': '特立尼达和多巴哥',
'TN': '突尼斯',
'TR': '土耳其',
'TM': '土库曼斯坦',
'TC': '特克斯和凯科斯群岛',
'TV': '图瓦卢',
'UG': '乌干达',
'UA': '乌克兰',
'AE': '阿拉伯联合酋长国',
'GB': '英国',
'UM': '美国本土外小岛屿',
'US': '美国',
'UY': '乌拉圭',
'UZ': '乌兹别克斯坦',
'VU': '瓦努阿图',
'VE': '委内瑞拉',
'VN': '越南',
'VG': '英属维尔京群岛',
'VI': '美属维尔京群岛',
'WF': '瓦利斯和富图纳',
'EH': '西撒哈拉',
'YE': '也门',
'ZM': '赞比亚',
'ZW': '津巴布韦',
};

```

```

// =====
// 文件: lib/core/constants/dharma_assets.dart
// =====

```

```

/// 法宝素材列表
///

```

```

/// 此文件根据原生Web应用中的 `dharma-assets.js` 文件移植而来。
/// 定义了所有可用于全球法布施的素材。

```

```

const List<Map<String, String>> DHARMA_ASSETS = [

```

```

  // 内置经文和咒语

```

```

  {"name": "《一切如来心秘密全身舍利宝篋印陀罗尼经》", "type": "built_in", "path": "assets/texts/宝篋印经.txt"},

```

```

  {"name": "《僧伽吒经》", "type": "built_in", "path": "assets/built_in/texts/僧伽吒经.txt"},

```

```

  {"name": "《金刚般若波罗蜜经》", "type": "built_in", "path": "assets/built_in/texts/金刚般若波罗蜜经.txt"},

```

```

  {"name": "《佛说阿弥陀经》", "type": "built_in", "path": "assets/built_in/texts/佛说阿弥陀经.txt"},

```

```

  {"name": "《观世音菩萨普门品》", "type": "built_in", "path": "assets/built_in/texts/观世音菩萨普门品.txt"},

```

```

  {"name": "《高王观世音经》", "type": "built_in", "path": "assets/built_in/texts/高王观世音经.txt"},

```

```

  {"name": "《心经》", "type": "built_in", "path": "assets/built_in/texts/心经.txt"},

```

```

  {"name": "《大悲咒》", "type": "built_in", "path": "assets/built_in/mantras/大悲咒.txt"},

```

```

  {"name": "《楞严咒》", "type": "built_in", "path": "assets/built_in/mantras/楞严咒.txt"},

```

```

  {"name": "《宝篋印陀罗尼》", "type": "built_in", "path": "assets/built_in/mantras/宝篋印陀罗尼.txt"},

```

```

  {"name": "《僧伽吒经核心四句偈》", "type": "built_in", "path": "assets/built_in/mantras/僧伽吒经核心四句偈.txt"},

```

```

  {"name": "《六字大明咒》", "type": "built_in", "path": "assets/built_in/mantras/六字大明咒.txt"},

```

```

  // 存放在Cloudflare R2的大文件

```

```

{"name": "《乾隆大藏经》完整TXT版 (1.1GB)", "type": "r2-asset", "path": "乾隆大藏经/乾隆大藏经.zip"},
{"name": "《房山石经》陀罗尼梵音 (2.6GB)", "type": "r2-asset", "path": "乾隆大藏经/房山石经.zip"},
];

```

```

// =====
// 文件: lib/core/constants/route_constants.dart
// =====

```

```

class RouteConstants {
  RouteConstants._();

  static const String home = '/';
  static const String login = '/login';
  static const String register = '/register';
  static const String forgotPassword = '/forgot-password';
  static const String profile = '/profile';
  static const String membership = '/membership';
  static const String settings = '/settings';
  static const String leaderboard = '/leaderboard';
  static const String videoFeed = '/video-feed';
  static const String dharmaContent = '/dharma';
  static const String transfer = '/transfer';
}

```

```

// =====
// 文件: lib/core/design_system/app_theme.dart
// =====

```

```

import 'package:flutter/material.dart';
import 'colors.dart';
import 'dart:ui';

class AppTheme {
  // Primary Colors
  static const Color primaryColor = nebulaPurple;
  static const Color secondaryColor = spaceBlue;
  static const Color accentColor = cosmicGold;
  static const Color alipayBlue = Color(0xFF1677FF);

  // Gradients
  static const LinearGradient cosmicGradient = LinearGradient(
    begin: Alignment.topLeft,
    end: Alignment.bottomRight,
    colors: [spaceDeepBlue, Color(0xFF1A237E)], // Deep Blue to Deep Indigo
  );

  static const LinearGradient nebulaGradient = LinearGradient(
    begin: Alignment.topLeft,
    end: Alignment.bottomRight,
    colors: [nebulaPurple, nebulaPink],
  );

  static const LinearGradient primaryGradient = cosmicGradient;

  // Glassmorphism Decorations
  static BoxDecoration glassDecoration = BoxDecoration(
    color: glassSurface,
    borderRadius: BorderRadius.circular(20),
  );
}

```



```

border: Border.all(color: glassBorder, width: 1),
boxShadow: [
  BoxShadow(
    color: Colors.black.withOpacity(0.2),
    blurRadius: 20,
    spreadRadius: 5,
  ),
],
);

// Helper to get a glass effect (requires ClipRRect / BackdropFilter usage in
widget tree)
// but here we define the container style.

// Dark Theme (The Main Cosmic Theme)
static ThemeData darkTheme = ThemeData(
  useMaterial3: true,
  brightness: Brightness.dark,
  scaffoldBackgroundColor: Colors.transparent, // Important for background ima
ge/gradient
  fontFamily: 'NotoSansSC',

  colorScheme: const ColorScheme.dark(
    primary: primaryColor,
    secondary: secondaryColor,
    tertiary: accentColor,
    surface: Color(0xFF1E1E2C), // Fallback surface
    background: Colors.transparent,
  ),

  appBarTheme: const AppBarTheme(
    centerTitle: true,
    elevation: 0,
    backgroundColor: Colors.transparent, // Glass effect usually
    foregroundColor: starlightWhite,
    titleTextStyle: TextStyle(
      fontSize: 20,
      fontWeight: FontWeight.bold,
      color: starlightWhite,
      fontFamily: 'NotoSansSC',
    ),
  ),

  cardTheme: CardThemeData(
    elevation: 0, // We use glass decoration instead usually
    color: glassSurface,
    shape: RoundedRectangleBorder(
      borderRadius: BorderRadius.circular(20),
      side: const BorderSide(color: glassBorder, width: 0.5),
    ),
    margin: const EdgeInsets.symmetric(vertical: 8, horizontal: 4),
  ),

  elevatedButtonTheme: ElevatedButtonThemeData(
    style: ElevatedButton.styleFrom(
      elevation: 10,
      shadowColor: nebulaPurple.withOpacity(0.5),
      backgroundColor: primaryColor, // Use gradient in widget if possible, bu
t here solid
      foregroundColor: Colors.white,
      padding: const EdgeInsets.symmetric(horizontal: 32, vertical: 16),
      shape: RoundedRectangleBorder(borderRadius: BorderRadius.circular(30)),
    ),
  ),
);

```

```

        textStyle: const TextStyle(
          fontSize: 16,
          fontWeight: FontWeight.bold,
          fontFamily: 'NotoSansSC',
        ),
      ),
    ),
  inputDecorationTheme: InputDecorationTheme(
    filled: true,
    fillColor: glassSurface,
    border: OutlineInputBorder(
      borderRadius: BorderRadius.circular(16),
      borderSide: const BorderSide(color: glassBorder),
    ),
    enabledBorder: OutlineInputBorder(
      borderRadius: BorderRadius.circular(16),
      borderSide: const BorderSide(color: glassBorder),
    ),
    focusedBorder: OutlineInputBorder(
      borderRadius: BorderRadius.circular(16),
      borderSide: const BorderSide(color: accentColor, width: 1),
    ),
    hintStyle: TextStyle(color: starlightWhite.withOpacity(0.5)),
    labelStyle: const TextStyle(color: starlightWhite),
  ),
  // Keep existing text themes but ensure colors are correct
  textTheme: const TextTheme(
    bodyLarge: TextStyle(color: starlightWhite),
    bodyMedium: TextStyle(color: starlightWhite),
    titleLarge: TextStyle(color: starlightWhite, fontWeight: FontWeight.bold),
  ),
);

// Light Theme (Keeping it but making it compatible if needed, or just redirect to Dark)
// For this request, we might want to force Dark mode or make Light mode also "Spacey" (maybe day-sky).
// Let's stick to the user request "Space travel" -> Dark.
static ThemeData lightTheme = darkTheme; // Force Dark/Space theme for now as requested style.
}

// =====
// 文件: lib/core/design_system/colors.dart
// =====

import 'package:flutter/material.dart';

const Color white = Colors.white;
const Color black = Colors.black;
const Color red = Colors.red;

// Cosmic / Space Theme Colors
const Color spaceDeepBlue = Color(0xFF0B0E14); // Deepest space background
const Color spaceBlue = Color(0xFF1B263B); // Slightly lighter space
const Color starlightWhite = Color(0xFFE8EAF6); // Star-like white
const Color nebulaPurple = Color(0xFF7B1FA2); // Nebula purple
const Color nebulaPink = Color(0xFFE91E63); // Nebula pink
const Color cosmicGold = Color(0xFFFFD700); // Golden accents (stars/buddha)

```

```

const Color glassBorder = Color(0x26FFFFFF); // 15% white for glass borders
const Color glassSurface = Color(0x1AFFFFFF); // 10% white for glass surface

// =====
// 文件: lib/core/di/injection.dart
// =====

import 'package:get_it/get_it.dart';
import '../network/api_client.dart';
import '../..//features/auth/data/datasources/auth_remote_datasource.dart';
import '../..//features/auth/data/repositories/auth_repository_impl.dart';
import '../..//features/auth/domain/repositories/auth_repository.dart';
import '../..//features/auth/domain/usecases/login_usecase.dart';

final getIt = GetIt.instance;

/// 依赖注入配置
void setupDependencies() {
  // 核心服务
  getIt.registerLazySingleton<ApiClient>(() => ApiClient());

  // 认证模块
  getIt.registerLazySingleton<AuthRemoteDataSource>(() => AuthRemoteDataSourceImpl(getIt()));
  getIt.registerLazySingleton<AuthRepository>(() => AuthRepositoryImpl(getIt()));
  ; getIt.registerLazySingleton(() => LoginUseCase(getIt()));
}

// =====
// 文件: lib/core/errors/exceptions.dart
// =====

/// 自定义异常类
class AppException implements Exception {
  final String message;
  final String? code;

  AppException(this.message, [this.code]);

  @override
  String toString() => message;
}

class NetworkException extends AppException {
  NetworkException([String? message]) : super(message ?? '网络连接失败');
}

class ServerException extends AppException {
  ServerException([String? message]) : super(message ?? '服务器错误');
}

class AuthException extends AppException {
  AuthException([String? message]) : super(message ?? '认证失败');
}

class ValidationException extends AppException {
  ValidationException([String? message]) : super(message ?? '数据验证失败');
}

```

```
class CacheException extends AppException {
  CacheException([String? message]) : super(message ?? '缓存错误');
}

// =====
// 文件: lib/core/errors/failures.dart
// =====

import 'package:equatable/equatable.dart';

/// 失败基类
abstract class Failure extends Equatable {
  final String message;

  const Failure(this.message);

  @override
  List<Object> get props => [message];
}

class NetworkFailure extends Failure {
  const NetworkFailure([String message = '网络连接失败']) : super(message);
}

class ServerFailure extends Failure {
  const ServerFailure([String message = '服务器错误']) : super(message);
}

class AuthFailure extends Failure {
  const AuthFailure([String message = '认证失败']) : super(message);
}
```