

Cucumber Report

19 Dec 2023, 23:45:37

Start : Dec 19, 11:44:35.768 pm

End : Dec 19, 11:45:34.872 pm

Duration : 59.104 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0


PASSED - 18
FAILED - 2
SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	59.104 s	3	1	2	0	30	18	2	10

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the buy car with model</u>
2		<u>Search the used car with model</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>@regression</i>	3	1	2	0	1	0	1	0
<i>@sanity</i>	3	1	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	3	1	2	0	59.104 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	10	0	0	15.600 s
2		<u>Search the buy car with model</u>	10	5	1	4	31.663 s
3		<u>Search the used car with model</u>	10	3	1	6	11.788 s

Search functionality

FAILED	DURATION - 59.104 s	Scenarios		Steps	
/ 11:44:35.768 pm // 11:45:34.872 pm /		Total - 3		Total - 30	
		Pass - 1		Pass - 18	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 10	

Search the buy car with model

<div>PASSED</div> <div>DURATION - 15.600 s</div>	<div></div> <table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.0</td></tr><tr><td>2</td><td>0.5</td></tr><tr><td>3</td><td>2.3</td></tr><tr><td>4</td><td>0.4</td></tr><tr><td>5</td><td>0.2</td></tr><tr><td>6</td><td>0.2</td></tr><tr><td>7</td><td>0.1</td></tr><tr><td>8</td><td>0.1</td></tr><tr><td>9</td><td>4.1</td></tr><tr><td>10</td><td>0.2</td></tr></tbody></table>	Step	Duration (s)	1	0.0	2	0.5	3	2.3	4	0.4	5	0.2	6	0.2	7	0.1	8	0.1	9	4.1	10	0.2	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)																							
1		0.0																							
2		0.5																							
3	2.3																								
4	0.4																								
5	0.2																								
6	0.2																								
7	0.1																								
8	0.1																								
9	4.1																								
10	0.2																								
<div>/ 11:44:35.779 pm // 11:44:51.379 pm /</div>																									
<div>Search functionality</div>																									
<div>@regression @sanity</div>																									



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.532 s
3	And I click 'Search Cars' link	PASSED	2.306 s
4	Then I navigate to 'new and used car search' page	PASSED	0.424 s
5	And I select make "Audi"	PASSED	0.222 s
6	And I select model "A1"	PASSED	0.199 s
7	And I select location "ACT - All"	PASSED	0.172 s
8	And I select price "\$70,000"	PASSED	0.140 s
9	And I click on Find My Next Car tab	PASSED	4.082 s
10	Then I should see the make "Audi" in results	PASSED	0.252 s

Search the buy car with model

<div>FAILED</div> <div>DURATION - 31.663 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.000</td></tr><tr><td>2</td><td>0.000</td></tr><tr><td>3</td><td>2.835</td></tr><tr><td>4</td><td>0.426</td></tr><tr><td>5</td><td>0.000</td></tr><tr><td>6</td><td>20.135</td></tr><tr><td>7</td><td>0.000</td></tr><tr><td>8</td><td>0.000</td></tr><tr><td>9</td><td>0.000</td></tr><tr><td>10</td><td>0.000</td></tr></tbody></table></div>	Step	Duration (s)	1	0.000	2	0.000	3	2.835	4	0.426	5	0.000	6	20.135	7	0.000	8	0.000	9	0.000	10	0.000	<div>Steps</div> <div>Total - 10</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 4</div> <div><div>10</div></div>
Step	Duration (s)																								
1	0.000																								
2	0.000																								
3	2.835																								
4	0.426																								
5	0.000																								
6	20.135																								
7	0.000																								
8	0.000																								
9	0.000																								
10	0.000																								
/ 11:44:51.399 pm // 11:45:23.062 pm /																									
Search functionality																									
@regression @sanity																									

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.212 s
3	And I click 'Search Cars' link	PASSED	2.835 s
4	Then I navigate to 'new and used car search' page	PASSED	0.426 s
5	And I select make "BMW"	PASSED	0.197 s
6	And I select model "118i"	FAILED	20.135 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with text: 118i For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:153) at com.au.carsguide.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147) at com.au.carsguide.pages.BuyAndSellPage.selectModel(BuyAndSellPage.java:66) at com.au.carsguide.steps.BuySteps.iSelectModel(BuySteps.java:37) at ?.I select model "118i"(file:///C:/IdeaProject/cargurus-cucumber/src/test/resources/features/buy.feature:10) * Not displayable characters are replaced by '?'.		
7	And I select location "NT - All"	SKIPPED	0.000 s
8	And I select price "\$45,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "BMW" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.986 s
	Search the buy car with model		

Search the used car with model

<div>FAILED</div> <div>DURATION - 11.788 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 11:45:23.084 pm // 11:45:34.872 pm /				
Search functionality				
@regression @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.267 s
3	And I click 'Used' link	PASSED	2.723 s
4	Then I navigate to 'Used Cars For Sale' page io.cucumber.core.exception.CucumberException: Step [I navigate to {string} page] is defined with 0 parameters at 'com.au.carsguide.steps.BuySteps.iNavigateToUsedCarsForSalePage()'. However, the gherkin step has 1 arguments: * 'Used Cars For Sale' Step text: I navigate to 'Used Cars For Sale' page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
5	And I select make "make1"	SKIPPED	0.000 s
6	And I select model "model1"	SKIPPED	0.000 s
7	And I select location "location1"	SKIPPED	0.003 s
8	And I select price "price1"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "make1" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.078 s
	Search the used car with model		
	