

Cucumber Report

19 Dec 2023, 11:03:14

Start : Dec 19, 11:00:56.855 am

End : Dec 19, 11:03:12.620 am

Duration : 2 m 15.765 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 9
FAILED - 3
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Navigate to Top menu pages successfully</u>	2 m 15.765 s	3	0	3	0	12	9	3	0

#	Feature Name	Scenario Name
1	<u>Navigate to Top menu pages successfully</u>	<u>VerifyUserShouldNavigateToDesktopsPageSuccessfully</u>
2		<u>VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully</u>
3		<u>VerifyUserShouldNavigateToComponentsPageSuccessfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	3	0	3	0	1	0	1	0
@author_BP	3	0	3	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0
@smoke	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Navigate to Top menu pages successfully</u>	3	0	3	0	2 m 15.765 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Navigate to Top menu pages successfully</u>	<u>VerifyUserShouldNavigateToDesktopsPageSuccessfully</u>	4	3	1	0	45.792 s
2		<u>VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully</u>	4	3	1	0	44.913 s
3		<u>VerifyUserShouldNavigateToComponentsPageSuccessfully</u>	4	3	1	0	45.006 s

Navigate to Top menu pages successfully

FAILED	DURATION - 2 m 15.765 s	Scenarios		Steps	
/ 11:00:56.855 am // 11:03:12.620 am /		Total - 3		Total - 12	
		Pass - 0		Pass - 9	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	



VerifyUserShouldNavigateToDesktopsPageSuccessfully

<div>FAILED</div> <div>DURATION - 45.792 s</div>			Steps	
/ 11:00:56.867 am // 11:01:42.659 am /			Total - 4	
Navigate to Top menu pages successfully			Pass - 3	
@regression @author_BP @sanity			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.001 s
2	When Mouse hover on "Desktops" Tab and click	PASSED	0.264 s
3	And call selectMenu method and pass the menu "Show All Desktops"	PASSED	0.069 s
4	Then Verify the text 'Desktops'	FAILED	40.103 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div[id='content'] h2"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eede5ff968d76eac9c568872092527e5, findElement {using=css selector, value=div[id='content'] h2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51146}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51146/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: eede5ff968d76eac9c568872092527e5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:74) at com.tutorialsninja.demo.pages.DesktopsPage.getTextDesktops(DesktopsPage.java:19) at com.tutorialsninja.demo.steps.TopMenuSteps.verifyTheTextDesktops(TopMenuSteps.java:33) at ?.Verify the text 'Desktops'(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/topmenutest.feature:9) </pre> <p>* Not displayable characters are replaced by '?'. </p>		



VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully

FAILED	DURATION - 44.913 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 11:01:42.690 am // 11:02:27.603 am /				
Navigate to Top menu pages successfully				
@smoke @regression @author_BP				

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.001 s
2	When Mouse hover on "Laptops & Notebooks" Tab and click	PASSED	0.222 s
3	And call selectMenu method and pass the menu "Show All Laptops & Notebooks"	PASSED	0.051 s
4	Then Verify the text 'Laptops & Notebooks'	FAILED	40.023 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div[id='content'] h2"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ecbeecf44db702d1f44e1f80964ca690, findElement {using=css selector, value=div[id='content'] h2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51195/devtoo..., se.cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ecbeecf44db702d1f44e1f80964ca690</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:74) at com.tutorialsninja.demo.pages.LaptopsAndNotebooksPage.getTextNotebooksAndLaptops(LaptopsAndNotebooksPage.java:20) at com.tutorialsninja.demo.steps.TopMenuSteps.verifyTheTextLaptopsNotebooks(TopMenuSteps.java:43) at ?.Verify the text 'Laptops & Notebooks'(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/topmenutest.feature:19)</p> <p>* Not displayable characters are replaced by '?'. </p>		

VerifyUserShouldNavigateToComponentsPageSuccessfully

<div>FAILED</div> <div>DURATION - 45.006 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:02:27.614 am // 11:03:12.620 am /				
Navigate to Top menu pages successfully				
@regression @author_BP				

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.001 s
2	When Mouse hover on "Components" Tab and click	PASSED	0.300 s
3	And call selectMenu method and pass the menu "Show All Components"	PASSED	0.076 s
4	Then Verify the text 'Components' org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div[id='content'] h2"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5db75f99b4b23b77b1d34b3e5c12ed4, findElement {using=css selector, value=div[id='content'] h2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51242}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51242/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5db75f99b4b23b77b1d34b3e5c12ed4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	40.051 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:74) at com.tutorialsninja.demo.pages.ComponentsPage.getTextComponents(ComponentsPage.java:19) at com.tutorialsninja.demo.steps.TopMenuSteps.verifyTheTextComponents(TopMenuSteps.java:53) at ?.Verify the text 'Components(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/topmenutest.feature:29)</pre> <p>* Not displayable characters are replaced by '?'. </p>		