

# Cucumber Report

19 Dec 2023, 11:07:13

**Start : Dec 19, 11:04:47.514 am**

**End : Dec 19, 11:07:12.084 am**

**Duration : 2 m 24.570 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 3**

**SKIPPED - 0**

**PASSED - 9**

**FAILED - 3**


**SKIPPED - 0**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Navigate to Top menu pages successfully</u>	2 m 24.570 s	3	0	3	0	12	9	3	0

#	Feature Name	Scenario Name
1	<u>Navigate to Top menu pages successfully</u>	<u>VerifyUserShouldNavigateToDesktopsPageSuccessfully</u>
2		<u>VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully</u>
3		<u>VerifyUserShouldNavigateToComponentsPageSuccessfully</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@regression	3	0	3	0	1	0	1	0
@author_BP	3	0	3	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0
@smoke	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Navigate to Top menu pages successfully</u>	3	0	3	0	2 m 24.570 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Navigate to Top menu pages successfully</u>	<u>VerifyUserShouldNavigateToDesktopsPageSuccessfully</u>	4	3	1	0	45.864 s
2		<u>VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully</u>	4	3	1	0	51.370 s
3		<u>VerifyUserShouldNavigateToComponentsPageSuccessfully</u>	4	3	1	0	47.289 s

## Navigate to Top menu pages successfully

<div>FAILED</div> <div>DURATION - 2 m 24.570 s</div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 3</div> <div>Skip - 0</div>		<div><div></div><div>3</div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 9</div> <div>Fail - 3</div> <div>Skip - 0</div>		<div><div></div><div>12</div></div>
/ 11:04:47.514 am // 11:07:12.084 am /							



## VerifyUserShouldNavigateToDesktopsPageSuccessfully

<div>FAILED</div> <div>DURATION - 45.864 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:04:47.523 am // 11:05:33.387 am /				
Navigate to Top menu pages successfully				
@regression @author_BP @sanity				

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.002 s
2	When Mouse hover on "Desktops" Tab and click	PASSED	0.265 s
3	And call selectMenu method and pass the menu "Show All Desktops"	PASSED	0.107 s
4	Then Verify the text 'Desktops'	FAILED	40.150 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div[id='content'] h2"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0f4d1ae2d00220c44dd54dba3a4be53c, findElement {using=css selector, value=div[id='content'] h2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51359}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51359/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f4d1ae2d00220c44dd54dba3a4be53c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:74) at com.tutorialsninja.demo.pages.DesktopsPage.getTextDesktops(DesktopsPage.java:19) at com.tutorialsninja.demo.steps.TopMenuSteps.verifyTheTextDesktops(TopMenuSteps.java:33) at ?.Verify the text 'Desktops'(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/topmenutest.feature:9) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

### VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully



<b>FAILED</b>	<b>DURATION - 51.370 s</b>		<b>Steps</b> Total - 4 <b>Pass - 3</b> <b>Fail - 1</b> Skip - 0	
/ 11:05:33.404 am // 11:06:24.774 am /				
Navigate to Top menu pages successfully				
@smoke @regression @author_BP				

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.001 s
2	When Mouse hover on "Laptops & Notebooks" Tab and click	PASSED	5.179 s
3	And call selectMenu method and pass the menu "Show All Laptops & Notebooks"	PASSED	0.090 s
4	Then Verify the text 'Laptops & Notebooks'	FAILED	40.090 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div[id='content'] h2"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c446be759e10782dac9dbb8626de0fcf, findElement {using=css selector, value=div[id='content'] h2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51412}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51412/devtoo..., se.cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c446be759e10782dac9dbb8626de0fcf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)  at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:74)  at com.tutorialsninja.demo.pages.LaptopsAndNotebooksPage.getTextNotebooksAndLaptops(LaptopsAndNotebooksPage.java:20)  at com.tutorialsninja.demo.steps.TopMenuSteps.verifyTheTextLaptopsNotebooks(TopMenuSteps.java:43)  at ?.Verify the text 'Laptops &amp; Notebooks'(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/topmenutest.feature:19)</p> <p>* Not displayable characters are replaced by '?'. </p>		

## VerifyUserShouldNavigateToComponentsPageSuccessfully

<div>FAILED</div> <div>DURATION - 47.289 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:06:24.795 am // 11:07:12.084 am /				
Navigate to Top menu pages successfully				
@regression @author_BP				

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.000 s
2	When Mouse hover on "Components" Tab and click	PASSED	0.341 s
3	And call selectMenu method and pass the menu "Show All Components"	PASSED	0.158 s
4	Then Verify the text 'Components'  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"div[id='content'] h2"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [86366b41628403bb850c63f1bcda917c, findElement {using=css selector, value=div[id='content'] h2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51468}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51468/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 86366b41628403bb850c63f1bcda917c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	40.086 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:74) at com.tutorialsninja.demo.pages.ComponentsPage.getTextComponents(ComponentsPage.java:19) at com.tutorialsninja.demo.steps.TopMenuSteps.verifyTheTextComponents(TopMenuSteps.java:53) at ?.Verify the text 'Components(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/topmenutest.feature:29) * Not displayable characters are replaced by '?'.</pre>		