

Cucumber Report

19 Dec 2023, 14:28:40

Start : Dec 19, 2:27:31.594 pm

End : Dec 19, 2:28:39.599 pm

Duration : 1 m 8.005 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 6
SKIPPED - 0


PASSED - 47
FAILED - 6
SKIPPED - 53




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktops Page functionality test</u>	52.628 s	7	1	6	0	94	35	6	53
<u>Navigate to Top menu pages successfully</u>	15.366 s	3	3	0	0	12	12	0	0

#	Feature Name	Scenario Name
1	<u>Desktops Page functionality test</u>	<u>VerifyProductAddedToShoppingCartSuccessfully</u>
2		<u>VerifyProductAddedToShoppingCartSuccessfully</u>
3		<u>VerifyProductAddedToShoppingCartSuccessfully</u>
4		<u>VerifyProductAddedToShoppingCartSuccessfully</u>
5		<u>VerifyProductAddedToShoppingCartSuccessfully</u>
6		<u>VerifyProductAddedToShoppingCartSuccessfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	2	2	0	0	2	1	1	0
@regression	10	4	6	0	2	1	1	0
@author_BP	10	4	6	0	2	1	1	0
@sanity	7	1	6	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Desktops Page functionality test</u>	7	1	6	0	52.628 s
2	<u>Navigate to Top menu pages successfully</u>	3	3	0	0	15.366 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktops Page functionality test</u>	<u>VerifyProductArrangeInAlphaBeticalOrder</u>	4	4	0	0	6.960 s
2		<u>VerifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	7.807 s
3		<u>VerifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	7.536 s
4		<u>VerifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	7.703 s
5		<u>VerifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	7.639 s
6		<u>VerifyProductAddedToShoppingCartSuccessfully</u>	15	5	1	9	7.331 s
7		<u>VerifyProductAddedToShoppingCartSuccessfully</u>	15	6	1	8	7.556 s
8	<u>Navigate to Top menu pages successfully</u>	<u>VerifyUserShouldNavigateToDesktopsPageSuccessfully</u>	4	4	0	0	5.167 s
9		<u>VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully</u>	4	4	0	0	4.989 s
10		<u>VerifyUserShouldNavigateToComponentsPageSuccessfully</u>	4	4	0	0	5.194 s

Desktops Page functionality test



<div>FAILED</div>	<div>DURATION - 52.628 s</div>	<div>Scenarios</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 6</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 94</div> <div>Pass - 35</div> <div>Fail - 6</div> <div>Skip - 53</div>	<div></div>
<div>/ 2:27:31.594 pm // 2:28:24.222 pm /</div>					

VerifyProductArrangeInAlphaBeticalOrder

<div>PASSED</div> <div>DURATION - 6.960 s</div>	 <table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.35</td></tr><tr><td>2</td><td>0.78</td></tr><tr><td>3</td><td>0.50</td></tr><tr><td>4</td><td>0.45</td></tr></tbody></table>	Step	Duration (s)	1	0.35	2	0.78	3	0.50	4	0.45	Steps	 <div>4</div>
Step		Duration (s)											
1		0.35											
2		0.78											
3	0.50												
4	0.45												
/ 2:27:31.599 pm // 2:27:38.559 pm /	Total - 4												
Desktops Page functionality test	Pass - 4												
	Fail - 0												
@smoke @regression @author_BP		Skip - 0											

#	Step / Hook Details	Status	Duration
1	When Mouse hover on "Desktops" Tab and click	PASSED	0.347 s
2	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.771 s
3	And Select Sort By position "Name (Z - A)"	PASSED	0.485 s
4	Then Verify the Product will arrange in Descending order.	PASSED	0.433 s



VerifyProductAddedToShoppingCartSuccessfully

<div>FAILED</div> <div>DURATION - 7.807 s</div>			Steps	
/ 2:27:38.590 pm // 2:27:46.397 pm /			Total - 15	
Desktops Page functionality test			Pass - 5	
@regression @author_BP @sanity			Fail - 1	
			Skip - 9	

#	Step / Hook Details	Status	Duration
1	When Mouse hover on Currency Dropdown and click	PASSED	0.313 s
2	And Mouse hover on £Pound Sterling and click	PASSED	0.645 s
3	And Mouse hover on "Desktops" Tab and click	PASSED	0.166 s
4	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.740 s
5	And Select Sort By position "Name (A - Z)"	PASSED	0.435 s
6	And Select product "HTC Touch HD" org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [84111fe01cefddd5ed6bed93a7f76e0d, getElementText {id=D5B50757B80EEF4BDFB7D8D9F8CCC5F2_element_103}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65097}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65097/devtoo..., se.cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (84111fe01cefddd5ed6bed93a7f76e0d)] -> xpath: //h4/a] Session ID: 84111fe01cefddd5ed6bed93a7f76e0d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at com.tutorialsninja.demo.pages.DesktopsPage.selectProduct(DesktopsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.selectProduct(DesktopsSteps.java:35) at ?.Select product "HTC Touch HD"(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/desktopstest.feature:16) * Not displayable characters are replaced by '?'.	FAILED	0.876 s
7	Then Verify the Text "HTC Touch HD"	SKIPPED	0.001 s
8	And Enter Qty "1" using select class	SKIPPED	0.000 s
9	And Click on "Add to Cart" button	SKIPPED	0.008 s

#	Step / Hook Details	Status	Duration
10	Then Verify the Message 'Success: You have added "HTC Touch HD" to your shopping cart!'	SKIPPED	0.001 s
11	And Click on link "shopping cart" display into success message	SKIPPED	0.001 s
12	Then Verify the Text "Shopping Cart"	SKIPPED	0.002 s
13	And Verify the Product name "HTC Touch HD"	SKIPPED	0.001 s
14	Then Verify the Model "Product 1"	SKIPPED	0.000 s
15	Then Verify the Total "£ 74.73"	SKIPPED	0.000 s

VerifyProductAddedToShoppingCartSuccessfully

FAILED		DURATION - 7.536 s			<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 2:27:46.413 pm // 2:27:53.949 pm /						
Desktops Page functionality test						
@regression @author_BP @sanity						

#	Step / Hook Details	Status	Duration
1	When Mouse hover on Currency Dropdown and click	PASSED	0.281 s
2	And Mouse hover on £Pound Sterling and click	PASSED	0.608 s
3	And Mouse hover on "Desktops" Tab and click	PASSED	0.163 s
4	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.721 s
5	And Select Sort By position "Name (A - Z)"	PASSED	0.424 s
6	And Select product "iPhone"	FAILED	1.016 s

org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [74e7c7ec8e84bd934d46e675ceaf14df, getElementText {id=B7B2C1A3D6E6D23626809A0034335035_element_102}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65132}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65132/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (74e7c7ec8e84bd934d46e675ceaf14df)] -> xpath: //h4/a] Session ID: 74e7c7ec8e84bd934d46e675ceaf14df

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at com.tutorialsninja.demo.pages.DesktopsPage.selectProduct(DesktopsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.selectProduct(DesktopsSteps.java:35) at ?.Select product "iPhone"(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/desktopstest.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then Verify the Text "iPhone"	SKIPPED	0.000 s
8	And Enter Qty "1" using select class	SKIPPED	0.000 s
9	And Click on "Add to Cart" button	SKIPPED	0.000 s
10	Then Verify the Message 'Success: You have added "iPhone" to your shopping cart!'	SKIPPED	0.000 s
11	And Click on link "shopping cart" display into success message	SKIPPED	0.000 s
12	Then Verify the Text "Shopping Cart"	SKIPPED	0.000 s
13	And Verify the Product name "iPhone"	SKIPPED	0.000 s
14	Then Verify the Model "product 11"	SKIPPED	0.000 s
15	Then Verify the Total "£ 75.46"	SKIPPED	0.000 s



VerifyProductAddedToShoppingCartSuccessFully

FAILED DURATION - 7.703 s / 2:27:53.959 pm // 2:28:01.662 pm / Desktops Page functionality test @regression @author_BP @sanity		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
---	--	---	--

#	Step / Hook Details	Status	Duration
1	When Mouse hover on Currency Dropdown and click	PASSED	0.292 s
2	And Mouse hover on £Pound Sterling and click	PASSED	0.606 s
3	And Mouse hover on "Desktops" Tab and click	PASSED	0.180 s
4	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.796 s
5	And Select Sort By position "Name (A - Z)"	PASSED	0.479 s
6	And Select product "iPod Classic"	FAILED	1.057 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [03d06eaac782920e5f813f40984f9053, getElementText {id=09ED04CB9237D8577C104039F3261B2E_element_103}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65175}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65175/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (03d06eaac782920e5f813f40984f9053)] -> xpath: //h4/a] Session ID: 03d06eaac782920e5f813f40984f9053</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at com.tutorialsninja.demo.pages.DesktopsPage.selectProduct(DesktopsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.selectProduct(DesktopsSteps.java:35) at ?.Select product "iPod Classic"(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/desktopstest.feature:16)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then Verify the Text "iPod Classic"	SKIPPED	0.000 s
8	And Enter Qty "1" using select class	SKIPPED	0.001 s
9	And Click on "Add to Cart" button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	Then Verify the Message 'Success: You have added "iPod Classic" to your shopping cart!'	SKIPPED	0.000 s
11	And Click on link "shopping cart" display into success message	SKIPPED	0.000 s
12	Then Verify the Text "Shopping Cart"	SKIPPED	0.000 s
13	And Verify the Product name "iPod Classic"	SKIPPED	0.000 s
14	Then Verify the Model "product 20"	SKIPPED	0.000 s
15	Then Verify the Total "£ 74.73"	SKIPPED	0.000 s

VerifyProductAddedToShoppingCartSuccessfully



FAILED		DURATION - 7.639 s			<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 2:28:01.677 pm // 2:28:09.316 pm /						
Desktops Page functionality test						
@regression @author_BP @sanity						

#	Step / Hook Details	Status	Duration
1	When Mouse hover on Currency Dropdown and click	PASSED	0.191 s
2	And Mouse hover on £Pound Sterling and click	PASSED	0.591 s
3	And Mouse hover on "Desktops" Tab and click	PASSED	0.182 s
4	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.807 s
5	And Select Sort By position "Name (A - Z)"	PASSED	0.426 s
6	And Select product "MacBook"	FAILED	1.008 s

org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a36d6c3eca21653230463499c1f73500, getElementText {id=03C4BB666310425E2C6D64F2C9DFB6A3_element_104}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65221}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65221/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a36d6c3eca21653230463499c1f73500)] -> xpath: //h4/a] Session ID: a36d6c3eca21653230463499c1f73500

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at com.tutorialsninja.demo.pages.DesktopsPage.selectProduct(DesktopsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.selectProduct(DesktopsSteps.java:35) at ?.Select product "MacBook"(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/desktopstest.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then Verify the Text "MacBook"	SKIPPED	0.000 s
8	And Enter Qty "1" using select class	SKIPPED	0.000 s
9	And Click on "Add to Cart" button	SKIPPED	0.000 s
10	Then Verify the Message 'Success: You have added "MacBook" to your shopping cart!'	SKIPPED	0.000 s
11	And Click on link "shopping cart" display into success message	SKIPPED	0.000 s
12	Then Verify the Text "Shopping Cart"	SKIPPED	0.000 s
13	And Verify the Product name "MacBook"	SKIPPED	0.000 s
14	Then Verify the Model "Product 16"	SKIPPED	0.000 s
15	Then Verify the Total "£ 368.73"	SKIPPED	0.001 s



VerifyProductAddedToShoppingCartSuccessFully

FAILED DURATION - 7.331 s / 2:28:09.324 pm // 2:28:16.655 pm / Desktops Page functionality test @regression @author_BP @sanity	 <p>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15</p>	Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	 <p>15</p>
---	---	---	---

#	Step / Hook Details	Status	Duration
1	When Mouse hover on Currency Dropdown and click	PASSED	0.331 s
2	And Mouse hover on £Pound Sterling and click	PASSED	0.606 s
3	And Mouse hover on "Desktops" Tab and click	PASSED	0.150 s
4	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.767 s
5	And Select Sort By position "Name (A - Z)"	PASSED	0.403 s
6	<p>And Select product "MacBook Air"</p> <p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6929d6a123afc0a18608876a3eebbf6d, getElementText {id=B5C77AA408DE9F4936F7B2C74F692216_element_105}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\patel\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65267}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65267/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (6929d6a123afc0a18608876a3eebbf6d)] -> xpath: //h4/a] Session ID: 6929d6a123afc0a18608876a3eebbf6d</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at com.tutorialsninja.demo.pages.DesktopsPage.selectProduct(DesktopsPage.java:63) at com.tutorialsninja.demo.steps.DesktopsSteps.selectProduct(DesktopsSteps.java:35) at ?.Select product "MacBook Air"(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/desktopstest.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.992 s
7	Then Verify the Text "MacBook Air"	SKIPPED	0.001 s
8	And Enter Qty "1" using select class	SKIPPED	0.000 s
9	And Click on "Add to Cart" button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	Then Verify the Message 'Success: You have added "MacBook Air" to your shopping cart!'	SKIPPED	0.000 s
11	And Click on link "shopping cart" display into success message	SKIPPED	0.000 s
12	Then Verify the Text "Shopping Cart"	SKIPPED	0.000 s
13	And Verify the Product name "MacBook Air"	SKIPPED	0.000 s
14	Then Verify the Model "Product 17"	SKIPPED	0.001 s
15	Then Verify the Total "£ 736.23"	SKIPPED	0.000 s



VerifyProductAddedToShoppingCartSuccessfully

<div>FAILED</div> <div>DURATION - 7.556 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 2:28:16.666 pm // 2:28:24.222 pm /				
Desktops Page functionality test				
@regression @author_BP @sanity				



#	Step / Hook Details	Status	Duration
1	When Mouse hover on Currency Dropdown and click	PASSED	0.170 s
2	And Mouse hover on £Pound Sterling and click	PASSED	0.619 s
3	And Mouse hover on "Desktops" Tab and click	PASSED	0.164 s
4	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.768 s
5	And Select Sort By position "Name (A - Z)"	PASSED	0.437 s
6	And Select product "Sony VAIO"	PASSED	1.093 s
7	Then Verify the Text "Sony VAIO"	FAILED	0.035 s
	<pre>java.lang.AssertionError: Error expected [x] but found [Sony VAIO] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.tutorialsninja.demo.steps.DesktopsSteps.verifyTheText(DesktopsSteps.java:40) at ?.Verify the Text "Sony VAIO"(file:///C:/IdeaProject/tutorialsninja-sw-cucumber-6/src/test/resources/features/desktopstest.feature:17) * Not displayable characters are replaced by '?'. </pre>		
8	And Enter Qty "1" using select class	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
9	And Click on "Add to Cart" button	SKIPPED	0.000 s
10	Then Verify the Message 'Success: You have added "Sony VAIO" to your shopping cart!'	SKIPPED	0.000 s
11	And Click on link "shopping cart" display into success message	SKIPPED	0.000 s
12	Then Verify the Text "Shopping Cart"	SKIPPED	0.000 s
13	And Verify the Product name "Sony VAIO"	SKIPPED	0.000 s
14	Then Verify the Model "Product 19"	SKIPPED	0.000 s
15	Then Verify the Total "£ 736.23"	SKIPPED	0.000 s

Navigate to Top menu pages successfully



PASSED	DURATION - 15.366 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 2:28:24.233 pm // 2:28:39.599 pm /					

VerifyUserShouldNavigateToDesktopsPageSuccessfully

PASSED	DURATION - 5.167 s		Steps	
/ 2:28:24.233 pm // 2:28:29.400 pm /			Total - 4	
Navigate to Top menu pages successfully			Pass - 4	
@regression @author_BP @sanity			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.000 s
2	When Mouse hover on "Desktops" Tab and click	PASSED	0.192 s
3	And call selectMenu method and pass the menu "Show AllDesktops"	PASSED	0.626 s
4	Then Verify the text 'Desktops'	PASSED	0.030 s

VerifyUserShouldNavigateToLaptopsAndNotebooksPageSuccessfully

<div>PASSED</div>	<div>DURATION - 4.989 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:28:29.409 pm // 2:28:34.398 pm /</div>				
<div>Navigate to Top menu pages successfully</div>				
<div>@smoke @regression @author_BP</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.000 s
2	When Mouse hover on "Laptops & Notebooks" Tab and click	PASSED	0.182 s
3	And call selectMenu method and pass the menu "Show AllLaptops & Notebooks"	PASSED	0.586 s
4	Then Verify the text 'Laptops & Notebooks'	PASSED	0.046 s

VerifyUserShouldNavigateToComponentsPageSuccessfully

<div>PASSED</div>	<div>DURATION - 5.194 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:28:34.405 pm // 2:28:39.599 pm /</div>				
<div>Navigate to Top menu pages successfully</div>				
<div>@regression @author_BP</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	0.000 s
2	When Mouse hover on "Components" Tab and click	PASSED	0.189 s
3	And call selectMenu method and pass the menu "Show AllComponents"	PASSED	0.549 s
4	Then Verify the text 'Components	PASSED	0.033 s