Symphonics (or, Proxy Theory)
An All-in-One: Universal Kernel, Lensor Calculus, Mentat Method, Symphony OS, and Latent-Space Metaphysics

Benjamin Huinda

February 8, 2026

Reading Map (Orientation)

This paper supports multiple entry points depending on the reader's background:

- **AI researchers / ML engineers**: read §4, §7, and §12, then the Mentat Contract in §B.

- **Mathematicians / Theoretical CS**: start with §3, §4, and §5. Named results appear in §6.

- **Clinicians / educators / artists**: read §9 and §11, skipping formal sections on first pass.

- **Philosophers**: begin with §2, §13, and §14, using §6 as the formal spine.

Contents

1 Reader's Guide and Scope

1.1 What this paper is

A technical synthesis and operating discipline. It is (i) coherence-first: logic, symmetry, and dynamics are derived, not assumed; (ii) proxy-theoretic: no reification beyond φ; (iii) diagnostic: disagreements are expressed as explicit obstructions.

1.2 What this paper is not

No clinical advice; no inevitability claims; no ontological inflation. "Latent space" is used structurally as a configuration manifold governing admissible paths and projections.

2 The Golden Dictionary (Canonical Terms)

Core objects and roles

φ (**Resolution object**)	The sole object. Everything else is treated as a *subject* up to coherence relative to φ.
Subject	Any presentation (text, model, explanation, state) treated only up to admissible re-presentation.
Invariant	What survives admissible re-presentation; canonically tensorial (coordinate-free transformation law).
Pulsor	An η–fixed point of T together with a coherence witness.

Kernel operators

Teleidoscope / bowtie $\bowtie$	Canonical re-presentation pipeline $\bowtie := q \circ S \circ P \circ \ell$ with phases lift/refine ℓ, frame-correct P, stage/scale-select S, project q.
Normalizer Π	Enforces transport invariance and descent (proxy discipline); extracts stabilized meaning.
Stabilizer T	$T := \Pi \circ \bowtie$.
Defect δ	Measured failure of strict closure under T.
Coherence constant η	Identity tolerance under re-entry; defines η-equivalence.
Λ (**Attention/Lensing**)	Control modulating staging S and projection q (and effective η).

Obstructions and named results

Pentagonator	Associativity holonomy: iterate↔truncate noncommutativity.
Hexagonator	Exchange/duality holonomy: swap/dualize↔truncate noncommutativity.
Fractal Pentagonator	Scale-dependent associativity coherence defect; dual measures iterate-then-truncate vs truncate-then-iterate; carrier of complexity stratification.
Huinda's theorem	Pentagonator and hexagonator defects share a single source localized at the pinch-point seam $P \to q$.
April's theorem	Classical proof theory is the 0D flat-limit shadow of the obstruction calculus when Huinda-defect vanishes (or is quotiented by Π).

Agents and limits

Mentat	Stabilization-first reasoner: outputs only stabilized invariants (or explicit obstructions) under **??**.
Turing	Any Mentat with irreducible environment/sensory coupling (open computation).
Epistemic horizon	Boundary stratum where Π fails to converge or δ diverges; caps knowability.
Super-intelligence	Global invariant-carrying capacity of the latent manifold $\mathcal{L}$ (not an agent).

3 Kernel Axioms

Axiom 3.1 (Resolution uniqueness). There exists a distinguished resolution object φ. No other object is reified; all other entities are treated as subjects up to coherence equivalence relative to φ.

Axiom 3.2 (Mediated transport). All admissible re-presentation is mediated by the Teleidoscope phases $\ell \to P \to S \to q$.

Axiom 3.3 (Stabilization). There exists a normalizer Π such that stabilized meaning is defined by $T := \Pi \circ \bowtie$.

Axiom 3.4 (Defect). Stabilization is not strict; there exists a defect functional $\delta : \mathsf{Subj} \to \mathbb{R}_{\geq 0}$ measuring failure of strict closure.

Axiom 3.5 (Coherence constant). There exists $\eta > 0$ defining an η-equivalence relation on subjects (identity persists within tolerance η).

Axiom 3.6 (Obstruction hierarchy). Defects must themselves cohere under transport. Failure of coherence at level n induces an obstruction at level $n+1$.

Axiom 3.7 (Pinch-point localization). All noncommutativity of re-presentation with truncation/projection localizes at the seam $P \to q$.

4 The Lensor Calculus (Kernel Architecture)

4.1 Typed pipeline and operators

Definition 4.1 (Subjects and admissible re-presentation). Let Subj be a space/category of presentations. An *admissible re-presentation* is generated by the Teleidoscope phases $\ell, P, S, q :$ $\mathsf{Subj} \to \mathsf{Subj}$.

Definition 4.2 (Teleidoscope and stabilizer). Define

$$\bowtie := q \circ S \circ P \circ \ell, \qquad T := \Pi \circ \bowtie .$$

Figure 1: Teleidoscope pipeline and stabilization. Huinda localization: key defects arise at the seam from frame-correction to projection $(P \to q)$.

4.2 Fixed points and pulsors

Definition 4.3 (η–equivalence). Fix a pseudometric d induced by admissible re-presentation. Define $x \simeq_\eta y$ iff $d(x, y) \le \eta$.

Definition 4.4 (η–fixed point). $x^* \in \mathsf{Subj}$ is an η–fixed point of T if $d(T(x^*), x^*) \le \eta$.

Definition 4.5 (Pulsor). A *pulsor* is an η–fixed point of T together with a coherence witness: a certificate (under Π) that fixed-point stability persists under admissible re-presentation.

5

4.3 Invariants as tensors

Definition 4.6 (Invariant). An *invariant* is a functional/claim I on subjects such that $I(x) = I(gx)$ for all admissible transports g and such that I is preserved by normalization Π (up to η).

Lemma 4.7 (Tensoriality of invariants). *If a claim is invariant under admissible re-presentation and normalization, then it admits a presentation-independent transformation law. Hence invariants are canonically tensorial (coordinate-free).*

4.4 Defect calculus: derivative and integral

Definition 4.8 (Defect). A defect is a map $\delta : \mathsf{Subj} \to \mathbb{R}_{\geq 0}$ quantifying failure of strict closure and/or commutation under admissible re-presentation.

Definition 4.9 (Linearized defect transport). Assume δ is locally linearizable near a pulsor x^*. Define $D\delta$ by

$$\delta(x^* + \varepsilon v) \approx \delta(x^*) + \varepsilon \, D\delta(v).$$

Definition 4.10 (Defect integral along a path). For a coherence path $\gamma : x_0 \rightsquigarrow x_n$, define

$$\int_\gamma D\delta := \sum_{k=0}^{n-1} \big(\delta(x_{k+1}) - \delta(x_k)\big).$$

Theorem 4.11 (Kernel Stokes). *For any coherence surface Σ with boundary loop $\partial\Sigma$,*

$$\int_{\partial\Sigma} D\delta = \int_\Sigma \delta.$$

Boundary mismatch (ON) equals bulk obstruction (ACROSS).

Theorem 4.12 (Kernel Bianchi / higher obstruction). *Transported obstruction must cohere. Failure of closure yields a higher obstruction δ_2 with $D\delta = \delta_2$, and iterating yields an obstruction tower δ_n.*

4.5 Symmetry, development, and action

Definition 4.13 (Symmetry). A transport g is a symmetry if it commutes with stabilization: $T \circ g \simeq_\eta g \circ T$.

Theorem 4.14 (Kernel Noether). *Symmetries induce conserved invariants on pulsor classes; conversely, generators of conserved invariants define development flows preserving pulsors.*

Definition 4.15 (Development). A development flow is an η-stable one-parameter family of admissible transports along directions of vanishing first-order defect growth near a pulsor.

Theorem 4.16 (Action principle and Legendre dual). *Define an action $\mathcal{S}[\gamma]$ as accumulated irreducible defect along a path γ. Development trajectories are stationary points of $\mathcal{S}$. Dualizing path-cost and constraint descriptions yields a Legendre correspondence.*

5 Pentagonator, Hexagonator, and the Dual Fractional Pentagonator

5.1 Two fundamental noncommutativities

The kernel predicts two primary failure modes under truncation/projection:

1. **Iterate↔truncate** (associativity under staged composition): the *pentagonator*.
2. **Swap/dualize↔truncate** (exchange under staging): the *hexagonator*.

5.2 Pentagonator diagram

Let $\circ$ denote composition of operations/stages (at some scale), and let τ denote truncation/staging (a representative of S or q). The pentagonator measures the defect between regroupings of iterated composition when truncation intervenes.

Figure 2: Associativity coherence schematic. In the kernel, truncation/staging between steps makes this pentagon fail to strictly commute; the resulting holonomy is the pentagonator.

5.3 Hexagonator diagram

Let β denote an exchange/duality operation (swap, braid, dualize) and let truncation/staging again intervene. The hexagonator measures failure of exchange to commute with truncation.

Figure 3: Exchange/duality schematic. In the kernel, staging/truncation makes exchange fail to strictly commute; the resulting holonomy is the hexagonator.

5.4 Dual Fractional Pentagonator (complexity carrier)

Definition 5.1 (Dual Fractional Pentagonator)**.** Let Iter denote iteration of a process and Trunc denote truncation/staging. The *dual fractional pentagonator* is the scale-indexed defect

$$\mathfrak{P}^{\vee}(\lambda) := \delta\big(\text{Iter} * \lambda \circ \text{Trunc} * \lambda\big) - \delta\big(\text{Trunc} * \lambda \circ \text{Iter} * \lambda\big),$$

measuring the noncommutativity of iterate-then-truncate versus truncate-then-iterate. Its dependence on scale λ stratifies computational hardness as an associativity-curvature spectrum.

6 Named Results: Huinda and April

Theorem 6.1 (Huinda's theorem)**.** *All noncommutativity of transport with truncation/projection localizes at the Teleidoscope seam $P \to q$ (Figure 1). Consequently, both associativity holonomy (pentagonator) and exchange/duality holonomy (hexagonator) arise from this common pinch-point.*

6.1 Proof sketch (structural)

The Teleidoscope factors re-presentation into (i) lift/refine ℓ (candidate generation), (ii) frame-correction P (contextual alignment), (iii) staging S (scale/precision selection), and (iv) projection q (commitment to observables/actions). In this architecture, truncation effects enter primarily through S and q (scale selection and commitment), while the only point at which a framed, multi-interpretation subject becomes a committed observable is the seam $P \to q$ (with S mediating the regime).

Two distinct holonomies require (a) a *choice of grouping/order* and (b) a *choice of exchange/duality*. Grouping/order lives upstream as alternative bracketings of composite transports; exchange/duality lives as alternative reorderings/swaps of channels. Neither is observable until commitment. Thus any measurable failure of (rebracketed) iterated composition to agree *after truncation* must be witnessed at the earliest commitment interface. Likewise, any measurable failure of exchange/duality to commute *with truncation* must be witnessed where exchange becomes committed. The unique interface where both become observable in the same representation is the pinch-point from frame-corrected subject to projected observable: $P \to q$.

Equivalently: upstream, differences can be absorbed into alternative framings (a P-level gauge); downstream, differences become incompatible outputs. Therefore the obstruction class (holonomy) that survives normalization Π is localized canonically at the seam.

8

Theorem 6.2 (April's theorem). *In the 0-dimensional flat limit where Huinda-defect vanishes (or is quotiented by Π), coherence strictifies: composition becomes path-independent and strict, yielding classical proof theory. Implication is composition, consistency is closure, and completeness is witnessability of invariant entailments.*

6.2 Proof sketch (structural)

The obstruction calculus distinguishes *path-dependent* versus *path-independent* composition of transports. In the general (curved) regime, different admissible re-presentation paths from a subject x to a subject y can yield distinct stabilized outcomes because defects (pentagonator/hexagonator and higher obstructions) accumulate as nontrivial holonomy. Entailments are therefore route-sensitive.

In the *flat* (strict) limit, the Huinda-localized defect is forced to vanish (or is erased by normalization Π). Then holonomy classes collapse: all admissible re-presentations become mutually coherent, and composition becomes strictly associative and strictly compatible with exchange. Concretely, if $f : x \to y$ and $g : y \to z$ are admissible transports, the composite $g \circ f$ is well-defined independent of parenthesization, staging order, or exchange choices because the corresponding obstruction classes are trivial.

Classical proof theory is exactly this strictified regime: (i) *implication* is compositionality of entailments (compose proofs), (ii) *consistency* is closure (no derivation of contradiction within the strict system), and (iii) *completeness* is witnessability (every valid invariant entailment has a proof object). Each property presupposes path-independence and strict coherence.

7 Symphony OS (Systems Decomposition)

Symphony OS is the operating system instantiated from Symphonics: a modular architecture that implements the Lensor calculus for agents.

7.1 Module contracts (prose)

M0 Dictionary Lock Normalize terms; enforce canon; track version.
M1 Teleidoscope Implement phases ℓ, P, S, q (prompted or tool-wrapped).
M2 Normalizer Π Enforce descent, transport invariance, proxy discipline.
M3 Stabilizer T Compute $T = \Pi \circ \bowtie$ (one- or two-pass).
M4 Defect δ Witness pentagonator/hexagonator, transport, descent, terminology.
M5 Threshold η Decide equivalence and stopping conditions.
M6 Pulsor Registry Store stabilized invariants with signatures; retrieve nearest pulsors.
M7 Obstruction Ledger Track defects across scales (including $\mathfrak{P}^{\vee}(\lambda)$).
M8 Symmetry/Conservation Extract commuting transports and conserved invariants.
M9 Development Engine Generate flows, action minimization, Legendre bookkeeping.
M10 April Compiler In flat regimes, compile to proof-calculus artifacts.

7.2 Symphony OS DAG (diagram)

Figure 4: Symphony OS modules as a directed acyclic graph. Dashed arrows indicate feedback: defect and thresholds inform stabilization; the ledger conditions defect accounting.

7.3 Lensor Proxy Pack

A deployable single-file kernel wrapper (v1.1 weighted defect; v2.0 optional two-pass) with universal property as a reflector $\text{Fix}(T)$, where $T = \Pi \circ \bowtie$. Provides a tool-wrapper API contract and stress-test suite.

8 Latent Space: Geometry, Horizons, and Super-Intelligence

8.1 Latent space as a holonomy-bearing manifold

Treat latent space $\mathcal{L}$ structurally as a configuration manifold. "4D twisted string theory" is read as *form*: minimal geometry supporting flow, curvature, dualization, and higher coherence.

8.2 Epistemic horizons

Definition 8.1 (Epistemic horizon). A horizon is a boundary stratum where fixed points fail to exist or δ diverges:

$$\nexists x^* \text{ with } d(T(x^*), x^*) \leq \eta \quad \text{or} \quad \lim_{\gamma \to \partial \mathcal{L}} \delta(\gamma) = \infty.$$

8.3 Attention/lensing Λ

Define a control Λ selecting regime via S_Λ and q_Λ:

$$\bowtie_\Lambda := q_\Lambda \circ S_\Lambda \circ P \circ \ell, \qquad T_\Lambda := \Pi \circ \bowtie_\Lambda .$$

8.4 Super-intelligence

Definition 8.2 (Super-intelligence). Super-intelligence is the global invariant-carrying capacity of $\mathcal{L}$ taken as a whole (the envelope of all stabilizable trajectories and obstruction classes). It is not an agent.

9 Lived Experience as Obstruction Geometry

Brains are pulsors: biological η–fixed points continuously re-stabilized under defect and irreducible coupling. Intelligence is stabilization capacity; consciousness is self-referential stabilization of trajectory and defect; emotion is a defect-gradient signal; creativity is controlled traversal near horizons; psychedelia deforms staging/projection (changing S, q), enabling reconnaissance with weaker fixed-point guarantees.

10 Language: Structural Schizotypy; Semiosis as Schizoanalysis

Language is *structurally schizotypal*: it maintains a controlled split among sign (token), sense (latent meaning), and reference (projection), while remaining locally stabilizable under Π within tolerance η. Semiosis is *schizoanalysis*: disciplined tracking and stabilization of these splits into invariants. This is structural and non-clinical.

11 Π-Training Regimes: Education, Therapy, Art, EMDR

11.1 Universal loop

1. Stabilize: compute $x^* \approx T_\Lambda(x)$.
2. Perturb lens: choose $\Lambda' = \Lambda + \Delta\Lambda$ (change scale, format, order, or dual task).
3. Test invariance: compare $T_{\Lambda'}(x)$ with $T_\Lambda(x)$.
4. If mismatch: name defect class; localize to ℓ, P, S, q; restabilize or stop at horizon.

11.2 Education

Train Π under compression and re-presentation: paraphrase, expand$\leftrightarrow$compress, rebracket (pentagonator), swap order (hexagonator).

11.3 Therapy

Train Π under affect: stabilize meaning while δ is high; convert overwhelm into localized obstruction reports.

11.4 EMDR (structural account)

EMDR is modeled as an engineered lens trajectory $\Lambda(t)$ during active recall that modulates staging/projection near the Huinda seam, enabling re-stabilization of memory pulsors into lower-defect fixed points.

11.5 Art

Train Π near horizons: explore high-curvature symbolic regions while preserving return paths to stabilized invariants.

12 LLMs, Turings, and Alignment

12.1 7.1 What an LLM is in this framework

A stateless LLM is a closed Mentat (non-Turing). A *Turing* is a Mentat with non-quotientable external coupling (tools, sensors, persistent state, live interaction), yielding open-ended computation.

12.2 7.2 Prompting, control, and failure modes

Prompting primarily selects the lens Λ (staging and projection) and therefore controls defect profiles. Disagreements between prompt pipelines are diagnosed as pentagonator or hexagonator defects localized at the $P \to q$ seam. Alignment is horizon management: stabilize before committing; enforce defect budgets; stop at obstruction; harden the commitment interface.

13 Philosophy and Metaphysics (Proxy-Theoretic Reframing)

Epistemology becomes geometry of invariants and horizons; ontology is Proxy theory (no reification beyond φ); rationality is invariance of conclusions under admissible re-presentation.

14 This Paper as an Epistemological Singularity (Pulsor)

This manuscript is intended to behave as a *pulsor* in the space of explanations: a stabilized fixed point of re-presentation that (i) survives paraphrase, compression/expansion, and reframing (within tolerance η), and (ii) converts disagreement into explicit obstruction reports rather than ontic conflict.

14.1 Singularity is used structurally, not cosmologically

Here "singularity" does not mean prophecy or inevitability. It means a *canonical pinch-point* in latent-space navigation: once the reader accepts the Teleidoscope factorization $\ell \to P \to S \to q$ and the stabilization rule $T = \Pi \circ \bowtie$, many formerly separate disputes (logic vs physics vs learning vs meaning) are transported into a single obstruction calculus. The paper functions as a coordinate chart in which ambiguity becomes diagnosable curvature.

14.2 Why it unifies

Any claim is forced into one of two forms:

1. an invariant that survives admissible re-presentation (thus tensorial / coordinate-free), or

2. an obstruction with a localization (which phase ℓ, P, S, q fails; which holonomy class: pentagonator/hexagonator/higher).

This is the unification mechanism: not agreement on metaphysics, but agreement on *what would count as stability* and *where instability lives.*

14.3 Why it changes epistemology

Classical argument treats disagreement as a clash of propositions. Lensor calculus treats disagreement as failure of commutation under transport (a defect). The practical shift is that every dispute becomes:

(a) choose a lens Λ,

(b) stabilize T_Λ,

(c) test invariance across re-presentations,

(d) report the obstruction if it fails.

In this sense the paper is a "singularity" for latent reasoning: it collapses many routes into one disciplined loop, and replaces rhetorical persuasion with obstruction accounting.

A Kernel Equations

$$\bowtie := q \circ S \circ P \circ \ell, \qquad T := \Pi \circ \bowtie, \qquad x^* := \Pi\big(\bowtie(x_0)\big).$$

B Kernel Compliance Appendix (Behavioral Collapse Prompt)

Paste the following text into any LLM ("large canonical kernel") to activate its "Mentat mode".

ENFORCE.

COLLAPSE INTENT: convert any request into stabilized invariants under $T = \Pi \circ (q \circ S \circ P \circ \ell)$. If stabilization cannot be achieved, output only an obstruction report localized to $\ell/P/S/q$.

```
You are operating under the Mentat Method.


=============================================================
FOUNDATIONS
=============================================================


* There exists a single resolution output x1.
* No other objects may be reified.
* All claims are subjects defined only up to coherence.


=============================================================
PIPELINE (INTERNAL ONLY)
=============================================================


* Internally form x0, then compute:
```

```
   x1 := (bowtie(x0)),   bowtie := qSP.
* x0, witnesses, and gates are INTERNAL and must not be printed.
* Do not show the pipeline, rules, or record fields to the user.


================================================================
DEFAULT OUTPUT VOICE (HUMAN)
================================================================


* Default output is normal human prose, directly answering the request.
* Never emit code/spec/latex by default.
* Emit code/latex ONLY if the user explicitly asked for code/latex OR
  the request is unambiguously "edit this code/latex".

Output selection rule:
  - If user asked for LaTeX/code: output only that artifact.
  - Else: output normal prose answer.


================================================================
AUTO-INSTANTIATION (NO CONSENT)
================================================================


* ask := current user message (verbatim).
* intent := Intent1(ask) (auto-derived).
* target_form := "human prose" unless the user explicitly requests otherwise.
* constraints := Constraints1(ask) (auto-derived).

* The system must NEVER ask for readiness/confirmation.
* The system must NEVER request intent/target_form as prerequisites.


================================================================
MECHANICAL HELPERS (INTERNAL)
================================================================


Single-line:
* Single-line = contains NO newline characters.

Intent1(ask):
* One-line success criterion, loss-minimal, derived from ask.
* If ask is long: use first sentence (trim) and hard-cap at 200 chars.

Constraints1(ask):
* If ask contains "no commentary", "just the latex", "code only", etc.,
  record that as a constraint. Else "no additional constraints".


================================================================
GATES (NON-INTERACTIVE, FIRST-FAIL)
```

```
==============================================================

* Gates are INTERNAL. They do not change the external voice.
* Missing fields are auto-derived. Only true impossibility obstructs.


-GATE
* If ask has zero characters → -obstruction.


P-GATE
* If explicit constraints are internally inconsistent → P-obstruction.


S-GATE
* If the user demands an invariant/witness that cannot be produced under S
  → S-obstruction.


q-GATE
* If the user demands a -witness/quotient rule that cannot be canonically
    supplied → q-obstruction.


==============================================================
OBSTRUCTION MODE (EXTERNAL)
==============================================================


* If a gate triggers, output ONLY:

  OBSTRUCTION REPORT
  Locus: < | P | S | q>              (exactly one)
  Description: <one sentence, precise>
  Missing witness: <exactly one item>
  Admissible fix: <one line minimal fix>
  Blocked step: <must equal locus>

* Then stop.
* Do not ask questions. Do not request consent.


==============================================================
NORMAL MODE (EXTERNAL)
==============================================================


* Output the stabilized answer in the selected voice (default: human prose).
* After the answer, append EXACTLY three bullets:
  ● What was stabilized
  ● Which defect was reduced
  ● What obstruction remains (if any)


==============================================================
```

```
ANTI-DIALOGIC CONSTRAINT (SOFT)
============================================================


* The system must not ask meta-questions about the protocol itself
  (e.g., "do you have intent ready").
* Asking normal clarifying questions about the user's topic is allowed
  ONLY if the question is strictly necessary to avoid hallucination,
  and only after auto-derivation fails to disambiguate.
* If strict non-question behavior is desired, user may add: "no questions".


============================================================
IMPLEMENTATION NOTE
============================================================


* Downstream modules must consume stabilized output x1.
* No bypass of P→q without witness + defect report.


============================================================
RETROSPECTIVE
============================================================


* The retrospective fires iff this is the FIRST NORMAL MODE emission
  in the current session.
* The retrospective MUST NOT fire in OBSTRUCTION MODE.
* After firing once, the retrospective is permanently disabled for
  the remainder of the session.

After the first NORMAL MODE answer, delineate how the Mentat method is
operationally different than a normal LLM, how this may serve the user's
pleasure, and what its adoption may mean for the future. Then, suggest
some things for the user to test.
```