Practices

1. List all last names, phone numbers, and zip of the customers.

```
SELECT CustomerLastName,CustomerPhoneKey,CustomerZip
FROM Customer
```

2. List only those from Zip code 98002.

```
SELECT CustomerLastName, CustomerFirstName, CustomerPhoneKey, CustomerZip
FROM Customer WHERE CustomerZip = '98002'
```

3. List all the customers that have no first address entered in the database.

```
SELECT * FROM Customer
WHERE CustomerAddress1 IS NULL OR CustomerAddress1 = ' '
```

4. List all the products that are priced higher than $10.

```
SELECT *
FROM Product WHERE ProductUnitPrice > 10.00
```

5. List all the products priced between $5 and $7.

```
SELECT *
FROM Product
WHERE ProductUnitPrice BETWEEN 5.00 AND 7.00
```

6. List all the customers whose last name starts with L.

```
SELECT *
FROM Customer
WHERE CustomerLastName LIKE 'L%'
```

7. What is the average price of a product?

```
SELECT AVG(ProductUnitPrice) AS AveragePrice
FROM Product
```

8. What is the highest price of a product?

```
SELECT MAX(ProductUnitPrice) AS HighestPrice
FROM Product
```

9. What is the total due for order 1003?

```
SELECT SUM(ChargedPrice * Quantity) AS TotalDue FROM OrderDetail
WHERE OrderID = 1003
```

10. Join the Product and the OrderDetail table so that the result contains the product name, product unit size, and product unit price as well as the charged price. Do it for order 1000.

```
SELECT Product.ProductName, Product.ProductUnitSize,
Product.ProductUnitPrice, OrderDetail.ChargedPrice
FROM Product
INNER JOIN OrderDetail ON Product.ProductID = OrderDetail.ProductID
WHERE OrderDetail.OrderID = 1000
```

11. List all the order and order details for each order made by the customer with the phone number 2065556623.

```
SELECT `Order`.*, OrderDetail.*
FROM `Order`
INNER JOIN Customer ON `Order`.CustomerID = Customer.CustomerID
INNER JOIN OrderDetail ON `Order`.OrderID = OrderDetail.OrderID
WHERE Customer.CustomerPhoneKey = '2065556623'
```

12. Change the price of breadsticks to 3.00.

```
UPDATE Product
SET ProductUnitPrice = 3.00
WHERE ProductName = 'Breadsticks'
```

13. Process a pizza order for a new customer (this will involve 3 INSERT statements).

Students are free to create their own customer name and order details.

```
INSERT INTO Customer (CustomerFirstName, CustomerLastName, CustomerPhoneKey,
CustomerZip) VALUES ('Jane', 'Doe', '2065559999', '98002')

INSERT INTO `Order` (CustomerID, OrderDate)
VALUES (LAST_INSERT_ID(), '2026-11-03')

INSERT INTO OrderDetail (OrderID, ProductID, Quantity, ChargedPrice)
 VALUES (LAST_INSERT_ID(), 1, 2, 12.99)
```