


How to inspect HTML web page

(isambiguation).

edger technology (DLT) that
ed *blocks*, that are securely linked
Each block contains a *cryptographic*
ip, and transaction data (generally
ata nodes are represented by
transaction data existed when the
ontains information about the block
chain (compare *linked list* data
nking to the ones before it.
are irreversible in that, once they are
subsequent blocks.

a *peer-to-peer (P2P)* computer network for use as a public *distributed ledger*, where
sus *algorithm protocol* to add and validate new transaction blocks. Although blockchain
kchain forks are possible, blockchains may be considered *secure by design* and



1. Chrome -> right click -> inspect
2. The below windows will open
3. Use the below highlighted part to inspect
4. Click on the 1st icon to select from text in webpage
- 5.

Elements

ConsoleSourcesNetworkPerformanceMemoryApplicationSecurity

<!DOCTYPE html>
<html class="client-js ve-available" lang="en" dir="ltr">
<head>...</head>
<body class="mediawiki ltr sitedir-ltr mw-hide-empty-elt ns-0 ns-subject page-Blockchain rootpage-Blockchain skin-vector action-view skin-vector-legacy vector-toc-not-collapsed vector-feature-language-in-header-enabled vector-feature-language-in-main-page-header-disabled vector-feature-language-alert-in-sidebar-enabled vector-feature-sticky-header-disabled vector-feature-sticky-header-edit-disabled vector-feature-table-of-contents-disabled vector-feature-visual-enhancement-next-disabled">
 <div id="mw-page-base" class="noprint"></div>
 <div id="mw-head-base" class="noprint"></div>
 <div id="content" class="mw-body ve-init-mw-desktopArticleTarget-targetContainer" role="main">

 <div id="siteNotice">...</div>
 <div class="mw-indicators">...</div>
 <h1 id="firstHeading" class="firstHeading mw-first-heading">...</h1> == \$0
 <div id="bodyContent" class="vector-body">...</div>
 </div>
 <div id="mw-navigation">...</div>
 <div id="footer" class="mw-footer" role="contentinfo">...</div>
 <script>...</script>
 <script type="application/ld+json">...</script>
 <script type="application/ld+json">...</script>
 <script>...</script>

... html.client-js.ve-available body.mediawiki.ltr.sitedir-ltr.mw-hide-empty-elt.ns-0.ns-subject, ...

StylesComputedLayoutEvent Listeners

Filter: :hov .cls +
element.style {
}
.mw-body .mw-body .firstHeading {
 overflow: visible;
}
.mw-body h1, .mw-body-content h1 {
 font-size: 1.8em;
}
.mw-body h1, .mw-body-content h1, .mw-body-content h2 {
 margin-bottom: 0.25em;
 padding: 0;
 font-family: 'Linux Libertine', 'Georgia', 'Times', serif;
 line-height: 1.3;
}
h1 {
 font-size: 1.8em;
 font-weight: normal;
}
h1, h2 {
 margin-bottom: 0.6em;
 border-bottom: 1px solid #a2a9b1;
}

ConsoleWhat's NewIssues

Highlights from the Chrome 105 update

Step-by-step replay in the Recorder panel
Set a breakpoint and replay a recording step by step in the Recorder panel.

View Largest Contentful Paint (LCP) details
View Largest Contentful Paint (LCP) details in the Performance insights panel.

Top layer badge in the Elements panel

