



ANJOORA
ANCIENT WISDOM. MADE PERSONAL.

ARCHITECTURE AND DATA REVIEW

Multiple-Concern Integration

Proposed integration between the ANJOORA customer experience and AnjooraOps, supporting one primary concern and multiple additional concerns.

Status

For review and approval

Prepared

8 September 2026

Scope

Questionnaire → Ops → WhatsApp

Version

Proposal 1.0

1. Decision summary

A consultation may contain several concerns. AnjooraOps should store those concerns as an ordered collection while retaining one explicitly selected primary concern.

Recommended decision

Store each selected concern as a separate row in a normalized `consultation_concerns` table. Keep the current `consultations.concern` value temporarily as the primary concern for backward compatibility.

PRIMARY

One main priority

The concern tied most directly to the customer's goal and shown first to the Vaidya.

ADDITIONAL

Up to three more

Supporting concerns remain visible, searchable and ordered without being collapsed into one string.

Primary · Sleep

Calm

Energy

Why not comma-separated text?

- Filtering, reporting and counting become unreliable.
- Concern order and primary status are ambiguous.
- Duplicates and spelling variants are harder to control.
- Future per-concern metadata would require another redesign.

2. Integration boundary

```
Customer / native wrapper
|
▼
ANJOORA assessment → connect page
|
▼
POST /api/consultations on ANJOORA
| same-origin request
▼
Server-to-server request to AnjooraOps
|
├— customer
├— consultation + concerns
├— folio and review case
└— WhatsApp conversation
|
▼
folio_id + whatsapp_url → customer continues to WhatsApp
```

ANJOORA owns the customer experience, draft recovery and submission UI. AnjooraOps becomes the system of record for submitted consultations and all operational work that follows.

The browser should call a same-origin ANJOORA route. That server route forwards the request using a private Ops URL and integration credential, avoiding browser CORS complexity and preventing service credentials from reaching client JavaScript.

3. Current state and required changes

Area	Current behaviour	Required change
Assessment	Retains a primary concern and selected concerns .	Continue sending both values.
Connect page	Joins concerns into WhatsApp text and opens WhatsApp directly.	Persist in Ops first and redirect only after success.
Ops API	Accepts one concern string.	Accept primary_concern and concerns[] .
Database	Stores one concern on the consultation.	Add ordered concern records and backfill existing data.
Folio	Prints one concern line.	Display primary and additional concerns separately.
Admin	Lists a single concern.	Show primary plus count in lists and all concerns in detail.
Safety	Safety selections do not survive the current plan handoff.	Preserve and store safety flags before production use.

Priority safety gap. Medication, pregnancy, allergy and child-related answers are collected but not currently included in the plan passed to the connect page. They must be preserved and made prominent in Vaidya review.

4. API contract

Proposed request

```
{
  "name": "Example Customer",
  "whatsapp": "919876543210",
  "city": "Delhi",
  "primary_concern": "Sleep",
  "concerns": ["Sleep", "Calm", "Energy"],
  "main_goal": "Fall asleep more easily",
  "duration": "Recently (less than 4 weeks)",
  "daily_effect": "Meaningful support",
  "safety_flags": ["medication"],
  "consent": true,
  "questionnaire_version": "1.1",
  "submission_id": "client-generated-uuid"
}
```

Normalization and validation

- Continue accepting the legacy single **concern** field.
- Resolve primary concern from **primary_concern**, legacy **concern**, then the first array item.
- Trim values, remove blanks and deduplicate without changing order.
- Require between one and four supported concerns.
- Require the primary concern to be present in the collection.

The existing response remains stable: customer, consultation, folio, review-case and conversation IDs plus the Ops-generated whatsapp_url.

5. Data mapping

ANJOORA source	AnjooraOps destination
plan.concern	primary_concern
plan.concerns	concerns
name, phone, city	name, whatsapp, city
language, contactTime	language, best_time_to_message
plan.focus	main_goal
plan.duration, plan.impact	duration, daily_effect
plan.ayurveda.*	appetite, climate and energy-pattern fields
plan.dietLifestyle.*	meal, sleep and realistic-ritual fields
plan.emotions.*	stress, emotional-support and change-style fields
plan.format	preferred_format
plan.safety	safety_flags
final consent	consent value, wording, version and timestamp

Practitioner boundary

The marketing formula associated with a concern must not automatically create an operational recommendation. One human Vaidya recommendation remains attached to the complete consultation.

6. Database design

```
CREATE TABLE consultation_concerns (  
  id UUID PRIMARY KEY,  
  consultation_id UUID NOT NULL  
    REFERENCES consultations(id) ON DELETE CASCADE,  
  concern TEXT NOT NULL,  
  is_primary BOOLEAN NOT NULL DEFAULT false,  
  position SMALLINT NOT NULL,  
  UNIQUE (consultation_id, concern)  
);  
  
CREATE UNIQUE INDEX one_primary_concern_per_consultation  
ON consultation_concerns (consultation_id)  
WHERE is_primary = true;
```

Migration sequence

1. Create the table and indexes.

2. Backfill each existing consultation concern as position 0 and primary.
3. Write the legacy primary field and new concern rows in the same transaction.
4. Update folio generation, admin queries and filtering.
5. Retain the legacy field until every consumer has migrated.

Concern lists belong to one consultation. Repeat consultations remain separate historical records; concerns are not silently merged across different submissions.

7. Product behaviour

Customer submission state

```
ready → submitting → saved → WhatsApp handoff
      ↳ error → retain data → retry
```

- Do not mark submitted until Ops returns HTTP 201.
- Never open WhatsApp after a failed save.
- Keep the draft intact after network or validation errors.
- Show the returned folio ID on success.
- Use the WhatsApp URL returned by Ops; remove the hardcoded frontend number.
- Clear the local questionnaire only after successful persistence.

Ops presentation

Surface	Recommended presentation
Consultation list	Sleep +2 , with primary shown first.
Consultation detail	Ordered concern badges with a visible Primary label.
Folio	"Primary concern: Sleep" and "Other concerns: Calm, Energy".
Filters	Match when any selected concern equals the filter.
Recommendation	One recommendation covers the whole consultation in v1.

8. Reliability and security

- **Idempotency:** generate a submission UUID and enforce uniqueness in Ops.
- **Validation:** enforce catalog values, field lengths, phone normalization and request-size limits.
- **Abuse protection:** rate-limit the public route and consider Turnstile.
- **Authentication:** use a server-only integration secret between Anjoora and Ops.
- **Consent evidence:** persist wording, version and timestamp.
- **Configuration:** make Ops the source of truth for the official WhatsApp number.
- **Privacy:** avoid logging raw health context or contact details.

9. Acceptance checklist

- ❑ One concern creates one primary concern record.
- ❑ Four concerns preserve their order and exactly one primary.
- ❑ Duplicate concern values are stored only once.
- ❑ Legacy single-concern clients continue to work.
- ❑ The same submission ID cannot create duplicate consultations.
- ❑ Non-urgent safety flags appear prominently in Vaidya review.
- ❑ Urgent responses do not enter the ordinary recommendation flow.
- ❑ Failed persistence never redirects to WhatsApp.
- ❑ Successful persistence returns a folio ID and WhatsApp URL.
- ❑ List, detail and filters correctly handle any selected concern.
- ❑ Existing records display correctly after migration.

10. Implementation and review decisions

1. Approve concern semantics and catalog values.
2. Preserve safety selections through ANJOORA and Ops.
3. Add concern and idempotency structures; backfill existing data.
4. Update the Ops API to normalize and transactionally store concerns.
5. Add the same-origin ANJOORA proxy and integration key.
6. Replace direct WhatsApp generation with save-first submission.
7. Update Ops list, detail, folio and filtering.
8. Test questionnaire → review queue → WhatsApp → inbound conversation.

DECISION 1

Identifiers

Use display labels for v1 or introduce stable codes such as `sleep`, `calm` and `energy`.

DECISION 2

Urgent evidence

Decide whether an urgent stop creates a minimal audit event or remains only on the device.

DECISION 3

Deployment

Confirm separate customer and Ops deployments with server-to-server communication.

DECISION 4

Recommendation

Confirm one Vaidya recommendation per consultation for the initial release.