- 1. Why would a developer use Test.startTest() and Test.stopTest()?
  - A. To avoid Apex code coverage requirements for the code between these lines
  - B. To start and stop anonymous block execution when executing anonymous Apex code.
  - C. To indicate test code so that it does not impact Apex line count governor limits
  - D. To create an additional set of governor limits during the execution of a single test class.
- 2. What must the Controller for a Visulforce page utilized to override the standard Opportunity view button?
  - A. The StandardSetController to support related lists for pagination
  - B. The Opportunity StandardController for pre-built functionality
  - C. A callback constructor to reference the StandardController
  - D. A constructor that initialized a private Opportunity variable.
- 3. A developer uses a before insert Trigger on the Lead object to fetch the Territory\_c object, where the Territory.PostalCode\_c matches the Lead.PostalCode. The code fails when the developer uses the Apex Data Loader to insert 10000 Lead records. The developer has the following code block:

Which line of code is causing the code block to fail?

- A. 03: A SQOL query is located inside of the for loop code.
- B. 01: Trigger.new is not valid in a before insert Trigger.
- C. 02: A NullPointer exception is thrown if PostalCode is null.
- D. 05: The Lead in the before insert trigger cannot be updated.
- 4. What would a developer do to update a picklist field on a related Opportunity records when a modification to the associated Account record is detected?
  - A. Create a process with a process builder.

- B. Create a Workflow Rule with a field update.
- C. Create a Lightning component.
- D. Create a Visualforce page.
- 5. Which requirement needs to be implemented using standard workflow instead of Process Builder? Choose 2 answers
  - A. Create activities at multiple intervals
  - B. Send outbound message without Apex code
  - C. Copy an account address to its contacts
  - D. Submit a contract for approval
- 6. An org has a different Apex classes that provide Account-related functionality. After a new validation rule is added to the Account object, many of the test methods fail.

What can be done to resolve failures and reduce the number of code changes needed in future validation rules? Choose 2 answers.

- A. Create a method that creates valid Account records, and call this method from within test methods.
- B. Create a method that loads valid Account records from static resource, and call this method within test methods.
- C. Create a method that performs a callout for a valid Account record, and call this method within test methods.
- D. Create a method that queries for valid Account records, and call this method within test methods.
- 7. Which component is available to deploy using Metadata API? Choose 2 answers.
  - A. Case Layout
  - **B.** Account Layout
  - C. Case Feed Layout
  - D. Console Layout
- 8. In the code below, what type does Boolean inherit from? Boolean b = true;
  - A. Enum
  - B. Object
  - C. String
  - D. Class
- 9. What is the preferred way of accessing web content—such as images, stylesheets, JavaScript, and other libraries—that is used in Visualforce pages?
  - A. By accessing the content from Chatter Files.
  - B. By uploading the content in the documents tab.
  - C. By accessing the content from a third-party CDN.
  - D. By uploading the content as a Static Resource.
- 10. A company has a custom object named Warehouse. Each Warehouse record has a distinct record owner, and is related to parent Account in Salesforce.

Which kind of relationship would the developer use to relate the Account to the warehouse?

- A. One-to-Many
- B. Lookup
- C. Master-Detail
- D. Parent-Child
- 11. A developer creates a Workflow Rule declaratively that updates a field on an Object. An Apex trigger exists for the object.

#### What happens when a user updates a record?

- A. No changes are made to the data.
- B. Both Apex Trigger and Workflow Rule are fired only once.
- C. The workflow Rules is fired more than once.
- D. The Apex Trigger is fired more than once.
- 12. What is true of a partial sandbox that is not true of a full sandbox?
  - A. More frequent refreshes
  - B. Only includes necessary meta data
  - C. Use of change sets
  - D. Limited to 5 GB of data
- 13. In which order does Salesforce execute events upon saving a record?
  - A. Before Triggers; Validation Rules; After Triggers; Assignment Rules; Workflow Rules; Commit
  - B. Validation Rules; Before Triggers; After Triggers; Workflow Rules; Assignment Rules; Commit
  - C. Before Triggers; Validation Rules; After Triggers; Workflow Rules; Assignment Rules; Commit
  - D. Validation Rules; Before Triggers; After Triggers; Assignment Rules; Workflow Rules; Commit
- 14. When loading data in to an Organization, what can a developer do to match records to update existing records?

  Choose 2 answers
  - A. Match an external Id text field to a column in the imported file
  - B. Match the Id field to a column in the imported file.
  - C. Matched the Name field to a column in the imported file
  - D. Matches an auto-generated Number field to a column in the imported file
- 15. In an organization that has enabled multiple currencies, a developer needs to aggregate sum of the Estimated\_value\_\_c currency field from the CampaignMember object using a roll-up summary field called Total\_Estimate\_Value\_\_c field on Campaign.

How is the currency of the Total\_Estimate\_Value\_\_c roll-up summary field determined?

- A. The values in the CampaignMember. Estimated\_value\_\_c are converted into the currency of the Campaign record, and the sum is displayed using the currency on the Campaign record.
- B. The values in the CampaignMember. Estimated\_value\_\_c are converted into the currency on the majority of CampaignMember records and the sum is displayed using that currency

- C. The values in the CampaignMember. Estimated\_value\_\_c are summed up and the resulting Total\_Estimated\_Value\_\_c field is displayed as a numeric field on the Campaign record.
- D. The values in the CampaignMember. Estimated\_value\_\_c are converted into the currency of the current user, and the sum is displayed using the currency on the Campaign record.
- 16. A candidate may apply to multiple jobs at the company Universal Container by submitting a single application per job posting. Once an application submitted for a job posting, that application cannot be modified to be resubmitted to a different job posting.

What can the administrator do to associate an application with each job posting in the schema for the organization?

- A. Create a lookup relationship on both objects to a junction object called Job Posting Applications.
- B. Create a master-detail relationship in the Job Posting custom object to the Applications custom object.
- C. Create a master-detail relationship in the Applications custom object to the Job Posting custom object.
- D. Create a lookup relationship in the Applications custom object to the Job Posting custom object.
- 17. What is a characteristic of the Lightning Component framework? Choose 2 answers.
  - A. It has an event-driven architecture.
  - B. It works with existing Visualforce pages.
  - C. It includes responsive components
  - D. It uses XML as its data format
- 18. What is a capability of cross-object formula field? Choose 3 answers.
  - A. Formula fields can reference fields from mater-detail or lookup parent relationships.
  - B. Formula fields can expose data the user does not have access to in the record
  - C. Formula fields can be used in three roll-up summaries per object
  - D. Formula fields can reference fields in a collection of records from a child relationship
  - E. Formula fields can reference fields from object that are up to 10 relationships away.
- 19. A developer has a block of code that omits any statements that indicate whether the block should execute with or without sharing.

What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the Salesforce organization?

- A. Apex Trigger
- B. Http Callout
- C. Apex Controllers
- D. Anonymous Blocks
- 20. A developer creates an Apex trigger using the Developer Console and now wants to debug code. How can the developer accomplish this in the Developer Console?
  - A. Select the override Log Triggers checkbox for the trigger.
  - B. Add the user name in the Log Inspector
  - C. Open the progress tab in the Developer Console
  - D. Open the Logs tab in the Developer Console

#### 21. Which data structure is returned to developer when performing a SOSL search?

- A. A list of lists of sObjects
- B. A map of sObject types to a list of sObjects
- C. A map of sObject types to a list of lists of sObjects
- D. A list of sObjects

#### 22. How can a developer avoid exceeding governor limits when using an Apex Trigger? Choose 2 answers.

- A. By using a helper class that can be invoked from multiple triggers.
- B. By using the Database class to handle DML transactions.
- C. By using Maps to hold data from query results.
- D. By performing DML transactions on lists of sObjects

#### 23. What is the correct pattern to follow when programming in Apex on muti-tenant platform?

- A. Apex code is created in a separate environment from schema to reduce the deployment errors.
- B. DML is performed on one record at a time to avoid possible data concurrency issues.
- C. Queries select the fewer fields and records possible to avoid exceeding governor limits.
- D. Apex classes use the "with sharing" keyword to prevent access from server tenants

# 24. What should a developer working in a sandbox use to exercise a new test class before the developer deploys that test class to production? Choose 2 answers

- A. The REST API and ApexTestRun method
- B. The Apex Test Execution page in Salesforce Setup
- C. The Test menu in the Developer Console
- D. The Run Tests page in the Salesforce Setup

# 25. A company that uses a custom object to track candidate would like to send candidate information automatically to a third-party human resource system when a candidate is hired.

What can a developer do to accomplish this task?

- A. Create an escalation rule to the hiring manager
- B. Create an auto response rule to the candidate
- C. Create a Process Builder with an outbound message action
- D. Create a workflow rule with an outbound message action

#### 26. What is accurate statement about with sharing keyword? Choose 2 answers

- A. Inner classes do not inherit the sharing settings from the container class.
- B. Both inner and outer classes can be declared as with sharing.
- C. Either inner or outer classes can be declared as with sharing, but not both.
- D. Inner classes inherit the sharing settings from the container class.

#### 27. How can a developer refer to, or instantiate a PageReference in Apex? Choose 2 answers

- A. By using a PageReference with a partial or full URL
- B. By using Page object and a Visualforce page name.
- C. By using the ApexPages.Page() method with a Visualforce page name.
- D. By using the PageReference.Page() method with a partial or full URL.

28.	Which standard field needs to be populated when a developer inserts a new Contact records programmatically?		
	A.	AccountId	
	В.	Name	
	C.	LastName	
	D.	FirstName	
29.	Wh	nat is minimum log level needed to see user-generated debug statements?	
	A.	DEBUG	
	В.	FINE	
	C.	INFO	
	D.	WARN	
30.	A d	eveloper creates a new Visualforce page and Apex extension, and writes test classes that exercise 95% coverage of	
		new Apex extension.	
		ange set deployment to production fails with the test coverage warning: "Average test coverage across all Apex sees and Triggers is 74%, at least 75% test coverage is required."	

- A. Create test classes to exercise the Visualforce page markup.
- B. Select "Disable Parallel Apex Testing" to run all the tests.
- C. Add test methods to existing test classes from previous deployments.

What can the developer do to successfully deploy the new Visualforce page and the extension?

- D. Select "Fast Deployment" to bypass running all the tests.
- 31. A developer needs to automatically populate the Reports To field in a Contact record on the values of the related Account and Department fields in the Contact record.

Which type of trigger would the developer create? Choose 2 answers

- A. before update
- B. after insert
- C. before insert
- D. after update
- 32. A developer is creating an application to track engine and their parts. An individual part can be used in different types of engines.

What data model should be used to track the data to prevent orphan records?

- A. Create a junction object to relate many engine to many parts through a master-detail relationship
- B. Create a master-detail relationship to represent the one-to-many model of engine parts.
- C. Create a lookup relationship to represent how each part relates to the parent engine object.
- D. Create a junction object to relate many engines to many parts through a lookup relationship
- 33. To which data type in Apex a currency field automatically assigned?
  - A. Integer

- B. Decimal
- C. Double
- D. Currency
- 34. Which resource can be included in a Lightning Component bundle?
  - A. Apex class
  - B. Adobe Flash
  - C. Javascript
  - D. Documentation
- 35. A custom exception names "RecordNotFoundException" is defined by the following code block. public class RecordNotFoundException extends Exception {}

Which statement can a developer use to throw the custom exception? Choose 2 answers

- A. throw new RecordNotFoundException("Problem occurred");
- B. throw new RecordNotFoundException();
- C. thow RecordNotFoundException("Problem occurred");
- D. throw RecordNotFoundException();
- 36. When creating unit tests in Apex, which statement is accurate?
  - A. Unit tests with multiple methods result in all methods falling every time one method fails.
  - B. Increased test coverage requires large test classes with many lines of code in one method.
  - C. Triggers do not require any unit tests in order to deploy them from sandbox to production.
  - D. System Asset statements that do not increase code coverage contribute important feedback in unit tests.
- 37. <<Question is not complete>>
- 38. What is a valid Apex statement?
  - A. Map conMap = [ SELECT name FROM Contact ];
  - B. Account[] accList = new List<Account>{new Account()};
  - C. Integer w, x, y = 123, z = 'abc';
  - D. private static constant Double rate = 7.75;
- 39. A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple sObjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL.

Which statement is unnecessary inside the unit test for the custom controller?

- A. public ExtendController(ApexPages.StandardController cntrl) {}
- B. ApexPages.currentPage().getParameters().put('input', 'TestValue');
- C. Test.setCurrentPage(pageref);
- D. String nextPage = controller.save().getUrl();
- 40. A developer wants to display all of the available record types for a Case object. The developer also wants to display the picklist values for the Case. Status field. The Case object and the Case. Status field are on a custom Visualforce page.

Which action can the developer perform to get the record types and picklist values in the controller? Choose 2 answers.

- A. Use Schema.PicklistEntry returned by Case.Status.getDescribe().getPicklistValues();
- B. Use Schema.RecordTypeInfo returred by Case.SObjectType.getDescribe().getRecordTypeInfos();
- C. Use SOQL to query records in the org to get all the RecordType values available for Case.
- D. Use SOSL to query Case records in the org to get all values for the Status picklist field.
- 41. An sObject named Application\_c has a lookup relationship to another sObject named Position\_c.

  Both Application\_c and Position\_c have a picklist field named Status\_c.

When the Status\_c field on Position\_c is updated, the Status\_c fields on Application\_c needs to be populated automatically with the same value, and execute a workflow rule on Application\_c.

#### How can a developer accomplish this?

- A. By changing the Application\_c.Status\_c into a roll-up summary field.
- B. By changing the Application\_\_c.Status\_\_c into a formula field.
- C. By using an Apex trigger with a DML operation
- D. By configuring a cross-object field update with a workflow.
- 42. A developer wrote a workflow email alert on case creation so that an email is sent to the case owner manager when a case is created.

When will the email be sent?

- A. Before Trigger execution
- B. After committing to database.
- C. Before committing to database.
- D. After Trigger Execution
- 43. Which type of code represents the Controller in MVC architecture on the Force.com platform? Choose 2 answers.
  - A. JavaScript that is used to make a menu item display itself.
  - B. StandardController system methods that are referenced by Visualforce.
  - C. Custom Apex and JavaScript code that is used to manipulate data.
  - D. A static resource that contains CSS and images.
- 44. A developer needs to provide a Visualforce page that lets users enter Product-specific details during a Sales cycle.

### How can this be accomplishes? Choose 2 answers

- A. Download a Managed Package from the AppExchange that provides a custom Visualforce page to modify.
- B. Create a new Visualforce page and an Apex controller to provide Product data entry
- C. Copy the standard page and then make a new Visualforce page for Product data entry.
- D. Download an Unmanaged package from the AppExchange that provides custom Visualforce page to modify.
- 45. A developer writes a before insert trigger.

How can the developer access the incoming records in the trigger body?

- A. By accessing the Trigger.new context variable.
- B. By accessing the Trigger.newRecords context variable.
- C. By accessing the Trigger.newMap context variable.
- D. By accessing the Trigger.newList context variable.
- 46. A developer in a Salesforce org with 100 executes the following code using the Developer Console:

insert new Account(Name='MyAccount');

How many accounts are in the org after this code is run?

- A. 101
- B. 100
- C. 102
- D. 252
- 47. The Review\_c object has a lookup relation up to the Job\_Application\_c object. The Job\_Application\_c object has a master-detail relationship up to the Position\_c object. The relationship names are based on auto-populated defaults.

What is the recommended way to display field data from the related Review\_c records on a Visualforce page for a single Position\_c record?

- A. Utilized the Standard Controller for Position\_c and cross-object Formula fields on the Job\_Application\_c object to display Review\_c data.
- B. Utilized the Standard Controller for Position\_c and Controller Extension to query for Review\_c data.
- C. Utilized the Standard Controller for Position\_\_c and expression syntax in the page to display related Review\_\_c data through the Job\_Application\_\_c object.
- D. Utilized the Standard Controller for Position\_c and cross-object formula fields on the Review\_c object to display Review c data.
- 48. What is a capability of Froce.com IDE? Choose 2 answers
  - A. Roll back deployments
  - B. Run Apex tests.
  - C. Download debug logs.
  - D. Edit metadata components
- 49. Which code segment can be used to control when the doWork() method is called.

# 50. When would a developer use a custom controller instead of a controller extension? Choose 2 answers

- A. When a Visualforce page needs to replace the functionality of a standard controller.
- B. When a Visualforce page does not reference a single primary object.
- C. When a Visualforce page should not enforce permissions or field-level security.
- D. When a Visualforce page needs to add new actions a standard controller.

# 51. What is a valid statement about Apex classes and interfaces? Choose 2 answers

- A. The default modifier for a class is private.
- B. Exception classes must end with the word exception
- C. A class can have multiple levels of inner classes.
- D. The default modifier for an interface is private.
- 52. A developer has a following trigger that fires after insert and creates a child Case whenever a new Case is created.

# What happens after the code block executes?

- A. Multiple child cases are created for each parent case in Trigger.new
- B. A child case is created for each parent case in Trigger.new.
- C. The trigger enter an infinite loop and eventually fails.
- D. The trigger fails if the Subject field on the Parent is blank.

53. A developer wants to create a custom object to track Customer Invoices.

How should Invoices and Accounts be related to ensure that all Invoices are visible to everyone with access to an Account?

- A. The Account should have a Lookup relationships to the Invoice.
- B. The Invoice should have a Master-Detail relationship to the Account
- C. The Account should have a Master-Detail relationship to the Invoice.
- D. The Invoice should have a Lookup relationship to the Account
- 54. What is a valid source and destination pair that can send or receive change sets? Choose 2 answers.
  - A. Sandbox to production
  - B. Developer edition to sandbox
  - C. Developer edition to production
  - D. Sandbox to sandbox.
- 55. A developer needs to create records for the object Property\_c. The developer creates the following code block:

Which line of code would the developer insert at line 03 to ensure that at least some records are created, even if a few records have errors and fail to be created?

- A. Database.insert(propertiesToCreate, System.ALLOW PARTIAL);
- B. insert propertiesToCreate;
- C. Database.insert(propertiesToCreate, false);
- D. Database.insert(propertiesToCreate);
- 56. When a number of records in a recordset is unknown, which control statement should a developer use to implement set of code that executes for every record in the recordset, without performing a .size() or .length() method call?

```
A. For (int_stmt; exit_condition;incr_stmt) { ... }
B. Do { .. } while(Condition)
C. For (variable : list_or_set) {...}
D. While (Condition) {...}
```

- 57. What is the result when a Visualforce page calls an Apex controller, which calls another Apex class, which then results in hitting a governor limit?
  - A. Any change up to the error are saved.
  - B. Any changes up to the error are rolled back.
  - C. All changes before a savepoint are saved.
  - D. All changes are saved in the first Apex class.

58. A developer has the following code block:

To calculate the ProductTax, which code segment would a developer insert at the XXXXXXXXXXXXXX to make the value the class variable SalesTax accessible within the trigger?

- A. SalesTax
- B. PayTax. SalesTax
- C. PaymentTaxt. SalesTax
- D. OpportunityLineItemTrigger. SalesTax
- 59. On a Visualforce page with a custom controller, how should a developer retrieve a record by using an ID parameter that is passed on the URL?
  - A. Use the constructor method for the controller.
  - B. Use the \$Action. View method in the Visualforce page.
  - C. Create a new PageReference object with the Id.
  - D. Use the <apex:detail> tag in the Visualforce page
- 60. A developer wrote a workflow email alert on case creation so that an email is sent to the case owner manager when a case is created.

When will the email be sent?

(Same as question 42)

- A. Before Trigger execution
- B. After committing to database.
- C. Before committing to database.
- D. After Trigger Execution
- 61. A developer creates an Apex helper class to handle complex trigger logic.

How can the helper class warn users when the trigger exceeds DML governor limits?

- A. By using ApexMessage.Message() to display an error message after the number of DML statements is exceeded.
- B. By using Messaging. SendEmail() to continue the transaction and send an alert to the user after the number of DML statements is exceeded.
- C. By using PageReference.setRedirect() to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.
- D. By using Limits.getDMLRows() and then display an error message before the number of DML statements is exceeded.

### 62. Which user can edit a record after it has been locked for approval?

- A. An Administrator
- B. Any user who approved the record previously
- C. A user who assigned as the current approver
- D. Any user with a higher role in the hierarchy
- 63. Which information is provided by the Checkpoints tab in the developer console? Choose 2 answers.
  - A. Exception
  - B. Debug statement
  - C. Namespace
  - D. Time

#### 64. What is the proper process for an Apex Unit Test?

- A. Query for test data using SeeAllData=true. Call the method being tested. Verify that the results are correct.
- B. Create data for testing. Execute runAllTests(). Verify that the results are correct.
- C. Create data for testing. Call the method being tested. Verify that the results are correct.
- D. Query for test data using SeeAllData=true. Execute runAllTests(). Verify that the results are correct.
- 65. A developer needs to provide a Visualforce page that lets users enter Product-specific details during a Sales cycle.

How can this be accomplishes? Choose 2 answers

(Repeat 44)

- A. Download a Managed Package from the AppExchange that provides a custom Visualforce page to modify.
- B. Create a new Visualforce page and an Apex controller to provide Product data entry
- C. Copy the standard page and then make a new Visualforce page for Product data entry.
- D. Download an Unmanaged package from the AppExchange that provides custom Visualforce page to modify.
- 66. What declarative method helps ensure quality data? Choose 3 answers
  - A. Exception handling
  - B. Workflow alerts
  - C. Validation rules
  - D. Lookup filters
  - E. Page layouts

}

- 67. What is an accurate constructor for a custom controller named "MyController"?
  - A. public MyController() {
     account = new Account();
     }B. public MyController(SObject obj) {
     account = (Account) obj;
     }

```
    C. public MyController(List<SObject> objects) {
        accounts = (List<Account>) objects;
    }
    D. public MyController(ApexPages.StandardController stdController) {
        account = (Account) stdController.getRecord();
    }
```

68. A company wants a recruiting app that models candidates and interviews; displays the total number of interviews each candidate record; and defines security on interview records that is independent from the security candidate records.

What would a developer do to accomplish this task? Choose 2 answers.

- A. Create a roll-up summary field on the Candidate object that counts Interview records.
- B. Create a master-detail relationship between the Candidate and Interview objects.
- C. Create a lookup relationship between the Candidate and Interview objects.
- D. Create a trigger on the Interview object that updates a field on the Candidate object.
- 69. What is a good practice for a developer to follow when writing a trigger? Choose 2 answers.
  - A. Using the Map data structure to hold query results by ID.
  - B. Using @future methods to perform DML operations.
  - C. Using the set data structure to ensure distinct records.
  - D. Using asynchronous callouts to call external systems.
- 70. Which code block returns the ListView of an Account object using the following debug statement?

system.debug(controller.getListViewOptions());

- A. ApexPages.StandardSetController controller = new ApexPages.StandardSetController([ SELECT Id from Account LIMIT 1]);
- B. ApexPages.StandardController = new ApexPages.StandardController(Database.queryLocator('SELECT Id from Account LIMIT 1'));
- C. ApexPages.StandardController controller = new ApexPages.StandardController([ SELECT Id from Account LIMIT 1]);
- D. ApexPages.StandardSetController controller = new ApexPages.StandardSetController(Database.queryLocator('SELECT Id from Account LIMIT 1'));
- 71. Which data type of collection of data types can SOQL statements populate or evaluate to? Choose 3 answers.
  - A. A Boolean
  - B. An Integer
  - C. A list of sObjects
  - D. A single sObject
  - E. A String
- 72. Which action can a developer perform in a before update trigger?

- A. Update the original object using an update DML operation.
- B. Delete the original object using a delete DML operation.
- C. Change the field value using the Trigger. New context variable.
- D. Display a custom error message in the application interface.

# 73. Where can debug log filter setting be set?

- A. The filter link by the monitored user's name within the web UI.
- B. The Show More link on the debug log's record.
- C. On the monitored user's name.
- D. The Log Filters tab on a class or trigger detail page.
- 74. What is the value of x after the code segment executes?

```
String x = 'A';
Integer i = 10;
if ( i < 15 ) {
    i = 15;
    x = 'B';
} else
if ( i < 20 ) {
    x = 'C';
} else {
    x = 'D';
}
```

- A.B
- B. C
- C. D
- D. A
- 75. When can a developer use a custom Visualforce page in a Force.com application? Choose 2 answers.
  - A. To create components for dashboards and layouts
  - B. To deploy components between two organizations
  - C. To generate a PDF document with application data
  - D. To modify the page layout settings for a custom object.
- 76. Which statements about the Lookup Relationship between a Custom Object and a Standard Object is correct?
  - A. The Lookup Relationship on the Custom Object can prevent the deletion of the Standard Object.
  - B. The Lookup Relationship cannot be marked as required on the page layout for a custom object.

- C. The Custom Object will be deleted when the referenced Standard Object is deleted.
- D. The Custom Object inherits security from the referenced Standard Object
- 77. A reviewer is required to enter a reason in the comments field only when a candidate is recommended to be hired.

Which action can a developer take to enforce this requirement?

- A. Create a required comment field
- B. Create a formula field
- C. Create a validation rule.
- D. Create a required Visulforce component.
- 78. The Sales Management team hires a new intern. The intern is not allowed to view Opportunities, but needs to see the Most Recent Closed Date of all child Opportunities when viewing an Account record.

What would a developer do to meet this requirement?

- A. Create a Workflow rule on the Opportunity object that updates a field on the parent Account.
- B. Create a formula field on the Account object that performs a Max on the Opportunity Close Date field.
- C. Create a roll-up summary field on the Account object that performs a Max on the Opportunity Close Date field.
- D. Create a trigger on the Account object that queries the Close Date of the most recent Opportunities.
- 79. (Repeat 55)
- 80. On which object can an administrator create a roll-up summary field?
  - A. Any object that is on the master side of a master-detail relationship.
  - B. Any object that is on the parent side of a lookup relationship.
  - C. Any object that is on the detail side of a master-detail relationship.
  - D. Any object that is on the child side of a lookup relationship.
- 81. What is a valid source and destination pair that can send or receive change sets? Choose 2 answers

(Repeat 54)

- A. Sandbox to production
- B. Developer edition to sandbox
- C. Sandbox to sandbox
- D. Developer edition to production
- 82. A Visualforce page has a standard controller for an object that has a lookup relationship to a parent object. How can a developer display data from the parent record on the page?
  - A. By using SOQL on the Visualforce page to query for data from the parent record.

- B. By using merge field syntax to retrieve data from the parent record.
- C. By adding a second standard controller to the page for the parent record.
- D. By using a roll-up formula field on the child record to include data from the parent record.
- 83. A developer needs to create a Visualforce page that will override the standard Account edit button. The page will be used to validate the account's address using a SOQL query. The page will also allow the user to make edits to the address.

Where would the developer write the Account address verification logic?

- A. In a Controller Extension
- B. In a custom controller
- C. In a standard controller
- D. In a standard extension
- 84. A developer wants to list all of the Tasks for each Account on the Account detail page.

  When a Task is created for a Contact, what does the developer need to do to display the Task on the related Account record?
  - A. Create an Account formula field that displays the Task information
  - B. Nothing. The Task is automatically displayed on the Account page.
  - C. Create a Workflow Rule to relate the Task to the Contact's Account.
  - D. Nothing. The Task cannot be related to an Account and a Contact.
- 85. What is a capability of a StandardSetController? Choose 2 answers
  - A. It extends the functionality of a standard or custom controller.
  - B. It allows pages to perform mass updates of records.
  - C. It allows pages to perform pagination with large record sets.
  - D. It enforces field-level security when reading large record sets.
- 86. A developer has the following code.

```
try {
    List<String> nameList;
    Account a;
    String s = a.Name;
    nameList.add(s);
} Catch(ListException le) {
    System.debug('List Exception');
} Catch(NullPointerException npe) {
    System.debug('NullPointer Exception');
} Catch(Exception e) {
    System.debug('Generic Exception');
```

# What message would be logged?

- A. No message is logged.
- B. Generic exception.
- C. List Exception.
- **D.** NullPointer Exception
- 87. Which statement about change set deployments is accurate? Choose 3 answers
  - A. They can be used only between related organizations.
  - B. They require a deployment connection.
  - C. They use an all or none deployment model.
  - D. They can be used to transfer Contact records.
  - E. They can be used to deploy custom settings data.
- 88. How would a developer determine if a co\_\_c created has been manually shared within the current user in APEX?
  - A. by calling the profile settings of the current user.
  - B. By querying co\_\_share
  - C. By querying the role heirarchy
  - D. By calling the
- 89. How would a developer use Schema Builder to delete a custom field from the Account object that was required for prototyping but is no longer needed?
  - A. Remove all the references in the code and then the field will be removed from Schema Builder
  - B. Remove all references from the code and then delete the custom field from Schema builder.
  - C. Mark the field for deletion in Schema Builder and then delete it from the declarative UI.
  - D. Delete the field from Schema Builder and then all references in the code will be removed.
- 90. What is an accurate statement about variable scope? Choose 3 answers.
  - A. Sub-blocks cannot reuse a parent block's variable name.
  - B. A variable can be defined at any point in a block.
  - C. Parallel blocks can use the same variable name.
  - D. Sub-blocks can reuse a parent block's variable name if its value is null.
  - E. A static variable can restrict the scope to the current block if its value is null.
- 91. When the value of a field of an account record is updated, which method will update the value of a custom field opportunity? Choose 2 answers.

- A. An Apex trigger on the Account object.
- B. A process builder on the Account object.
- C. A cross-object formula field on the Account object
- D. A workflow rule on the Account object.

# 92. A developer creates and APEX class that includes a private methods What can a developer do to ensure that the private methods can be accessed by the test class?

- A. Add the TestVisible attribute to the Apex class.
- B. Add the SeeAllData attribute to the test method.
- C. Add the SeeAllData attribute to the test class.
- D. Add the TestVisible attribute to the Apex methods.

#### 93. Which scenario is invalid for execution by unit tests?

- A. Executing methods for negative test scenarios.
- B. Executing methods as different users.
- C. Loading test data in place of user input for flows.
- D. Loading the standard Pricebook ID using a system method.

# 94. A developer runs the following anonymous code block:

```
List<Account> acc = [select id from Account limit 10];
```

Delete acc;

Database.emptyRecycleBin(acc);

System.debug(Limits.getDMLStatements()) + ', ' + Limits.getLimitDMLStatements());

What is the result?

- A. 11, 150
- B. 150, 2
- C. 150, 11
- D. 2, 150

# 95. Where can a custom roll-up summary fields be created using standard object relationships?

- A. On Account using Case record
- B. On Account using Opportunity record
- C. On Opportunity using Opportunity Product record
- D. On Quote using Order record
- E. On Campaign using Campaign Member record

# 96. A developer has the following query:

# Contact c = [ select id, email from Contact where lastname='Smith' ];

What does the query return if there is no Contact with the last name "Smith"?

- A. A contact with empty values
- B. A contact initialized to null.
- C. An empty list of contacts
- D. An error that no rows are found.

### 97. What is an important consideration when developing in a multi-tenant environment?

- A. Polyglot persistence provides support for a global, multilingual user base in a multiple org on multiple instances.
- B. Governor limits prevent tenants from impacting performance in multiple orgs on the same instance.
- C. Unique domain names take the place of namespaces for code developed for multiple orgs on multiple instances.
- D. Org-wide data security determines whether other tenants can see data in multiple orgs on the same instance.
- 98. In Lightning component framework, which resource can be used to fire events? Choose 2 answers.
  - A. Visualforce controller actions
  - B. Third-party web service code
  - C. Third-party Javascript code
  - D. Javascript controller actions
- 99. What is a capability of formula field? Choose 3 answers.
  - A. Display a previous value for a field using the PRIORVALUE function
  - B. Return and display a field value from another object using VLOOKUP function.
  - C. Determine which of the three different images to display using IF function
  - D. Generate a link using HYPERLINK function to a specific record in a legacy system.
  - E. Determine if a datetime field has passed using the NOW function.
- 100. A developer has a block of code that omits any statements that indicate whether the code block should execute with or without sharing.

What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the salesforce organization?

- A. Anonymous block
- B. Apex controllers
- C. Http callouts
- D. Apex triggers
- 101. In a single record, a user selects multiple-values from a multi-select picklists.

# How are the selected values represented in Apex?

- A. As a String with each value separated by a comma.
- B. As a List<String> with each value as an element in the list
- C. As a String with each value separated by a semicolon.
- D. As a Set<String> with each value as an element in the Set.
- 102. What is a capability of the Force.com IDE? Choose 2 answers.
  - A. Edit metadata components
  - B. Run Apex tests.
  - C. Download debug logs.
  - D. Roll back deployments
- 103. Refer the image
- 104. A developer writes a SOQL query to find child records for a specific parent. How many levels can be returned in a single query?
  - A. 3
  - B. 5
  - C. 1
  - D. 7
- 105. A developer wants to know if all tests currently pass in a Salesforce environment. Which feature can the developer use? Choose 2 answers.
  - A. Developer console
  - B. ANT migration tool
  - C. Salesforce UI Apex Test Execution
  - D. Workbench Metadata Retrieval
- 106. What statement should a developer avoid using inside procedural loops? Choose 2 answers.
  - A. System.debug();
  - B. update contactList;
  - C. List<Contact> contacts = [ select id from Contact ];
  - D. if(o.accountId == a.id)

	<ul> <li>A. List objList = Test.loadData(Account.sObjectType, 'myResource');</li> <li>B. Pricebook pb = new Pricebook();</li> <li>C. Id pricebookId = Test.getStandardPricebookId();</li> <li>D. IsTest(SeeAllData=false)</li> </ul>
108.	How can a developer determine, from the DescribeSObjectResult, if the current user will be able to create record an object in Apex?
	<ul> <li>A. By using the hasAccess() method.</li> <li>B. By using the isCreatable() method.</li> <li>C. By using the isInsertable() method.</li> <li>D. By using the canCreate() method.</li> </ul>
109.	Repeat
110.	Repeat
111.	Repeat
112.	Repeat
113.	Repeat
	The sales management team requires that the lead source field of the Lead record be populated when lead is converted. What would a developer use to ensure that a user populates the Lead source field?
	A. Process builder
	B. Validation rule
	C. Formula field
	D. Workflow rule
	Repeat
	Repeat
117.	Repeat
118.	Where can a developer create managed package
	A. Developer Edition
	•
	B. Developer Sandbox

107. Which statement would a developer use when creating test data for products and pricebooks?

# 119. Where can a developer call external javascript

- A. <link>
- B. <apex:define>
- C. <apex:includeScript>
- D. <script>

# 120. What is the advantage of Salesforce Lightning

- A. Pre-defined components to give Standard Look and Feel
- B. Uses service side for better handling