




EOG Contamination by Classification Outcome




Subject EOG vs Error Rate ($r=0.111$, $p=0.776$)




Time-Resolved EOG Contamination




Subject-Level Within-Trial EOG Variability




Baseline vs Motor Imagery EOG Contamination




Subject-Band Changes in EOG Contamination




EEGNet Accuracy: Raw vs Cleaning Conditions




EEGNet Macro_F1: Raw vs Cleaning Conditions




Subject-Level Accuracy Improvement Across Cleaning Conditions




EEGNet Performance Across EOG Suppression Strength



Focused Suppression Strength Comparison



Cleaning Response Groups



Nested LOOCV Responder Classification

Actual Group

Harmed

5

0

Responder


0

4


Harmed

Predicted Group


Responder




Exact Responder Permutation 126 balanced-label permutations




Raw vs Adaptive Cleaning Accuracy




Binary Adaptive Cleaning Policy




$\lambda = 0.75$ Relative Band-Power Changes




$\lambda = 0.75$ Class Separability Changes




Sensorimotor ERD/ERS: $\lambda = 0.75$




Class-Specific Sensorimotor ERD/ERS




Temporal β Power Change — $\lambda = 0.75$




Normalized β Four-Class Contrast




Spatial Motor Lateralization




Full-Duration Sensorimotor ERD/ERS Changes




Full-Duration Hand Lateralization Distribution




EEGNet Feature-Space Changes




Common-Network Feature Separation vs Accuracy Change




Feature Compactness vs Accuracy Change




Class-Specific Compactness Changes



Final Subject-Level Accuracy: Raw vs $\lambda = 0.75$



Final Subject-Level Macro-F1: Raw vs $\lambda = 0.75$



Leave-One-Subject-Out Robustness

