



Select a spec

default

# Api Documentation <sup>1.0</sup>

[ Base URL: localhost:8088/ ]

<http://localhost:8088/v2/api-docs>

Api Documentation

[Terms of service](#)[Apache 2.0](#)

## employee-controller Employee Controller

**DELETE** /employee/del/{E\_id} delEntry

### Parameters

Try it out

#### Name

#### Description

**E\_id** \* required  
integer(\$int32)  
(path)

E\_id

### Responses

Response content type

\*/\*

#### Code

#### Description

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div></div>	
	<i>"string"</i>
204	<i>No Content</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

GET

/employee/details/{E\_id}

getById

Parameters

Cancel

Name	Description
<div><div>E_id * required</div><div>integer(\$int32)</div><div>(path)</div></div>	<div>E_id</div> <div>111</div>

Execute

Clear

Responses

Response content type

\*/\*

Curl

```
curl -X GET
"http://localhost:808
8/employee/details/11
1" -H "accept: */*"
```

Request URL

http://localhost:8088/employee/details/111

Server response

Code	Details
200	<div><div><div>Response body</div><div>E_id:111 E_FName:Bhuvana E_LName:Bullammai E_salary:65000 E_phone:1234544312</div></div><div><div>Response headers</div><div>connection: keep-alive content-length: 80 content-type: text/plain;charset=UTF-8 date: Mon, 08 Jun 2020 21:29:30 GMT keep-alive: timeout=60 vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers</div></div></div> <div>Download</div>

Responses

Code	Description
200	<div>OK</div> <div><div>Example Value</div><div>Model</div><div>"string"</div></div>
401	<div>Unauthorized</div>
403	<div>Forbidden</div>
404	<div>Not Found</div>

GET

/employee/employeeList helloworld

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	<div>OK</div> <div><div>Example Value</div><div>Model</div><div>"string"</div></div>
401	<div>Unauthorized</div>
403	<div>Forbidden</div>
404	<div>Not Found</div>

HEAD

/employee/employeeList helloworld

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	<i>OK</i>
	<b>Example Value</b> Model
	<code>"string"</code>
204	<i>No Content</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

POST    /employee/employeelists    helloworld

Parameters

Try it out

No parameters

Responses

Response content type    \*/\*

Code	Description
200	<i>OK</i>
	<b>Example Value</b> Model
	<code>"string"</code>

6/8/2020Swagger UI

Code	Description
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

PUT

/employee/employeelist helloworld

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	<i>OK</i>
	<div><div>Example Value</div><div>Model</div><div>"string"</div></div>
201	<i>Created</i>
401	<i>Unauthorized</i>

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

**DELETE**    /employee/employeeelist   helloworld

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	<i>OK</i>
	<div><div>Example Value</div><div>Model</div><div>"string"</div></div>
204	<i>No Content</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

**OPTIONS**    /employee/employeeelist   helloworld

## Parameters

Try it out

No parameters

## Responses

Response content type

\*/\*

## Code

## Description

200

*OK*

Example Value Model

*"string"*

204

*No Content*

401

*Unauthorized*

403

*Forbidden*

PATCH /employee/employeeList helloworld

## Parameters

Try it out

No parameters

## Responses

Response content type

\*/\*

## Code

## Description



Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div></div>	
	<i>"string"</i>
204	<i>No Content</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

GET

/employee/fulllist

employeeList

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div></div>	
	<i>{ }</i>

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET

/employee/hello

hello

Parameters

Try it out

No parameters

Responses

Response content type

\*/\*

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div><div>"string"</div></div>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST

/employee/new

newEntry

Parameters

Try it out

Name

Description

Employeeetable \* required

Employeeetable

(body)

Example Value

Model

```
{
  "e_first_name": "string",
  "e_id": 0,
  "e_last_name": "string",
  "e_phone": 0,
  "e_salary": 0
}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code

Description

200

OK

Example Value

Model

"string"

201

Created

401

Unauthorized

403

Forbidden

Code	Description
404	<i>Not Found</i>

PUT

/employee/update/{E\_id} updateEntry

Parameters

Try it out

Name	Description
<b>E_id</b> * required integer(\$int32) (path)	E_id
<b>E_phone</b> * required (body)	E_phone

Example Value

Model

```
{  "e_first_name": "string",  "e_id": 0,  "e_last_name": "string",  "e_phone": 0,  "e_salary": 0}
```

Parameter content type

application/json

Responses

Response content type

\*/\*

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div></div>	
	<i>"string"</i>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Models

Employeeetable

{

e\_first\_name

string

e\_id

integer(\$int32)

e\_last\_name

string

e\_phone

integer(\$int32)

e\_salary

integer(\$int32)

}

```
Iterable«EmployeeTable» {  
}
```