SAMPLE DATA INSERTION

ASSIGNMENT 7

DATABASE MANAGEMENT SYSTEM

ALLIANCE UNIVERSITY

Department of Computer Applications

SUMMITED BY: BHUVANA S

REGISTER NO: 2511021240036

COURSE: BCA

YEAR: 2ND YEAR

Introduction

Sample data insertion is an important step in testing a database management system. The INSERT INTO SQL command is used to add records to database tables. In this assignment, realistic sample data is inserted into the seven tables of the Food Delivery Management System using MySQL. The inserted records follow the defined constraints and relationships between tables.

1. Selecting the Database

USE Food_Delivery_DB;

This command selects the Food_Delivery_DB database for inserting sample records.

2. Inserting Data into CUSTOMER

The CUSTOMER table stores customer details.

INSERT INTO CUSTOMER

(Customer_ID, Customer_Name, Phone, Email, Address)

VALUES

(1, 'Arun Kumar', '9876543210', 'arun@gmail.com', 'Hosur'),

(2, 'Priya Sharma', '9876543211', 'priya@gmail.com', 'Bengaluru'),

(3, 'Rahul Verma', '9876543212', 'rahul@gmail.com', 'Electronic City'),

(4, 'Sneha Reddy', '9876543213', 'sneha@gmail.com', 'Whitefield'),

(5, 'Karthik Raj', '9876543214', 'karthik@gmail.com', 'Chennai');

Five customer records are inserted with unique customer IDs and email addresses.

3. Inserting Data into RESTAURANT

The RESTAURANT table stores restaurant information.

INSERT INTO RESTAURANT

(Restaurant_ID, Restaurant_Name, Phone, Rating, Address)

VALUES

(101, 'Spice Garden', '9123456780', 4.5, 'Bengaluru'),

(102, 'Green Bowl', '9123456781', 4.2, 'Electronic City'),

(103, 'Food Junction', '9123456782', 3.9, 'Hosur'),

(104, 'Urban Tandoor', '9123456783', 4.7, 'Whitefield'),

(105, 'South Kitchen', '9123456784', 4.0, 'Chennai');

Five restaurants are added with ratings between 0 and 5, satisfying the CHECK constraint.

4. Inserting Data into DELIVERY_PARTNER

The DELIVERY_PARTNER table stores delivery partner details.

INSERT INTO DELIVERY_PARTNER

(Partner_ID, Partner_Name, Phone)

VALUES

(201, 'Ravi Kumar', '9000011111'),

(202, 'Manoj Singh', '9000011112'),

(203, 'Ajay Patel', '9000011113'),

(204, 'Vijay Raj', '9000011114'),

(205, 'Suresh Babu', '9000011115');

Five delivery partners are inserted. Each partner has a unique ID.

5. Inserting Data into MENU_ITEM

The MENU_ITEM table stores the food items available at restaurants.

INSERT INTO MENU_ITEM

(Item_ID, Restaurant_ID, Item_Name, Category, Price, Availability)

VALUES

(301, 101, 'Paneer Biryani', 'Main Course', 220.00, TRUE),

(302, 101, 'Butter Naan', 'Bread', 40.00, TRUE),

(303, 102, 'Vegetable Salad', 'Healthy Food', 150.00, TRUE),

(304, 103, 'Masala Dosa', 'Breakfast', 80.00, TRUE),

(305, 104, 'Chicken Tandoori', 'Main Course', 280.00, TRUE),

(306, 105, 'Idli Sambar', 'Breakfast', 60.00, TRUE),

(307, 102, 'Fruit Bowl', 'Healthy Food', 120.00, FALSE),

(308, 104, 'Veg Fried Rice', 'Main Course', 170.00, TRUE);

Eight menu items are inserted. Each Restaurant_ID refers to an existing restaurant, satisfying the foreign key constraint.

6. Inserting Data into ORDERS

The ORDERS table stores customer orders and their delivery details.

INSERT INTO ORDERS

(Order_ID, Customer_ID, Restaurant_ID, Partner_ID,

Order_Date, Total_Amount, Order_Status, Delivery_Status)

VALUES

(401, 1, 101, 201, '2026-10-15', 260.00, 'Delivered', 'Delivered'),

(402, 2, 102, 202, '2026-10-16', 150.00, 'Delivered', 'Delivered'),

(403, 3, 103, 203, '2026-10-17', 160.00, 'Delivered', 'Delivered'),

(404, 4, 104, 204, '2026-10-18', 280.00, 'Preparing', 'Pending'),

(405, 5, 105, 205, '2026-10-19', 120.00, 'Confirmed', 'Pending');

Five orders are inserted. Each order refers to an existing customer, restaurant, and delivery partner.

7. Inserting Data into ORDER_ITEM

The ORDER_ITEM table stores the food items included in each order.

INSERT INTO ORDER_ITEM

(Order_Item_ID, Order_ID, Item_ID, Quantity, Subtotal)

VALUES

(501, 401, 301, 1, 220.00),

(502, 401, 302, 1, 40.00),

(503, 402, 303, 1, 150.00),

(504, 403, 304, 2, 160.00),

(505, 404, 305, 1, 280.00),

(506, 405, 306, 2, 120.00);


Six order-item records are inserted. Each record refers to an existing order and menu item. The quantities are positive, and the subtotals are non-negative.

8. Inserting Data into PAYMENT

The PAYMENT table stores payment details for orders.

```
INSERT INTO PAYMENT
(Payment_ID, Order_ID, Payment_Date, Payment_Method,
 Amount, Payment_Status)
VALUES
(601, 401, '2026-10-15', 'UPI', 260.00, 'Successful'),
(602, 402, '2026-10-16', 'Card', 150.00, 'Successful'),
(603, 403, '2026-10-17', 'Cash', 160.00, 'Successful'),
(604, 404, '2026-10-18', 'UPI', 280.00, 'Pending'),
(605, 405, '2026-10-19', 'Card', 120.00, 'Pending');
```

Five payment records are inserted. Each order has one payment record, satisfying the UNIQUE constraint on PAYMENT.Order_ID.



30	11:29:18	INSERT INTO CUSTOMER (Customer_ID, Customer_Name, Phone, Email, Addres...	5 row(s) affected Records: 5	Duplicates: 0	Warnings: 0	0.016 sec
31	11:30:23	INSERT INTO RESTAURANT (Restaurant_ID, Restaurant_Name, Phone, Rating, ...	5 row(s) affected Records: 5	Duplicates: 0	Warnings: 0	0.047 sec
32	11:30:45	INSERT INTO DELIVERY_PARTNER (Partner_ID, Partner_Name, Phone) VALUE...	5 row(s) affected Records: 5	Duplicates: 0	Warnings: 0	0.047 sec
33	11:31:22	INSERT INTO MENU_ITEM (Item_ID, Restaurant_ID, Item_Name, Category, Price...	8 row(s) affected Records: 8	Duplicates: 0	Warnings: 0	0.047 sec
34	11:31:45	INSERT INTO ORDERS (Order_ID, Customer_ID, Restaurant_ID, Partner_ID, Ord...	5 row(s) affected Records: 5	Duplicates: 0	Warnings: 0	0.047 sec
35	11:32:06	INSERT INTO ORDER_ITEM (Order_Item_ID, Order_ID, Item_ID, Quantity, Subtot...	6 row(s) affected Records: 6	Duplicates: 0	Warnings: 0	0.047 sec
36	11:32:26	INSERT INTO PAYMENT (Payment_ID, Order_ID, Payment_Date, Payment_Meth...	5 row(s) affected Records: 5	Duplicates: 0	Warnings: 0	0.047 sec

9. Verifying the Inserted Records

The following commands display the inserted data in each table.

- SELECT * FROM CUSTOMER;

Customer_ID	Customer_Name	Phone	Email	Address
1	Arun Kumar	9876543210	arun@gmail.com	Hosur
2	Priya Sharma	9876543211	priya@gmail.com	Bengaluru
3	Rahul Verma	9876543212	rahul@gmail.com	Electronic City
4	Sneha Reddy	9876543213	sneha@gmail.com	Whitefield
5	Karthik Raj	9876543214	karthik@gmail.com	Chennai
NULL	NULL	NULL	NULL	NULL

- SELECT * FROM RESTAURANT;

Restaurant_ID	Restaurant_Name	Phone	Rating	Address
101	Spice Garden	9123456780	4.5	Bengaluru
102	Green Bowl	9123456781	4.2	Electronic City
103	Food Junction	9123456782	3.9	Hosur
104	Urban Tandoor	9123456783	4.7	Whitefield
105	South Kitchen	9123456784	4.0	Chennai
NULL	NULL	NULL	NULL	NULL

- SELECT * FROM DELIVERY_PARTNER;

Partner_ID	Partner_Name	Phone
201	Ravi Kumar	9000011111
202	Manoj Singh	9000011112
203	Ajay Patel	9000011113
204	Vijay Raj	9000011114
205	Suresh Babu	9000011115
NULL	NULL	NULL

- SELECT * FROM MENU_ITEM;

Item_ID	Restaurant_ID	Item_Name	Category	Price	Availability
301	101	Paneer Biryani	Main Course	220.00	1
302	101	Butter Naan	Bread	40.00	1
303	102	Vegetable Salad	Healthy Food	150.00	1
304	103	Masala Dosa	Breakfast	80.00	1
305	104	Chicken Tandoori	Main Course	280.00	1
306	105	Idli Sambar	Breakfast	60.00	1
307	102	Fruit Bowl	Healthy Food	120.00	0
308	104	Veg Fried Rice	Main Course	170.00	1
NULL	NULL	NULL	NULL	NULL	NULL

- SELECT * FROM ORDERS;

Order_ID	Customer_ID	Restaurant_ID	Partner_ID	Order_Date	Total_Amount	Order_Status	Delivery_Status
401	1	101	201	2026-10-15	260.00	Delivered	Delivered
402	2	102	202	2026-10-16	150.00	Delivered	Delivered
403	3	103	203	2026-10-17	160.00	Delivered	Delivered
404	4	104	204	2026-10-18	280.00	Preparing	Pending
405	5	105	205	2026-10-19	120.00	Confirmed	Pending
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

- SELECT * FROM ORDER_ITEM;


Order_Item_ID	Order_ID	Item_ID	Quantity	Subtotal
501	401	301	1	220.00
502	401	302	1	40.00
503	402	303	1	150.00
504	403	304	2	160.00
505	404	305	1	280.00
506	405	306	2	120.00
NULL	NULL	NULL	NULL	NULL

- SELECT * FROM PAYMENT;

Payment_ID	Order_ID	Payment_Date	Payment_Method	Amount	Payment_Status
601	401	2026-10-15	UPI	260.00	Successful
602	402	2026-10-16	Card	150.00	Successful
603	403	2026-10-17	Cash	160.00	Successful
604	404	2026-10-18	UPI	280.00	Pending
605	405	2026-10-19	Card	120.00	Pending
NULL	NULL	NULL	NULL	NULL	NULL


To check the number of records in each table, execute:

- SELECT COUNT(*) AS Total_Customers FROM CUSTOMER;




Total_Customers
5

- SELECT COUNT(*) AS Total_Restaurants FROM RESTAURANT;




Total_Restaurants
5

- SELECT COUNT(*) AS Total_Delivery_Partners FROM DELIVERY_PARTNER;




Total_Delivery_Partners
5

- SELECT COUNT(*) AS Total_Menu_Items FROM MENU_ITEM;




Total_Menu_Items
8

- SELECT COUNT(*) AS Total_Orders FROM ORDERS;



Total_Orders
5

- SELECT COUNT(*) AS Total_Order_Items FROM ORDER_ITEM;



Total_Order_Items
6

- SELECT COUNT(*) AS Total_Payments FROM PAYMENT;



Total_Payments
5

Conclusion

Sample data was successfully prepared for all seven tables of the Food Delivery Management System. A total of 39 records were included to represent customers, restaurants, menu items, delivery partners, orders, order items, and payments. The records use valid primary and foreign key references, unique customer emails, valid ratings, non-negative amounts, and positive order-item quantities. This sample data can be used to test SQL queries and analyze the operations of the database.