

STUDENT NAME: BHUVANIKKA N

COURSE NAME: JAVA

COLLEGE NAME: CHETTINAD COLLEGE OF ENGINEERING AND TECHNOLOGY

DEPARTMENT: CSE

YEAR: 3rd YEAR

NO. OF DAYS: 32

YEAR OF STUDY: AUGUST 2026

TRAINER NAME: K GOWTHAMAN

KALVI EDUCATION ,TRAINER.

1)LOGIN PAGE:

```

package pass;

import javax.swing.*;
import java.awt.*;
import java.awt.event.*;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;

public class SimpleGui extends JFrame implements ActionListener {

    JLabel l1,l2;

    JTextField t1;

    JPasswordField p1;

    JButton b1,b2;

    public SimpleGui()
    {

        setTitle("LoginForm");

        setLayout(null);

        l1 =new JLabel("Enter Your Name");

        l2 =new JLabel("Enter PassWord");


        t1 =new JTextField();

        p1=new JPasswordField();

        b1=new JButton("CLICK ME");

        b2=new JButton("RESET");


        l1.setBounds(100, 100, 100, 30);

        l2.setBounds(100, 200, 100, 30);

        t1.setBounds(250, 100, 150, 30);

        p1.setBounds(250, 200, 200, 30);

        b1.setBounds(250, 300, 100, 30);
    }
}

```

```

b2.setBounds(400, 300, 100, 30);

add(l1);

add(t1);

add(b1);

add(b2);

add(p1);

add(l2);

b1.addActionListener(this);

b2.addActionListener(this);

```

```

}public static void main(String[] args) {

    JFrame f1=new SimpleGui();

    f1.setSize(600,400);

    f1.setVisible(true);

    f1.show();

```

```

}

```

```

@Override

```

```

public void actionPerformed(ActionEvent e) {

```

```

    // TODO Auto-generated method stub

```

```

    if(e.getSource()==b1) {

```

```

        String un=t1.getText();

```

```

        String pw=p1.getText();

```

```

        boolean isavail=false;

```

```

        try

```

```

        {

```

```

            Class.forName("com.mysql.cj.jdbc.Driver");

```

```

            System.out.println("Driver Accepted");

```

```

            Connection

```

```

con=DriverManager.getConnection("jdbc:mysql://localhost:3306/ccet","root","12345");

```

```

            //System.out.println("Connection Success");

```

```

Statement st=con.createStatement();

ResultSet rs=st.executeQuery("select *from login");

while(rs.next())
{
    //System.out.println(rs.getString(1)+" "+rs.getString(2)+" "+rs.getString(3));

    if(un.equals(rs.getString(1))&& pw.equals(rs.getString(2)))
    {
        isavail=true;
    }
}

rs.close();
st.close();
con.close();

if(isavail==true)
{
    //JOptionPane.showMessageDialog(null, "valid user");

    this.hide();

    JFrame f1 = new Dashboard();

    f1.setSize(799, 760);

    f1.setVisible(true);

    f1.show();
}

else
{
    JOptionPane.showMessageDialog(null, "Invalid user/password");

    t1.setText("");

    p1.setText("");

    t1.requestFocus();
}
}

```

```

        catch(Exception e1)
        {
            System.out.println("Error Reason:"+e1.toString());
        }
    }
}

```

2)DASHBOARD:

```

package pass;

import javax.swing.*;
import java.awt.*;
import java.awt.event.*;
import java.sql.*;

public class Dashboard extends JFrame implements ActionListener {

    JLabel tit;

    JLabel l1, l2, l3;

    static JTextField t1;

    static JTextField t2;

    static JTextField t3;

    JButton b1, b2, b3, b4;

    public Dashboard() {

        setLayout(null);

        setTitle("DashBoard - CRUD operation");

        tit = new JLabel("CRUD operation");

        Font font = new Font("Arial", Font.BOLD, 30);

        l1 = new JLabel("Enter Register number:");

        l2 = new JLabel("Enter student name :");

        l3 = new JLabel("Enter student marks :");

        t1 = new JTextField();

        t2 = new JTextField();

        t3 = new JTextField();

        b1 = new JButton("Insert/save");

        b2 = new JButton("Delete");
    }
}

```

```

b3 = new JButton("Search");

b4 = new JButton("Update");


l1.setBounds(100, 150, 200, 30);
l2.setBounds(100, 250, 200, 30);
l3.setBounds(100, 350, 200, 30);


t1.setBounds(300, 150, 200, 30);
t2.setBounds(300, 250, 200, 30);
t3.setBounds(300, 350, 200, 30);


b1.setBounds(100, 450, 100, 30);
b2.setBounds(300, 450, 100, 30);
b3.setBounds(500, 450, 100, 30);
b4.setBounds(700, 450, 100, 30);


b1.addActionListener(this);
b2.addActionListener(this);
b3.addActionListener(this);
b4.addActionListener(this);

tit.setBounds(100, 50, 300, 30);

tit.setFont(font);

add(tit);

add(l1);

add(l2);

add(l3);

add(t1);

add(t2);

add(t3);

add(b1);

add(b2);

add(b3);

```

```

    add(b4);

}

Public static void main(String[] args) {

    JFrame f1 = new Dashboard();

    f1.setSize(799, 760);

    f1.setVisible(true);

    f1.show();

}

@Override

public void actionPerformed(ActionEvent e) {

if (e.getSource() == b1)

    insert();

if (e.getSource() == b2)

    delete();

if (e.getSource() == b3)

    search();

if (e.getSource() == b4)

    update();

}

static void insert() {

    int regno = Integer.parseInt(t1.getText());

    String sname=t2.getText();

    int mark=Integer.parseInt(t3. getText());

    try{

        Class.forName("com.mysql.cj.jdbc.Driver");

        Connection con = DriverManager.getConnection(

            "jdbc:mysql://localhost:3306/ccet",

            "root",

            "12345"

        );

        Statement st = con.createStatement();

        int ans=st.executeUpdate("insert into student values("+regno+","+sname+","+mark+")");

```

```

    if(ans>0)

        JOptionPane.showMessageDialog(null,"successfully inserted");

    else

        JOptionPane.showMessageDialog(null,"no records inserted");

    t1.setText("");

    t2.setText("");

    t3.setText("");

    t1.requestFocus();

    st.close();

    con.close();

} catch (Exception ex) {

    ex.printStackTrace();

}

}

static void delete()

{

    int regno = Integer.parseInt(t1.getText());

    try {

        Class.forName("com.mysql.cj.jdbc.Driver");

        Connection con = DriverManager.getConnection(

            "jdbc:mysql://localhost:3306/ccet",

            "root",

            "12345"

        );

        Statement st = con.createStatement();

        int ans=st.executeUpdate("delete from student where sno="+regno);

        if(ans>0)

            JOptionPane.showMessageDialog(null,"successfully deleted");

        else

            JOptionPane.showMessageDialog(null,"no records deleted");
    
```



```

        st.close();

        con.close();

    } catch (Exception ex) {
        ex.printStackTrace();
    }
}

static void search() {

    int regno = Integer.parseInt(t1.getText());

    boolean isavail = false;

    try {
        Class.forName("com.mysql.cj.jdbc.Driver");

        Connection con = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/ccet",
            "root",
            "12345"
        );

        Statement st = con.createStatement();

        ResultSet rs = st.executeQuery("select * from student");

        while (rs.next()) {

            if (regno == rs.getInt(1)) {

                isavail = true;
            }
        }
    } catch (Exception ex) {
        ex.printStackTrace();
    }
}

```

```

        t2.setText(rs.getString(2));
        t3.setText(rs.getString(3));
    }
}

rs.close();
st.close();
con.close();

if (isavail == true) {

    JOptionPane.showMessageDialog(null, "Valid User");

} else {

    JOptionPane.showMessageDialog(

        null,

        "Invalid User/Password"

    );

    t1.setText("");
    t2.setText("");
    t3.setText("");

    t1.requestFocus();
}

} catch (Exception ex) {
    ex.printStackTrace();
}
}

```

```

static void update() {

    int regno = Integer.parseInt(t1.getText());

    String sname=t2.getText();

    int mark=Integer.parseInt(t3. getText());

    try{

        Class.forName("com.mysql.cj.jdbc.Driver");

        Connection con = DriverManager.getConnection(

            "jdbc:mysql://localhost:3306/ccet",

            "root",

            "12345"

        );

        Statement st = con.createStatement();

        int ans=st.executeUpdate("update student set sname='"+sname+"',mark='"+mark+" where sno='"+regno);

        if(ans>0)

            JOptionPane.showMessageDialog(null,"successfully updated");

        else

            JOptionPane.showMessageDialog(null,"no records updated");

        t1.setText("");

        t2.setText("");

        t3.setText("");

        t1.requestFocus();


        st.close();

        con.close();




    } catch (Exception ex) {

        ex.printStackTrace();



    }
}

```



JAVA COURSE



JAVA COURSE



JAVA COURSE



**THANK
YOU**