RESEARCH AND EDUCATIONAL USE ONLY — NOT A MEDICAL DEVICE

RESEARCH AND EDUCATIONAL USE ONLY — NOT A MEDICAL DEVICE

Pharmacogenomic analysis summary

sample	DEMO_NORMAL
analysed	2026-10-14T18:55:33.242293Z
printed	2026-10-14
drugs checked	4

This is not a clinical report. It was produced by a final-year student project for research and education. It has not been clinically validated, and no qualified clinical expert has reviewed the explanatory text on this page.

Recommendation text on this page is quoted from published CPIC guidance via PharmCAT. Automated source checks are not human review: they cannot show that every statement here is supported, or that any of it is correct for the person this sample came from.

Do not change a medicine on the strength of this page. Take it to a qualified healthcare professional.

Results

Ordered by consequence, not alphabetically.

clopidogrel No PGx-guided adjustment identified

gene	CYP2C19
diplotype	*38/*38
phenotype	NM
evidence level	Unknown

clopidogrel: CYP2C19 *38/*38 (Normal Metabolizer) — No PGx-guided adjustment identified.

CPIC GUIDELINE — QUOTED EXACTLY

If considering clopidogrel, use at standard dose (75 mg/day)

CPIC strength of recommendation: Strong. Population: CVI ACS PCI. Implications: CYP2C19: Normal clopidogrel active metabolite formation; normal on-treatment platelet reactivity

— Annotation of CPIC Guideline for clopidogrel and CYP2C19 (via PharmCAT) [label rule: standard_dosing]

RESEARCH AND EDUCATIONAL USE ONLY — NOT A MEDICAL DEVICE

codeine Unknown

gene	Unknown
diplotype	Unknown
phenotype	Unknown
evidence level	Unknown

codeine: no pharmacogenomic result (Unknown).

APPLICATION LIMITATION — NOT A CPIC QUOTE

CYP2D6 copy-number and structural variation is not called from the uploaded VCF in this application, so codeine guidance is not produced.

Annotation of CPIC Guideline for codeine and CYP2D6

— PharmCAT (no matching CPIC entry)

ibuprofen Unknown

gene	Unknown
diplotype	Unknown
phenotype	Unknown
evidence level	Unknown

ibuprofen: no pharmacogenomic result (Unknown).

APPLICATION LIMITATION — NOT A CPIC QUOTE

This drug is outside the audited application scope; no application guidance is produced.

Annotation of CPIC Guideline for celecoxib, flurbiprofen, ibuprofen, lornoxicam and CYP2C9

— PharmCAT (no matching CPIC entry)

warfarin Unknown

gene	CYP2C9
diplotype	*1/*1
phenotype	Unknown
evidence level	Unknown

warfarin: CYP2C9 *1/*1 (unknown) — Unknown.

APPLICATION LIMITATION — NOT A CPIC QUOTE

No validated automated warfarin-dose implementation is provided by this application; a gene call alone is not a complete dosing recommendation.

Annotation of CPIC Guideline for warfarin and CYP2C9, CYP4F2, VKORC1

— PharmCAT (no matching CPIC entry)

Unknown results (3)

RESEARCH AND EDUCATIONAL USE ONLY — NOT A MEDICAL DEVICE

An Unknown is a declined answer, not a missing one. Only the reasons about the file itself — missing positions or unusable genotypes — are something the sample provider can act on.

codeine Not called from an uploaded VCF

This gene's result depends on structural and copy-number changes that need specialised analysis of the sequencing reads, which this application does not perform. No VCF uploaded here will resolve it — it needs a specialised test or caller. The system declines to guess rather than report a genotype it cannot support.

Nothing about the uploaded file would change this result.

ibuprofen Result withheld

This drug is outside the audited application scope; no application guidance is produced.

Nothing about the uploaded file would change this result.

warfarin Result withheld

No validated automated warfarin-dose implementation is provided by this application; a gene call alone is not a complete dosing recommendation.

Nothing about the uploaded file would change this result.

Input coverage

How many of the positions each gene needs carried a usable genotype in the uploaded file. A genotype caller reads an absent position as matching the reference, so missing data can produce confident results rather than uncertain ones — which is why the count is printed whether or not it passed, and why a gene below its minimum is reported as Unknown.

gene	usable	required	minimum	sufficient
CYP2C19	35	35	100%	yes
CYP2C9	88	88	100%	yes
CYP2D6	157	157	100%	yes
DPYD	83	83	20%	yes
NUDT15	20	20	80%	yes
SLCO1B1	35	35	100%	yes
TPMT	45	45	80%	yes

Where this guidance came from

PharmCAT	3.4.0
CPIC data version	2026-07-13-11-40
explanations generated	24 Jul 2026
source	CPIC guidelines, retrieved via PharmCAT

Guidance reflects what CPIC published when this data was captured. CPIC revises its guidelines; this build does not monitor for changes.